

ANNUAL INDEX

VOLUME 6

1971

AUTHORS

A

- Aasen, A. J., H. H. Hofstetter, B. T. R. Iyengar and R. T. Holman. Identification and analysis of wax esters by mass spectrometry, 502
- Abdel-Wahab, F. See A. A. Hafiez
- Abel, Marge. See R. B. Holtz
- Abraham, T. See G. R. Hildenbrandt
- Ackman, R. G. Short communication re pristane and other hydrocarbons in some freshwater and marine fish oils, 520 erratum, 563
- See S. N. Hooper
- See Carter Litchfield
- C. A. Eaton and Carter Litchfield. Composition of wax esters, triglycerides and diacyl glyceryl ethers in the jaw and blubber fats of the Amazon River dolphin (*Inia geoffrensis*), 69
- Aftergood, L. See R. B. Alfin-Slater
- Agrawal, H. C., M. A. Fishman and A. L. Prenskey. Short communication re a possible block in the intermediary metabolism of glucose into proteins and lipids in the brains of undernourished rats, 431
- Aleby, S., I. Fischmeister and B. T. R. Iyengar. The infrared spectra and polymorphism of long chain esters: IV. Some esters from tetradecanol, hexadecanol, octadecanol, eicosanol, docosanol and docadecanoic, tetradecanoic, hexadecanoic, octadecanoic and eicosanoic acid, 421 erratum, 864
- Alexander, D. E. See I. A. De La Roche
- See Evelyn J. Weber
- Alfin-Slater, R. B. and L. Aftergood. Lipids and the pill, 693
- Allen, J. E., F. W. Forney and A. J. Markovetz. Microbial subterminal oxidation of alkanes and alk-1-enes, 448
- Ames, Stanley R. Isomers of alpha-tocopheryl acetate: subterminal oxidation of alkanes and alk-1-enes, and their biological activity, 281
- Anekwe, Gregory E. and Bharat C. Dubal. Short communication re fatty acid composition of triglycerides and phosphoglycerides during growth in *Glomerella cingulata*, 856
- Arcott, G. H. See I. J. Tinsley
- Arunga, R. O. and W. R. Morrison. The structural analysis of wheat flour glycerolipids, 768
- Askew, E. W., R. S. Emery and J. W. Thomas. Characteristics of fatty acid esterification by homogenates of bovine mammary tissue, 326
- R. S. Emery and J. W. Thomas. Fatty acid specificity of glyceride synthesis by homogenates of bovine mammary tissue, 777
- Attaway, D. H., P. Haug and P. L. Parker. Short communication re sterols in five coastal spermatophytes, 687
- Azoulay, E. See J. M. Lebeault

B

- Balachandran, R. See L. A. Ehrhart
- Barrett, J. and P. E. Butterworth. Wax esters in the cystacanths of *Polymorphus minutus* (Acanthocephala), 763
- Baumann, Wolfgang J. See John K. G. Kramer
- Bazan, Nicolas G., Jr. Short communication re free fatty acid production in cerebral white and grey matter of the squirrel monkey, 211
- Beare-Rogers, Joyce L. Liver phospholipids of rats fed a choline-deficient diet supplemented with choline or methionine, 649
- Behrman, H. R., G. J. MacDonald and R. O. Greep. Regulation of ovarian cholesterol esters: Evidence for the enzymatic sites of prostaglandin-induced loss of corpus luteum function, 791
- Berngruber, Otto W. See Malcolm J. Thompson
- Bezard, Jean A. The component triglycerides of palm-kernel oil, 630
- Bieber, L. L. See G. R. Hildenbrandt
- Bierman, Edwin L. See William C. Vogel
- Birkbeck, J. A. Short communication re the fatty acid composition of depot fat in childhood: II. A comparison of superficial and deep fat, 212

- Blank, M. L. See M. R. Grigor
- Body, D. R. The phospholipid composition of pig lung surfactant, 625
- Boucrot, P. and J. R. Clement. Resistance to the effect of phospholipase A₂ of the biliary phospholipids during incubation of bile, 652
- Breckenridge, W. C. See B. J. Holub
- Brennan, Patrick J. and Derek P. Lehane. The phospholipids of corynebacteria, 401
- Brenner, Rodolfo R. The desaturation step in the animal biosynthesis of polyunsaturated fatty acids, 567
- and Angel Catala. Effect of ATP on the microsomal desaturation of unsaturated fatty acids, 873
- Brockhoff, H. Stereospecific analysis of triglycerides, 942
- Brooks, C. J. W. See M. F. Gray
- Brunzell, John D. See William C. Vogel
- Buchnea, Dmytro. Synthesis of C-18 mixed acid diacyl-sn-glycerol enantiomers, 734
- Buckelew, Albert R., Jr. See Giuseppe Colacicco
- Bunnell, R. H. Modern procedures for the analysis of tocopherols, 246
- Burton, Robert M. Letter to the editor re sphingosine (4-sphingenine) nomenclature, 862
- Butkus, A. See L. A. Ehrhart
- Butterworth, P. E. See J. Barrett

C

- Capuzzi, David M. and Simeon Margolis. Metabolic studies in isolated rat liver cells: I. Lipid synthesis, 601
- and Simeon Margolis. Metabolic studies in isolated rat liver cells: II. Biosynthesis of serum low density lipoproteins and its regulation, 609
- Carlo, Ivette A. See M. T. Ravi Subbiah
- Carney, James A. See Brian L. Walker
- S. J. Slinger and B. L. Walker. Short communication re homo-gamma-linolenic acid: A major polyunsaturated fatty acid of swine adrenal cholesteryl esters, 624
- Carroll, K. K. See R. A. Tadayon
- and H. T. Khor. Effects of level and type of dietary fat on incidence of mammary tumors induced in female Sprague-Dawley rats by 7,12-dimethylbenz(a)anthracene, 415
- Catala, Angel. See Rodolfo R. Brenner
- Cenedella, Richard J. Effects of Su-13437, a new hypolipidemic drug, upon synthesis in vivo of hepatic and carcass total fatty acids and total cholesterol, 475
- Chang, C. C., W. J. Esselman and C. O. Clagett. The isolation and specificity of alfalfa lipooxygenase, 100
- Cho, Shuji. See Michihiro Sugano
- Chorvath, Branko. See Melvin Fried
- Christian, Joe C. See K. W. Kang
- Christie, W. W., J. H. Moore, A. R. Lorimer and T. D. V. Lawrie. Short communication re the structures of triglycerides from atherosclerotic plaques and other human tissues, 854
- Clagett, C. O. See C. C. Chang
- Clark, Dale A. See Hubert S. Mickel
- Clement, J. R. See P. Boucrot
- Colacicco, Giuseppe and Albert R. Buckelew, Jr. Lipid monolayers: Influence of lipid film and urea on the surface activity of staphylococcal α -toxin, 546
- Collins, F. D. and M. A. Trewella. Short communication re improved separation of phospholipids by counter-current distribution, 355
- Comte, J., D. Gautheron, F. Peypoux and G. Michel. Lipid composition and endogenous respiration of pig heart mitochondria, 882
- Coniglio, John G. See O. B. Evans, Jr.
- Conner, Robert L. See Frank B. Mallory
- Courtade, S. A. and J. M. McKibbin. The composition of beef heart cardiolipins isolated by solvent and chromatographic fractionation, 260

D

- Das, P. K. See A. Sengupta
- Davignon, Jean. See Yves L. Marcel

- Davis, E. N. See L. L. Wallen
 De Cuminsky, Berta S. and Osvaldo Mercuri. Short communication re the identification of prostaglandin E₁ in rat seminal vesicle gland, 278
 De La Roche, I. A. See Evelyn J. Weber
 — Evelyn J. Weber and D. E. Alexander. Effects of fatty acid concentration and positional specificity on maize triglyceride structure, 531 *erratum*, 692
 — Evelyn J. Weber and D. E. Alexander. The selective utilization of diglyceride species into maize triglycerides, 537 *erratum*, 692
 de Toma, Maria Elena. See Osvaldo Mercuri
 — and Osvaldo Mercuri. The in vivo incorporation of labeled linoleic acid, α -linolenic acid and arachidonic acid into rat liver lipids, 787
 Dhar, A. K. See Terence J. Scallan
 Dillard, C. J. and A. L. Tappel. Fluorescent products of lipid peroxidation of mitochondria and microsomes, 715
 Dubal, Bharat C. See Gregory E. Anekwe
 Dutton, H. J. See T. L. Mounts

E

- Earle, F. R. See R. Kleinman
 — See G. F. Spencer
 Easter, D. J. The turnover time of dietary cholesterol in the lactating rat, 645
 — S. Patton and R. D. McCarthy. Metabolism of phospholipid in mammary gland: I. The supply of phospholipid for milk synthesis in the rat and goat, 844
 Eaton, C. A. See R. G. Ackman
 — See Carter Litchfield
 Eberhard, Anatol and George Rouser. Quantitative analysis of the phospholipids of some marine bioluminescent bacteria, 410
 Ehrhart, L. A., R. Balachandran, A. Butkus, L. A. Lewis and A. Lazzarini Robertson. Lipid metabolism of acetate-¹⁴C by leukocytes from dogs fed an arteriosclerosis-inducing diet, 895
 Ellis, David A. See Julian N. Kanfer
 Emery, R. S. See E. W. Askew
 Emken, E. A. Short communication re determination of *cis* and *trans* in monoene and diene fatty esters by gas chromatography, 686
 — See T. L. Mounts
 Eriksson, C. E. and Karin Leu. Short communication re gas chromatographic separation of linoleic acid hydroperoxides as trimethylsilyl ethers of methyl hydroxystearates, 144
 Esselman, W. J. See C. C. Chang
 Evans, C. D. See G. R. List
 Evans, O. B., Jr., Richard Zeltvay, Richard Whorton and John G. Coniglio. Fatty acid synthesis in rat testes injected intratesticularly or incubated with ¹⁴C acetate, 706

F

- Fabien, Helene D. See Yves L. Marcel
 Fayad, I. See A. A. Hafez
 Fayek, K. See A. A. Hafez
 Fergus, C. L. See R. O. Mumma
 Fiecchi, A. See R. Paoletti
 Fischmeister, I. See S. Aleby
 Fishman, Marvin A. See H. C. Agrawal
 — Prema Madyastha and Arthur L. Prenskey. The effect of undernutrition on the development of myelin in the rat central nervous system, 468
 Fleischman, Alan I. See Paul H. Lenz
 Fletcher, B. L. and A. L. Tappel. Fluorescent modification of serum albumin by lipid peroxidation, 172
 Forney, F. W. See J. E. Allen
 Foulds, Emmet L., Jr. See Hubert S. Mickel
 Fried, Melvin and Branko Chorvath. Short communication re serum lipoprotein hydrolysis by purified lipases, 276
 Fukazawa, Toshio, O. S. Privett and Yoshiyuta Takahashi. Effect of EPA deficiency on lipid transport from liver, 388

G

- Galli, C., H. B. White, Jr. and R. Paoletti. Lipid alterations and their reversion in the central nervous system of growing rats deficient in essential fatty acids, 378
 Galli, G. See R. Paoletti
 Gallo-Torres, Hugh E., O. Neal Miller, James G. Hamilton and Carol Tratnyek. Distribution and metabolism of two orally administered esters of tocopherols, 318

- Gautheron, D. See J. Comte
 Gilliam, James M. See Paul B. McCay
 Glass, C. A. See G. R. List
 Glass, R. L. Alcoholysis, saponification and the preparation of fatty acid methyl esters, 919
 Goldberg, Sarah. See Jacob Ishay
 Gompertz, D. The distribution of 17 carbon fatty acids in the liver of a child with propionicacidemia, 576
 Goodnight, Kenneth C. and Henry W. Kircher. Metabolism of lathosterol by *Drosophila pacifica*, 166
 Goren, Mayer B. Mycobacterial sulfolipids: Spontaneous desulfation, 40
 Gray, M. F., T. D. V. Lawrie and C. J. W. Brooks. Isolation and identification of cholesterol α -oxide and other minor sterols in human serum, 886
 Greep, R. O. See H. R. Behrman
 Greves, J. H. See K. W. Kang
 Grigor, M. R., M. L. Blank and Fred Snyder. Short communication re structural relationships between glycerides of pig serum and adipose tissue, 965
 Grosch, Werner and Jorg M. Schwarz. Short communication re linoleic and linolenic acid as precursors of the cucumber flavor, 351
 Gruger, E. H., Jr. and A. L. Tappel. Letter to the editor re reactions of biological antioxidants: III. Composition of biological membranes, 147
 Gueldner, R. C. See R. D. Henson
 Gurr, M. I. The biosynthesis of polyunsaturated fatty acids in plants, 266
 — See A. R. Johnson

H

- Hafez, A. A., K. Khalifa, L. Soliman, I. Fayad, K. Fayek and F. Abdel-Wahab. Mono- and polyenoic acid distribution in plasma nonesterified fatty acids in kwashiorkor, 208
 Hagen, Per-Otto. Glycerol ether containing lipids of whole brains from germ-free and conventional rats, 170
 — Structural comparison between triglycerides and phospholipids from pig kidney, 935
 Hamilton, James G. See Hugo E. Gallo-Torres
 Hansen, I. A. Letter to the editor re shorthand notation for multiple-branched fatty acids, 862
 Harwood, J. L., A. Sodja, P. K. Stumpf and A. R. Spurr. Short communication re on the origin of oil droplets in maturing castor bean seeds, *Ricinus communis*, 861
 Haug, P. See D. H. Attaway
 Haven, Guy T. and Herbert P. Jacobi. Effects of renal factors on in vitro hepatic cholesterol synthesis in the rat, 751
 Havivi, Eli. Incorporation of ³²P orthophosphate into phospholipid of epiphyseal cartilage, 314
 Hayes, Lyle, Robert R. Lowry and Ian J. Tinsley. Short communication re cholesterol interference in analysis of fatty acid methyl esters, 65
 Hedin, P. A. See R. D. Henson
 Heftmann, Erich. Functions of sterols in plants, 128
 Hehl, Jean L. See D. M. Sand
 Henick, A. S. See W. L. Porter
 Henson, R. D., A. C. Thompson, R. C. Gueldner and P. A. Hedin. Short communication re phospholipid composition of the boll weevil, *Anthonomus grandis* boheman, 352
 Herting, David C. Introduction to the symposium on chemistry and biochemistry of tocopherols, 238
 Hess, Helen H. See Afzal A. Kahn
 Hildenbrandt, G. R., T. Abraham and L. L. Bieber. Metabolism of ceramide phosphorylethanolamine, phosphatidylinositol, phosphatidylserine and phosphatidylglycerol by housefly larvae, 508
 Hoffman, R. L. See G. R. List
 Hofstetter, H. H. See A. J. Aasen
 Holman, R. T. See A. J. Aasen
 — See John K. G. Kramer
 Holtz, R. Barry and Lee C. Schisler. Lipid metabolism of *Agaricus bisporus* (Lange) sing.: I. Analysis of sporophore and mycelial lipids, 176
 — P. Swenson, Marge Abel and T. A. Walter. Short communication re detection of a sebaceous contaminant from chloroform, 523
 Holub, B. J., W. C. Breckenridge and A. Kukula. Studies of differential turnover of palmitoyl and stearyl species of glycerophosphatides using labeled unsaturated acids, 307
 Hooper, S. N. and R. G. Ackman. *Trans*-6-hexadecenoic acid and the corresponding alcohol in lipids of the sea anemone *Metridium dianthus*, 341
 Hubbard, R. W. and W. T. Matthew. Short communication re inhibition of fat cell lipolysis by low FFA to albumin ratios, 274
 Hudson, J. O. See R. L. Raymond
 Hughes, Haywood N. See Peter F. Jezky

- Ikan, Raphael. See Jacob Ishay
 Imaizumi, Katsumi. See Michihiro Sugano
 Ishay, Jacob, Sarah Goldberg and Raphael Ikan. Short communication re the lipids of the oriental hornet, *Vespa orientalis* F., 850
 Iyengar, B. T. R. See A. J. Aansen
 — See S. Aleby

J

- Jacobi, Herbert P. See Guy T. Haven
 Jamison, V. W. See R. L. Raymond
 Jeffers, J. I. See W. L. Porter
 Jensen, Robert G. See James G. Quinn
 Jezyk, Peter F. and Haywood N. Hughes. Studies on the hydrolysis and utilization of long chain acyl CoA thioesters by liver microsomes, 107
 Johnson, A. R. and M. I. Gurr. Isotope effects in the desaturation stearic to oleic acid, 78
 Johnson, C. B. and A. T. Wilson. Chemical reactions at lipid-gas interfaces: I. Terminal chain elongation of fatty acids, 181
 — and A. T. Wilson. Chemical reactions at lipid-gas interfaces: II. Insolubilizing reactions induced by an electrical discharge, 186
 Jones, J. P. See R. B. Ramsey

K

- Kanfer, Julian N. and David A. Ellis. Short communication re in vivo studies on ganglioside metabolism, 959
 — and Anne Sargent. Short communication re sphingolipid biosynthesis by particulate fractions of normal and "quaking" mouse brain, 682
 Kang, K. W., G. E. Taylor, J. H. Greves, H. L. Staley and Joe C. Christian. Genetic variability of human plasma and erythrocyte lipids, 595
 Keenan, T. W. See Stuart Patton
 Kerpel, Shmuel, Bernard Rubenstein and David Rubenstein. The effect of prolonged fasting and of glucose refeeding on rat serum and liver lipid levels, 332
 Khalifa, K. See A. A. Hafez
 Khan, Afzal A. and Helen H. Hess. Fluorescent lipids of bovine brain white matter, 670
 Khor, H. T. See K. K. Carroll
 Kircher, Henry W. See Kenneth C. Goodnight
 Kisic, A., Y. Miura and G. J. Schroepfer, Jr. Oleate hydratase: Studies of substrate specificity, 541
 Klauda, Harry C. and Forrest W. Quackenbush. Short communication re 2-monoglyceride as an aid to the absorption of cholesterol into the thoracic lymph, 964
 Kleiman, R. See G. F. Spencer
 — and G. F. Spencer. Short communication re ricinoleic acid in *Linum mucronatum* seed oil, 962
 — G. F. Spencer, L. W. Tjarks and F. R. Earle. Oxygenated *trans*-3-olefinic acids in a *Stenachaenium* seed oil, 617
 Klein, Peter D. See Malcolm J. Thompson
 Knights, B. A. Sterols in chloroplasts: A description of two qualitatively distinct forms, 215
 Knoche, H. W. Incorporation of oxygen-18 into the oxirane ring of *cis*-9,10-epoxyoctadecanoic acid, 581
 Kottke, Bruce A. See M. T. Ravi Subbiah
 Kramer, John K. G., Ralph T. Holman and Wolfgang J. Baumann. Mass spectrometric analysis of mono- and dialkyl ethers of diols, 727
 — Wolfgang J. Baumann and Ralph T. Holman. Mass spectrometric analysis of long chain alk-1-enyl ether esters and alkyl ether esters of diols, 492
 Kuskis, A. See B. J. Holub
 Kulkarni, S. See A. N. Siakotos
 Kusamran, K. and N. Polgar. Short communication re determination of the position of ethylenic linkages in lipids, 961

L

- Larkin, Edward C. See Hubert S. Mickel
 Lawrie, T. D. V. See W. W. Christie
 — See M. F. Gray
 Le Sturgeon, Wallace M. See Alfred Poulos
 Lebeault, J. M. and E. Azoulay. Metabolism of alkane by yeast, 444
 Lee, D. J. See J. N. Roehm
 Lehane, Derek P. See Patrick J. Brennan
 Lehmann, Joanna and Hal T. Slover. Determination of plasma tocopherols by gas liquid chromatography, 35
 Lenz, Paul H. and Alan I. Fleischman. The hypolipidemic effect of SU-18,437 in rats with natural endogenous hypertriglyceridemia, 783

- Leu, Karin. See C. E. Eriksson
 Levasseur, L. A. See W. L. Porter
 Lewis, L. A. See L. A. Ehrhart
 Lewis, R. W. Short communication re lipid composition of human bronchial mucus, 859
 Libbey, L. M. See D. A. Withycombe
 Lindsay, R. C. See D. A. Withycombe
 List, G. R., C. D. Evans, E. Selke, C. A. Glass, R. L. Hoffman and G. E. McManis. Pyrolysis of some acetoxynonenes, 695
 Litchfield, Carter. See R. G. Ackman
 — R. G. Ackman, J. C. Sipos and C. A. Eaton. Isovaleryl triglycerides from the blubber and melon oils of the beluga whale (*Delphinapterus leucas*), 674
 Lopez-S, Alfredo. Serum lipid transport system: Recent advances, 369
 Lorimer, A. R. See W. W. Christie
 Lowry, Robert B. See Lyle Hayes
 — See I. J. Tinsley
 Lundberg, W. O. See Oyvind Sorbye
 Lutsky, B. N. and G. J. Schroepfer, Jr. Short communication re enzymatic conversion of 5 α -cholest-8(14)-en-3 β -ol to 5 α -cholesta-8,14-dien-3 β -ol, 957

M

- MacDonald, G. J. See H. R. Behrman
 Madyastha, Prema. See Marvin A. Fishman
 Mallory, Frank B. and Robert L. Conner. Dehydrogenation and dealkylation of various sterols by *Tetrahymena pyriformis*, 149
 Marcel, Yves L., Helene D. Fabien and Jean Davignon. Net esterification in vitro of plasma cholesterol in human primary hyperlipidemia, 722
 Margolis, Simeon. See David M. Capuzzi
 Markes, S. P. See T. G. Tornabene
 Markovetz, A. J. See J. E. Allen
 Masoro, E. J. and Byung Pal Yu. The functioning of the lipids and lipoproteins of sarcotubular membranes in calcium transport, 357
 Matthew, W. T. See R. W. Hubbard
 May, Hubert E. See Paul B. McCay
 Medwadowski, B. See J. Van der Veen
 Mellin, Donald B. See Donald G. Theriault
 Mercuri, Osvaldo. See Berta S. De Cuminsky
 — See Maria Elena De Tomas
 — and Maria Elena De Tomas. Ratio of in vivo incorporation of ³H arachidonic acid and ¹⁴C linoleic acid into liver lipids from normal and diabetic rats, 203
 — and Maria Elena De Tomas. Short communication re early steps on the in vivo incorporation of 1-¹⁴C linoleic acid into liver lipids from normal and essential fatty acid deficient rats, 858
 Michel, G. See J. Comte
 Mickel, Hubert S., Emmet L. Foulds, Jr., Dale A. Clark and Edward C. Larkin. Effects of pure oxygen atmosphere in vivo on plasma lecithin-cholesterol acyltransferase reaction, 740
 Mikolajczak, K. L. and C. R. Smith, Jr. Short communication re cyanolipids of ksum (*Schleichera trijuga*) seed oil, 349
 Miller, O. Neal. See Hugo E. Gallo-Torres
 Miller, R. W. See G. F. Spencer
 Miura, Y. See A. Kisic
 Moore, J. H. See W. W. Christie
 — See R. C. Noble
 Morin, Robert J. Cholesterol esterification and cholesteryl ester hydrolysis by rabbit and human ovaries, 815
 Morrison, W. R. See R. O. Arunga
 Motura, L. B. See D. Subrahmanyam
 Mounts, T. L., E. A. Emken, W. K. Rohwedder and H. J. Dutton. Metabolism of labeled isomeric octadecanoates by the laying hen, 912
 Mumma, R. O., R. D. Sekura and C. L. Fergus. Thermophilic fungi: II. Fatty acid composition of polar and neutral lipids of thermophilic and mesophilic fungi, 584
 — R. D. Sekura and C. L. Fergus. Thermophilic fungi: III. The lipids of *Humicola grisea* var. *thermoidea*, 589

Mc

- McCarthy, R. D. See D. J. Easter
 McCay, Paul B., J. Lee Poyer, Peter M. Pfeifer, Hubert E. May and James M. Gilliam. A function for α -tocopherol: stabilization of the microsomal membrane from radical attack during TPNH-dependent oxidations, 297
 McKibbin, J. M. See S. A. Courtade
 McManis, G. E. See G. R. List

N

- Nagy, Steven. See Harold E. Nordby
 — and Harold E. Nordby. Distribution of free and conjugated sterols in orange and tanger juice sacs, 826
 Naqvi, S. H. M. See R. B. Ramsey
 Nes, William R. Regulation of the sequencing in sterol biosynthesis, 219
 Nicholas, H. J. See R. B. Ramsey
 Nicolaides, N. The structure of the branched fatty acids in the wax esters of vernix caseosa, 901
 Noble, R. C., W. Steele and J. H. Moore. Diet and the fatty acids in the plasma of lambs during the first eight days after birth, 26
 — W. Steele and J. H. Moore. Postnatal changes in the phospholipid composition of livers from young lambs, 926
 Nordby, Harold E. See Steven Nagy
 — and Steven Nagy. Comparative citrus fatty acid profiles of triglycerides, monogalactosyl diglycerides, steryl esters and esterified steryl glucosides, 554

O

- Olcott, H. S. See J. Van der Veen
 Olmsted, C. A. Studies on the role of phospholipids in the triglyceride cycle: III. Liver and plasma phospholipid exchange in depancreatized dogs, 384
 Ory, Robert L. and Allen J. St. Angelo. Lipolysis in castor seeds: A reinvestigation of the neutral lipase, 54

P

- Paoletti, E. Grossi. See R. Paoletti
 Paoletti, R. See C. Galli
 — G. Galli, E. Grossi Paoletti, A. Fiechi and A. Scala. Some pathways and mechanisms in lanosterol-cholesterol conversion in mammalian tissues, 134
 Parker, P. L. See D. H. Attaway
 Parkhurst, R. M. See W. A. Skinner
 Passo, S. See A. N. Siakotos
 Patterson, Glenn W. The distribution of sterols in algae, 120
 Patton, Stuart. See D. J. Easter
 — and T. W. Keenan. The relationship of milk phospholipids to membranes of the secretory cell, 58
 Peypoux, P. See J. Comte
 Pfeifer, Peter M. See Paul B. McCay
 Phillips, Bruce E., C. R. Smith, Jr. and W. H. Tallent. Glycerides of *Limnanthes douglasii* seed oil, 93
 Phillips, Fred C. See Oyvind Sorbye
 Phleger, C. F. Short communication re liver triglyceride synthesis failure in post-spawning salmon, 347
 Polgar, N. See K. Kusamran
 Polityka, S. D. See J. N. Roehm
 Porter, W. L., A. S. Henick, J. I. Jeffers and L. A. Levasseur. A method of ultraviolet spectrophotometry of lipid monolayers on silica gel, 9
 — L. A. Levasseur and A. S. Henick. An addition compound of oxidized tocopherol and linoleic acid, 1
 — L. A. Levasseur, J. I. Jeffers and A. S. Henick. UV spectrophotometry of autoxidized lipid monolayers while on silica gel, 16
 Poulos, Alfred, Wallace M. Le Sturgeon and Guy A. Thompson, Jr. Ether-containing lipids of the slime mold, *Physarum polycephalum*: I. Characterization and quantification, 466
 — and Guy A. Thompson, Jr. Ether-containing lipids of the slime mold, *Physarum polycephalum*: II. Rates of biosynthesis, 470
 Poyer, J. Lee. See Paul B. McCay
 Prensky, Arthur L. See H. C. Agrawal
 — See Marvin A. Fishman
 Privett, O. S. See Toshio Fukazawa
 Puleo, L. E. See G. Ananda Rao

Q

- Quackenbush, Forrest W. See Harry C. Klauda
 Quinn, James G. and Robert G. Jensen. Letter to the editor re melting points of several enantiomeric glycerides, 692

R

- Ramsey, R. B., J. P. Jones, S. H. M. Naqvi and H. J. Nicholas. The biosynthesis of cholesterol and other sterols by brain tissue: I. Subcellular biosynthesis in vitro, 154

LIPIDS, VOL. 6, NO. 12

- J. P. Jones, S. H. M. Naqvi and H. J. Nicholas. The biosynthesis of cholesterol and other sterols by brain tissue: II. A comparison of in vitro and in vivo methods, 225
 Rao, R. Hanumantha. See D. Subrahmanyam
 Rao, G. Ananda, L. E. Puleo, M. F. Sorrels and Raymond Reiser. Isomerization of L-glyceraldehyde to dihydroxyacetone during glyceride synthesis by rat liver microsomes, 930
 — M. F. Sorrels and R. Reiser. Dietary regulation of phosphatidic acid synthesis from dihydroxyacetone phosphate and fatty acid by rat liver microsomes, 88
 Ravi Subbiah, M. T., Bruce A. Kottke and Ivette A. Carlo. Short communication re 5 α -cholestan-3 β -ol: High concentration in testis of white carneau pigeon, 517
 Raymond, R. L., V. W. Jamison and J. O. Hudson. Hydrocarbon cooxidation in microbial systems, 453
 Reiser, Raymond. See G. Ananda Rao
 Robbins, W. E. See J. A. Svoboda
 Robertson, A. Lazzarini. See L. A. Ehrhart
 Roehm, J. N., D. J. Lee, R. O. Sinnhuber and S. D. Polityka. Deposition of cyclopropanoids in the tissue lipids of Rainbow trout fed methyl sterculate, 426
 Rohwedder, William K. Field ionization mass spectrometry of long chain fatty methyl esters, 906
 — See T. L. Mounts
 — See L. L. Wallen
 Rosie, D. A. and G. G. Shone. Short communication re the iodination of methyl sterculate and deiodination of the product to reform the cyclopropanoid ring, 623
 Roubal, W. T. Free radicals, malonaldehyde and protein damage in lipid-protein systems, 62
 Rouser, George. See Anatol Eberhard
 Rubenstein, Bernard. See Shmuel Kerpel
 Rubenstein, David. See Shmuel Kerpel

S

- St. Angelo, Allen J. See Robert L. Ory
 Sand, D. M., Jean L. Hehl and H. Schlenk. Wax esters in fish: Turnover of oleic acid in wax esters and triglycerides of gouramis, 562
 Sargent, Anne. See Julian N. Kanfer
 Satyaswaroop, P. G. Lipids of bovine thyroid, 661
 Scala, A. See R. Paoletti
 Scallan, Terence J., M. W. Schuster, A. K. Dhar and H. B. Skrdiant. Studies on the enzymatic synthesis of cholesterol: Use of a liver acetone powder, 162
 Schialer, Lee C. See R. Barry Holtz
 Schlenk, H. See D. M. Sand
 Schroepfer, G. J., Jr. See A. K. Kise
 — See B. N. Lutsky
 Schuster, M. W. See Terence J. Scallan
 Schwartz, Jorg M. See Werner Grosch
 Sekura, R. D. See R. O. Mumma
 Selke, E. See G. R. List
 Sengupta, A., Chandana Sengupta and P. K. Das. The triglyceride composition of *Moringa concanensis* seed fat, 666
 Sengupta, Chandana. See A. Sengupta
 Shone, G. G. See D. A. Rosie
 Siakotos, A. N., S. Kulkarni and S. Passo. The quantitative analysis of sphingolipids by determination of long chain base as the trinitrobenzene sulfonic acid derivative, 254
 Sinnhuber, R. O. See J. N. Roehm
 Sipos, J. C. See Carter Litchfield
 Skinner, W. A. and R. M. Parkhurst. Reaction products of tocopherols, 240
 Skrdiant, H. B. See Terence J. Scallan
 Singer, S. J. See J. A. Carney
 Slover, Hal T. Tocopherols in foods and fats, 291
 — See Joanna Lehmann
 Smith, C. R., Jr. See K. L. Mikolajczak
 — See Bruce E. Phillips
 Smith, Leland L. See Johan E. van Lier
 Smith, Lloyd M. See Lee-Shin Tsai
 Snyder, Fred. See M. R. Grigor
 Sodia, A. See J. L. Harwood
 Soliman, L. See A. A. Hadzi
 Sorbye, Oyvind, Fred C. Phillips and W. O. Lundberg. Short communication re potential function of cholesterol in blood coagulation: Amplification of phospholipid thromboplastic activity, 139
 Sorrels, M. F. See G. Ananda Rao
 Spence, M. W. The effect of a fat free diet on esterified monoenoic fatty acid isomers in rat tissues, 831
 Spencer, G. F. See R. Kleiman
 — R. Kleiman, R. W. Miller and F. R. Earle. Occurrence of cis-6-hexadecenoic acid as the major component of *Thunbergia alata* seed oil, 712
 Sprecher, Howard. The synthesis of 1-¹⁴C-arachidonate and 3-¹⁴C-docosa-7,10,13,16-tetraenoate, 889

- Spurr, A. R. See J. L. Harwood
 Staley, H. L. See K. W. Kang
 Steele, W. See R. C. Noble
 Stumpf, P. K. See J. L. Harwood
 Subrahmanyam, D., L. B. Moturu and R. Hanumantha Rao. On the phospholipids of *Culex pipiens fatigans*, 867
 Sugano, Michihiro, Katsumi Imaizumi, Shuji Cho and Masafuto Wada. Short communication re hepatotoxicity and lipid metabolism-IV structure and molecular species of hepatic triglyceride in rats treated with carbon tetrachloride, 141
 Suzuki, Kunihiko. Short communication re renal cerebroside in globoid cell leukodystrophy (Krabbe's Disease), 433
 Svoboda, J. A. and W. E. Robbins. The inhibitive effects of azasterols on sterol metabolism and growth and development in insects with special reference to the tobacco hornworm, 113
 Swenson, P. See R. B. Holtz

T

- Tadayon, R. A. and K. K. Carroll. Effect of growth conditions on the fatty acid composition of *Listeria monocytogenes* and comparison with the fatty acids of *Erysipelothrix* and *Corynebacterium*, 820
 Takahashi, Yoshiyata. See Toshio Fukazawa
 Takayasu, Ken and Iwao Yoshikawa. The influence of exogenous cholesterol on the fatty acid composition of liver lipids in the rats given linoleate and γ -linolenate, 47
 Tallent, W. H. See Bruce E. Phillips
 Tappel, A. L. See C. J. Dillard
 — See B. L. Fletcher
 — See E. H. Gruger, Jr.
 Taylor, G. E. See K. W. Kang
 Theriault, Donald G. and Donald B. Mellin. Cellularity of adipose tissue in cold-exposed rats and the calorigenic effect of norepinephrine, 486
 Thomas, J. W. See E. W. Askew
 Thompson, A. C. See R. D. Henson
 Thompson, Guy A., Jr. See Alfred Poulos
 Thompson, Malcolm J., Otto W. Berngruber and Peter D. Klein. Preparation of tritium-labeled sterols and the synthesis of labeled-24-azacholesterol, 233
 Tinsley, Ian J. See Lyle Hayes
 — G. H. Arscott and R. R. Lowry. Fertility and testicular fatty acid composition in the chicken as influenced by vitamin E and ethoxyquin, 657
 Tjarks, L. W. See R. Kleiman
 Tornabene, T. G. and S. P. Markey. Characterization of branched monounsaturated hydrocarbons of *Sarcina lutea* and *Sarcina flava*, 190
 Tratnyek, Carol. See Hugo E. Gallo-Torres
 Trehella, M. A. See F. D. Collins

- Tsai, Lee-Shin and Lloyd M. Smith. Role of the bases and phosphoryl bases of phospholipids in the autoxidation of methyl linoleate emulsions, 196
 Tulloch, A. P. Diesters of diols in wheat leaf wax, 641

V

- van der Linden, A. C., and J. C. van Ravenswaay Claassen. Hydrophobic enzymes in hydrocarbon degradation, 437
 van der Veen, J., B. Medwadowaki and H. S. Olcott. The lipids of krill (*Euphausia* species) and red crab (*Pleuroncodes planipes*), 481
 van Lier, Johan E. and Leland L. Smith. Sterol metabolism: XII. 26-hydroxycholesterol in commercial cholesterol, 85
 van Ravenswaay Claassen, J. C. See A. C. van der Linden
 Vogel, William C., John D. Brunzell and Edwin L. Bierman. A comparison of triglyceride, monoglyceride, and phospholipid substrates for post-heparin lipolytic activities from normal and hypertriglyceridemic subjects, 805

W

- Wada, Masafuto. See Michihiro Sugano
 Walker, Brian L. See J. A. Carney
 — and James A. Carney. Response of rat adrenal cholesteryl esters to cold stress, 797
 Wallen, L. L., E. N. Davis, Y. V. Wu and W. K. Rohwedder. Stereospecific hydration of unsaturated fatty acids by bacteria, 745
 Walter, T. A. See R. B. Holtz
 Weber, Evelyn J. See I. A. De La Roche
 — I. A. De La Roche and D. E. Alexander. Stereospecific analysis of maize triglycerides, 625
 erratum, 692
 Weete, John D. Short communication re total fatty acids of habituated and teratoma tissue cultures of tobacco, 684
 White, H. B., Jr. See C. Galli
 Whorton, Richard. See O. B. Evans, Jr.
 Wilson, A. T. See C. B. Johnson
 Withycombe, D. A., L. M. Libbey and R. C. Lindsay. Volatile compounds from thermally oxidized methyl oleate, 758
 Wu, Y. V. See L. L. Wallen

XYZ

- Yoshikawa, Iwao. See Ken Takayasu
 Yu, Byung Pal. See E. J. Masoro
 Zseitsay, Richard. See O. B. Evans, Jr.

SUBJECT

A

- Abdominal wall depot fat**, human, fatty acid profile, 212
- Acanthocephala**, lipid comp of *Polymorphus minutus*, 763
- Acetate**, incorporation into cholesterol, 761
- ¹⁴C-Acetate**, incorporation into mouse lipids, 475
- ¹⁻¹⁴C-Acetate**, incorporation into lipids, rat liver cells, 601
- leukocyte lipids, arteriosclerosis-inducing diet, 895
- lipid synthesis in dog leukocytes, chain elongation, fatty acids, 895
- Acetic acid**, incorporation in brain of rat, 154
- Acetic anhydride**, for acetylation of long chain alcohols, 341
- Acetone**, extraction of cholesterol from chloroplasts by, 215
- Acetone powder**, from liver microsomes, role in cholesterol biosynthesis, 162
- Acetoxynonenes**, synthesis of 1,3 and 2,4, 635
- Acetylation**, of long chain alcohols, 341
- ACP**. See acyl carrier protein
- Acrolein**, in cucumbers, synthesis from unsaturated fatty acids, 351
- Actinomycetes**, phosphomannosinotides and fatty acids in taxonomy of actinomycetes, 401
- Actinomycin D**, effect on acid lipase of castor bean, 54
- Acyl carrier protein**, role in fatty acid synthesis in plants, 266
- Acyl coenzyme A**, rat, rabbit, pig liver microsomal metabolism of, 107
- Acyl coenzyme A-cholesterol-O-acyltransferase**, in rabbit and human ovaries, 815
- Acyl coenzyme A synthetase**, in bovine mammary gland, 777
- Acyl transferase**, in bovine mammary gland, 777
- Acylated phospholipids**, in corynebacteria, 401
- Adenocarcinoma**, rat mammary gland, effect of dietary fats, 415
- Adenoma**, induced, rat mammary gland, 415
- Adenosine triphosphate**, activity muscle sarcoplasmic reticulum, 357
- effect on microsomal desaturation of unsaturated fatty acids, 873
- Adipose tissue**, rat, effect of age and cold acclimation on cell size, 486
- Adipose tissue**, human, triglyceride structure, 854
- Adipose tissue**, pig, phospholipid fatty acid profile, 965
- Adipose tissue**, rat, monoenoic fatty acid isomers, normal, EFA deficient diet, 831
- tocopherol content, 318
- Adrenal**, lipid content, effect of anovulatory drugs on, 693
- Adrenal**, guinea pig, cholesterol content, 517
- Adrenal**, pigeon, cholesterol content, 517
- Adrenal**, rabbit, cholesterol content, 517
- Adrenal**, rat, cholesterol esters, diet and fatty acid profile, 797
- cholesterol esters, response to cold stress, 797
- cholesterol esters, response to diet, 797
- cholesterol esters, stress and selective utilization, 797
- Adrenal**, swine, cholesteryl ester fatty acid comp, 624
- Adrenal gland**, metabolism of vitamin E, 318
- Adrenal gland**, rat, tocopherol content, 318
- Agaricus bisporus (Lange) Sing.**, lipid comp, 176
- Age**, effect on acyl desaturation, 567
- rat, effect of on adipose tissue cell size, 486
- rat, effect of on metabolism, 486
- Albumin**, fatty acid acceptor, post-heparin plasma, 805
- FFA bound to, inhibition of lipolysis, 274
- modification by lipid peroxidation, 172
- serum, bovine and human, peroxidized, 172
- Alcohol dehydrogenase**, in alkane grown yeast, 444
- inducible, in *Pseudomonas aeruginosa*, 437
- NAD⁺-linked from yeast, Michaelis constant, 444
- purification of, 444
- Alcohol profile**, dolphin (*Inia geoffrensis*) wax esters, 69
- Alcohols**, esters with fatty acids, melting points, 421
- long chain, esters with fatty acids, infrared spectra, 421
- produced by oxidation of hydrocarbons by microorganisms, 448
- Alcohols**, long chain, in acanthocephalan waxes, 763
- in sea anemone, 341
- Alcoholysis**, of fatty acid methyl esters, 919
- reaction mechanism, kinetics, 919
- Aldehyde**, development from unsaturated fatty acids by a cucumber homogenate, 351
- NMR and mass spectra, 961
- Aldehyde factor**, of bacterial bioluminescence, 410
- Alkane**, pristane content of oil, 520
- Algae**, blue-green, sterols isolated from, 219
- sterol distribution in red, green and brown, 120
- Alkanes**, metabolism by yeast, 444
- Alkenes**, locations of double bonds, 190
- oxidation by permanganate-periodate, 190
- Alk-1-enyl ethers**, mass spectra, 492
- Alk-1-enyl glycerolipids**, biosynthesis by slime mold, 470
- Alk-1'-enyl glyceryl ethers** in germ-free and conventional rat brain, 170
- Alk-1-enyl phosphoglycerides**. See also plasmalogens
- Alk-1-enyl-2-acyl-glycerol-3-phosphoryl choline**, in pig heart mitochondria, 882
- Alk-1-enyl-2-acyl-glycerol-3-phosphoryl ethanolamine**, in pig heart mitochondria, 882
- 2-Alk-1'-enyl-2-acyl-glycerol-3-phosphoryl choline**, mass spectra, 492
- 3-Alkoxy-1-O-acyl-ethanol**, mass spectra, 492
- 2-Alkoxy-ethanol**, diol ethers, 727
- 3-Alkoxy-propanols**, diol ethers, 727
- Alkyl ethers**, profile, 1-alkyl glyceryl ethers, slime mold, 466
- Alkyl glyceryl ethers**, in germ-free and conventional rat brain, 170
- 1-Alkyl glyceryl ethers**, alkyl ether profile, slime mold, 466
- Alkyl phosphoglycerides**. See also glyceryl ether phospholipids
- Alkylation**, of α -tocopherol, 240
- Almond**, tocopherol content of seeds, 291
- Amino acids**, comp of proteins from sarcoplasmic reticulum, 357
- destruction by free radicals from unsaturated fatty acids, 62
- Amino groups**, effect on autooxidation of linoleate emulsions, 198
- Ancistrodon piscivorus piscivorus**, venom hydrolysis of phospholipids by, 352
- Anemone**, sea, diacylglycerylethers, fatty acid profile, 341
- fatty acid profile, 341
- free sterol content, 341
- *trans*-6-hexadecenoic acid in, 341
- *trans*-6-hexadecenoic acid in, 341
- lipid content, 341
- phospholipids, fatty acid profile, 341
- triglyceride, fatty acid profile, 341
- wax esters, fatty acid profile, 341
- Anovulatory drugs**, and lipids, a review, 693
- effect on rat's and human lipid metabolism, 693
- mode of action, 693
- Antelao**, branched hydrocarbons in microorganisms, 190
- Anthonomus grandis Boheman**, lipid comp, 352
- Antibiotic**, polyene, effects of on sarcotubular membrane function, 357
- Antioxidant**, BHT, protection of maize triglycerides, 525
- BHT, use in TLC to prevent autooxidation, 525
- bases and phosphoryl bases of phospholipids, 196
- effect on lipid-protein oxidation, 62
- Antiserum**, prep against rat serum lower density lipoproteins, 609
- Aorta**, human, cholesterol content, 517
- stereospecific fatty acid profile, 854
- Apolipoproteins**, in human serum, 369
- Apparatus**, for corona discharge, lipid-gas interfaces, 186
- ¹⁻¹⁴C-Arachidate acid**, methyl ester, GLC, 889
- Arachidic acid**, formation by free radicals, 181
- Arachidonic acid**, esterification, liver glycerides, 307
- in phospholipids of sheep liver, 926
- incorporation into rat liver lipids, 203, 787
- synthesis from linoleate in rat, 47
- ¹⁻¹⁴C-Arachidonic acid**, methyl ester, GLC, 889
- synthesis of, specific activity, 889
- Argentation chromatography**. See chromatography, thin-layer
- Argon**, electrical discharges, fatty acid polymerization, 186
- Arteriosclerosis**, ¹⁻¹⁴C-acetate incorporation into leukocyte lipids, 895
- EFA deficient diet, dogs, leukocytes, 895
- leukocyte lipid metabolism, ¹⁻¹⁴C-acetate, dogs, 895
- Asparagus**, tocopherol content, 291
- Assay**, radiochemical, microsomal acyl CoA metabolism, 107
- spectrophotometric, microsomal acyl CoA metabolism, 107
- Atherosclerosis**, cholesterol α -oxide in serum, 836
- effect of anovulatory drugs on, 693
- Atherosclerotic plaques**, human, triglyceride structure, 854
- ATP**. See adenosine triphosphate
- Autradiography**, of phospholipids on TLC plates, 844
- Autoxidation**, effect of β -hydroxyl group, 196
- effect of nitrogeous bases on linoleate emulsions, 196
- effect of α -tocopherol in rat, 297
- linoleic acid monolayers on silica, 16
- mechanism, kinetics in linoleate emulsions, 196
- monolayers on silica, 16

- of cholesterol, 85
- of methyl linoleate emulsions, mechanism, 196
- pH, effect on linoleate emulsions, 196
- products from linoleic acid, 16
- reaction mechanism of thermally induced, 758
- thermal, methyl oleate, 758
- Δ^5 -Avenasterol, in chloroplasts, 216
- 24-Azacholesterol**, synthesis of 3 H-labeled compound, 233
- Azasterols**, inhibitory effect on several insects and insect larva, 113
- inhibitory effect on sterol metabolism, 113
- inhibitory effect on Tobacco hornworm, 113

B

- Bacteria**, fatty acid comp, 820
 - growth media, 820
 - taxonomy, 820
- Bacteria, bioluminescent**, condition for growth, 410
 - fatty acid profile, 410
 - light output, 410
 - lipid extraction, 410
 - lipids of, 410
 - poly- β -hydroxybutyrate, 410
- Barley**, tocopherol content of seeds, 291
- Beef, heart**, isolation of diphosphatidyl glycerol from, 260
- Behenic acid**, formation by free radicals, 181
- Benzoil peroxide**, oxidation of tocopherol, 240
- 7,12-dimethylbenz(a)anthracene**, mammary carcinogenesis in rats, 415
- Benzene**, alkyl-substituted, hydroxylation of, 437
 - thermal oxidation product of methyl oleate, 758
- Beta vulgaris**, chloroplast sterols, 215
- Bile, rat**, incorporation of fatty acids into phospholipids, 307
 - phospholipids, resistance to phospholipase A₂, 652
- Bile salts**, use in lipase assay, 805
- Bioassay**, liver storage test, plasma for vitamin E, 281
- of vitamin E, α -tocopherol, α -tocopherol acetate, 281
- Biochemistry of hydrocarbon degradation**, Symposium, beginning on page 437
- Bioluminescent bacteria**, condition for growth, 410
 - fatty acid profile, 410
 - light output, 410
 - lipid extraction, 410
- Biosynthesis**, mouse, effects of drugs on lipid, 475
- Biphenyl**, microbial oxidation, 453
- Blood**, coagulation, 139
 - glucose and phospholipid transport, 394
- Blood, rat**, tocopherol content, 318
- Boll weevil**, lipid content, 352
 - phospholipid comp, fatty acid profile, 352
- Bone**, lipid content, 314
- Boron trifluoride**, in saponification, methanolysis of esters, 919
 - use in anal of sphingolipids, 254
- Bovine, brain**, fluorescent lipids from white matter, 670
- Bovine, mammary gland**, fatty acid specificity, triglyceride synthesis, 777
 - glyceride synthesis, 777
 - incubation medium for triglyceride synthesis, 777
 - prep of homogenates, 777
- Bovine, mammary tissue**, fatty acid esterification, 326
 - phospholipid synthesis, 326
 - triglyceride synthesis, 326
- Bovine, thyroid**, phospholipid comp, 661
- Bovine serum albumin**, peroxidation, fatty acids, 172
 - reaction with 2,3-butanedione, 172
 - reaction with crotonaldehyde, 172
 - reaction with 2,4-hexadienal, 172
 - role in triglyceride synthesis, 326
- Brain, grey and white matter**, free fatty acids, ischemia, 211
 - human, cholesterol biosynthesis in, 134
 - human, sterols, 134
 - lipid extraction, 935
 - sterols, metabolism, 225
 - sterols, metabolism in rat, 154
- Brain, bovine**, white matter, fluorescent lipids, 670
- Brain, chicken**, distribution of TPNH-oxidase activity in microsomes, 297
- Brain, human**, distribution of TPNH-oxidase activity in microsomes, 297
- Brain, lipids**, metabolism in rat, 154
- Brain, mouse**, particulates, synthesis of sphingolipids, 682
- Brain, pig**, fatty aldehydes profile of polar lipids, 985
- Brain, rat, adult**, sterol metabolism, 225
 - cell free extracts, sterol metabolism in, 225
 - cholesterol, synthesis from glucose, 431
 - cholesterol metabolism in, 225
 - comp of non-saponifiable lipids, 154
 - conversion of desmosterol to cholesterol, 154
 - distribution of TPNH-oxidase activity in microsomes, 297
 - effect of malnutrition on myelin development and chemical comp, 458

- essential fatty acid deficiency, 378
- ether lipid comp, 170
- ether lipids, hydrocarbon chain profile, 170
- fatty acid profile from various myelin lipid classes, 458
- ganglioside metabolism in, 959
- glycolipid, synthesis from glucose, 431
- homogenates, sterol metabolism in, 225
- incorporation of acetic acid in sterols of, 154
- incorporation of mevalonic acid in sterols of, 154
- incorporation of U- 14 C-glucose into sterols of, 154
- isolation of microsomes, mitochondria, 154
- isolation of myelin, 458
- lanosterol metabolism, 154
- lipids, synthesis from glucose, 431
- metabolism, *in vivo* and *in vitro* differences in sterols synthesis, 225
- metabolism of glucose, leucine, 431
- mevalonic acid metabolism in, 225
- microsomes, sterol metabolism in, 225
- monoenic fatty acid isomers, normal, EFA deficient diet, 831
- myelination, 225
- non-saponifiable compounds in, 225
- phospholipid, synthesis from glucose, 431
- phospholipid content in EFA deficiency, 378
- prep of myelin, 378
- proteins, synthesis from glucose, leucine, 431
- quantitation of lipid classes in myelin from, 458
- sodium acetate metabolism in, 225
- squalene metabolism in, 225
- sterol ester metabolism in, 225
- sterol metabolism in, 225
- sterol metabolism in adult, 154
- sterol metabolism in young, 154
- subcellular fractions, 154
- undernourished, weight of, 431
- weight changes in EFA deficiency, 378
- young, sterol metabolism, 225
- Brain, squirrel monkey**, content of free fatty acids, 211
- Brain lipids**, metabolism, 225
- Brain sterols**, isolation and characterization of, 85
- Brassicasterol**, content of oranges, 826
 - in chloroplasts, 215
- Breast cancer, human**, correlation with fat intake, 415
- Bromodecane**, inhibitor of alcohol dehydrogenase, 444
- Bromomercuric adducts**, of unsaturated fatty acids, separation by TLC, 378
- Butanol**, as substrate for alcohol dehydrogenase, 444
- 1-Butanol**, dehydrogenation of, 437
- Butter**, fatty acid profile, 415
 - induction of mammary tumor in rats, 415
- di-t-Butyl peroxide**, free radical formation from, 181
- Butylated hydroxy-toluene (BHT)**, antioxidant, 525
 - protection of maize triglycerides, 525
 - use in TLC, 525
- n-Butylcyclohexane**, microbial oxidation, 453
- Butyric acid**, effect on triglyceride synthesis, 777
 - incorporation into triglycerides by mammary tissue, 326

C

- Calcification**, and phospholipids, 314
- Calcium**, fatty acid acceptor, post-heparin plasma, 805
 - transport and sarcotubular membrane lipid-protein structure, 357
- Calorigenic effect**, influence of age, 486
 - influence of cold acclimation, 486
 - of norepinephrine on rats, 486
- Campesterol**, content of various species of orange, 826
 - in chloroplasts, 215
 - in marine plants, 687
 - synthesis of 3 H-labeled compound, 233
- Candida tropicalis**, metabolism of alkanes, 444
- Carbon tetrachloride**, effect on liver triglyceride, 141
- Carbonyl compounds**, unsaturated, ultraviolet spectra of compound adsorbed on silica, 9
- Carbonyls**, unsaturated and α -di-, reaction with albumin, 172
- α -Carboxyl amino group**, antioxidant activity, linoleate emulsions, 196
- Cardiolipin**, beef heart, ester groups and fatty acids, 260
 - effect of prep method on comp and properties, 240
 - fatty acid incorporation, rat liver, 307
 - fatty acid profile in bull weevil, 352
 - in bioluminescent bacteria, 410
 - in bull weevil, 352
 - in mosquito eggs, larvae, pupae, adults, 867
 - in rat heart mitochondria, 882
 - synthesis in leukocytes, 695
- Carotenoids**, content in human serum, 369
- Carrots**, tocopherol content, 291
- Cartilage**, lipid content, 314
- Cartilage epiphyseal**, 32 P incorporation into phospholipids, 314

- Casein**, effect of feeding on serum cholesterol esters in rats, 369
- Castor bean**, absence of neutral lipase, 54
- acid lipase effect of actinomycin D, 54
 - acid lipase effect of gibberellic acid, 54
 - enzyme in oil droplets, 851
 - lipolysis, 54
 - oil droplets, electron microscopy of, 851
 - oil droplets, isolation of, 851
 - oil droplets, origin, 851
 - oil droplets particulate inclusions, 851
 - seeds, maturing and developing oil droplets, 851
 - seeds, oil droplets and fatty acid synthesis, 851
 - spherosomes, 851
- Catfish, liver**, distribution of TPNH-oxidase activity in microsomes, 297
- Catfish, muscle**, distribution of TPNH-oxidase activity in microsomes, 297
- Ceramide phosphoryl ethanolamine**, metabolism in housefly, microsomal fraction, 508
- Ceramides**, and biosynthesis of gangliosides, 959
- synthesis by mouse brain particulate fraction, 682
- Cerebral cortex**, free fatty acids after ischemia, 211
- Cerebroside**, anal using trinitrobenzene sulfonic acid, 254
- content in human serum, 369
 - detmn by GLC, 433
 - hydroxy fatty acids of, rat brain, 458
 - in normal and globoid cell leukodystrophy kidneys, 433
- Cerebroside sulfate**, anal using trinitrobenzene sulfonic acid, 254
- Cetyl alcohol**, electrical discharge induced insolubilization, 186
- Chain**, extension reactions by free radicals, 181
- Chain elongation**, fatty acid synthesis in dog leukocytes, 895
- Chemotaxonomy**, lipids, several citrus varieties, 554
- Chicken**, administration of labeled fatty acid by mouth, 912
- dystrophy, bioassay of tocopherol, 281
 - effects of lipids on clotting time of plasma, 139
 - encephalomalacia, bioassay of tocopherol, 281
 - liver storage, bioassay of tocopherol, 281
 - male, fertility relationship to testicular fatty acid profiles, 657
 - utilization of geometric isomers, 912
- Chicken, brain**, distribution of TPNH-oxidase activity in microsomes, 297
- Chicken, epiphyseal cartilage**, ³²P incorporation into phospholipids, 314
- phospholipid metabolism, 314
- Chicken, kidney**, distribution of TPNH-oxidase activity in microsomes, 297
- Chicken, liver**, distribution of TPNH-oxidase activity in microsomes, 297
- Chicken, muscle**, distribution of TPNH-oxidase activity in microsomes, 297
- Chicken, testis**, cholesterol content, 517
- influence of dietary fat on fatty acid profile, 657
 - influence of vitamin E and ethoxyquin on fatty acid profile, 657
- Chimyl alcohol**, incorporation in glyceryl ethers of slime mold, 470
- Chlorella vulgaris**, acetate-¹⁴C, incorporation in fatty acids of, 266
- desaturation by cell-free homogenates, 78
 - fatty acid biosynthesis in, 266
 - fatty acids, light and dark synthetic reactions, 266
 - lipids, role in fatty acid desaturation, 266
 - monogalactosyl diglyceride role in fatty acid desaturation, 266
 - phosphatidyl choline role in fatty acid desaturation, 266
 - phosphatidyl glycerol role in fatty acid desaturation, 266
 - review, polyunsaturated fatty acid metabolism, 266
- Chlormadinone acetate**, effect on lipid metabolism, 693
- Chlorodecane**, inhibitor of alcohol dehydrogenase, 444
- Chloroform**, contamination by plasticizers, 523
- Chloroplasts**, fatty acid biosynthesis in, 266
- sterols, selective extraction of, 215
- 5 α -Cholest-7-en-3 β -ol**, metabolism in *T. pyriformis*, 149
- 5 α -Cholest-8(14)-en-3 β -ol**, cholesterol precursor in rat liver, 957
- 5 α -Cholest-22-en-3 β -ol**, metabolism in *T. pyriformis*, 149
- 4,4-dimethyl-5 α -Cholest-8(14)-en-3 β -ol**, cholesterol synthesis, 134
- Cholesta-5,7-dien-3 β -ol**, synthesis in *T. pyriformis*, 149
- Cholesta-5,22-dien-3 β -ol**, synthesis in *T. pyriformis*, 149
- 5 α -Cholesta-8,14-dien-3 β -ol**, enzymatic formation in rat liver, 957
- Cholesta-4,6-dien-3-one**, in human serum, identification of, 836
- 4,4-dimethyl-5 α -Cholesta-8,14-dien-3 β -ol**, cholesterol synthesis, 134
- mass spectra, 836
 - mobility, silica gel-silver nitrate TLC, 836
 - retention index GLC, on OV-1, OV-17, 836
 - ultraviolet spectra, 836
- Cholesta-4-en-one**, in human serum, identification of, 836
- mobility, silica gel-silver nitrate, 836
 - retention index GLC, on OV-1, OV-17, 836
 - ultraviolet spectra, 836
- Cholesta-4-en-one, mass spectra**, 836
- Cholesta-5,6,22-trien-3 β -ol**, formation of from cholesterol in *T. pyriformis*, 149
- Cholesta-5,7,22-trien-3 β -ol**, synthesis in *T. pyriformis*, 149
- 5 α -Cholestan-3 β -ol**, in pigeon testis, 517
- 5 α -Cholestan-3 β -diol**, mobility, silica gel-silver nitrate TLC, 836
- 5 α -Cholestan-3 β -diol**, retention index GLC, on OV-1, OV-17, 836
- Cholestanol**, in brain tissue, 134
- mobility, silica gel-silver nitrate TLC, 836
 - retention index GLC, on OV-1, OV-17, 836
- 7-Cholesten-3 β -ol**. See lathosterol
- 4 α -methyl-7-Cholesten-3 β -ol**. See lophenol
- Cholesterol**, absorption, rat, effect of 2-monoglyceride, 964
- amplified phospholipid thromboplastic activity, 139
 - assay in rat liver homogenates, 751
 - autooxidation of, 85
 - aza-, see azasterols, 113
 - binding to sterol carrier protein, 162
 - biosynthesis, control of, 219
 - biosynthesis, in rat liver, 957
 - biosynthesis in liver, adrenals, ovaries, 693
 - biosynthesis of sterol carrier protein, 162
 - column chromatography of, 957
 - commercial, from bovine brain and spinal cord, 85
 - content in human serum, 369
 - content of salmon liver, 347
 - content of various species of orange, 826
 - content rat serum, liver, 332
 - conversion to ester in rat ovary, 791
 - conversion to esterified by LCAT, 369
 - dietary in rat milk, 645
 - effect, blood coagulation, 139
 - effect of anovulatory drugs on, 693
 - esterification, plasma, *in vivo* inhibition by oxygen atmosphere, 740
 - esterification in plasma, 722
 - esterification in rabbit and human ovary, 815
 - GLC anal, 166
 - in Acanthocephala, 763
 - in algae, 120
 - in diet, effect on leukocyte lipid metabolism, in dogs, 895
 - in human mucus, 859
 - in mosquito larvae, 867
 - in plants, 128
 - in rat brain, 468
 - in sea anemone, 341
 - inhibition of synthesis by serum proteins, 751
 - inhibition of tetrahymanol synthesis in *T. pyriformis*, 149
 - interference in fatty acid anal, 65
 - mammary tissue, 645
 - metabolism in milk, serum, 844
 - metabolism in mouse, effect of SU-13,437, 475
 - metabolism in rat brain, 154, 225
 - milk-fat globule membrane, 645
 - mobility, silica gel-silver nitrate TLC, 836
 - non-utilization by *D. pacheu*, 166
 - of mouse liver, effect of SU-13,437, 475
 - passage through lactating cell, 645
 - pig heart mitochondria, 882
 - precursors, intraperitoneal vs. intracerebral injection, 225
 - purification by recrystallization, 957
 - rat liver and plasma content, 47
 - retention index GLC, on OV-1, OV-17, 836
 - selective binding in chloroplasts, 215
 - synthesis, control of, 751
 - synthesis from acetate in salmon liver, 347
 - synthesis from glucose in rat brain, 431
 - synthesis *in vitro* in homogenate system, 751
 - turnover time in lactating rat, 645
- Cholesterol, human, plasma**, genetic variability, 595
- Cholesterol, phospholipid ratios**, effect of anovulatory drugs on, 693
- Cholesterol-1,2-³H**, metabolism in rat ovary, 791
- Cholesterol-4-¹⁴C-oleate**, hydrolysis by ovarian tissue, 815
- Cholesterol-7 α -³H-palmitate**, metabolism in rat ovary, 791
- Cholesterol biosynthesis**, in human brain and brain tumors, 134
- in rat liver, 134
 - intermediates, 134
 - pathways in brain, 134
- Cholesterol ester**, in mosquito larvae, 867
- Cholesterol ester hydrolase**, in adrenal gland of rats, 797
- Cholesterol ester synthesis**, in leukocytes from acetate, 895

- Cholesterol ester synthetase**, in rat ovary, effect of PGF α_8 on, 791
 — radio assay, 791
- Cholesterol esterase**, cholesterol ester synthetase, gonadotrophins, 791
 — in rat ovary, effect of PGF α_8 on, 791
 — radio assay, 791
- Cholesterol esters**, content and fatty acid profile in rabbit and human ovaries and sera, 815
 — content in human serum, 369
 — content rat serum, liver, 332
 — depression by PGF α_8 in ovary, 791
 — fatty acid profile in pig kidney, 935
 — gonadotrophins, progesterone, 791
 — hydrolysis in rabbit and human ovary, 815
 — in *Acanthocephala*, 763
 — in human mucus, 859
 — in lamb plasma, 26
 — metabolism in liver of salmon, 347
 — metabolism in milk, serum, 844
 — pig heart mitochondria, 882
 — rat adrenal, dietary fat and fatty acid profile, 797
 — rat adrenal, stress and fatty acid profile, 797
 — rat adrenal, stress and selective utilization, 797
- Cholesterol synthesis**, in leukocytes from acetate, 895
- Cholesterol α -oxide**, in human serum, identification of, 836
 — in hypercholesterolemia, 836
 — mobility, silica gel-silver nitrate TLC, 836
 — retention index GLC, on OV-1, OV-17, 836
 — serum content, collagen disease, 836
 — serum content, high blood pressure, 836
 — serum content, in peptic ulcers, 836
- Cholesteryl arachidonate**, in adrenal gland of rats, 797
 — substrate for cholesterol ester hydrolase, 797
- Cholesteryl erucate**, in adrenal gland of rats, 797
- Cholesteryl esters**, adult pattern, fatty acid profile, 369
 — fatty acid comp in swine adrenal, 624
 — infant pattern, fatty acid profile, 369
 — of serum lipoproteins, 369
 — plasma, conc decreased by oxygen atmosphere, 734
 — rat testis, fatty acid synthesis, 706
- Cholesteryl linoleate**, in adrenal gland of rats, 797
 — plasma, *in vivo* effects of oxygen atmosphere, 740
- Cholesteryl myristate** in rat, adrenal gland, 797
- Cholesteryl oleate**, transesterification of, 919
- Choline**, role in autoxidation of methyl linoleate emulsions, 196
- Choline deficiency**, rat, effect on phospholipids, 649
- 5-hydroxymethyl-2,2,7,8-tetramethyl-6-Chromanol phosphate**, 240
- 2,2,5,7,8-pentamethyl-6-Chromanol**, model compound for α -tocopherol, 240
- 2,2,7,8-tetramethyl-5-bromomethyl-6-Chromanol**, synthesis, 240
- 2,2,7,8-tetramethyl-5-hydroxymethyl-6-Chromanol**, synthesis, 240
- Chromatography**, column, alumina-Super Cel-silver nitrate of sterols, 957
 — egg lipids, 912
 — fatty aldehydes on alumina, as monocarbonyl-2,4-dinitrophenylhydrazones, 351
 — fungal lipids, 856
 — housefly lipids, 508
 — human plasma lipids, 740
 — kidney cerebroside, 433
 — krill, red crab lipids, 481
 — leukocyte lipids, 895
 — lipids of *Vernix caseosa*, 901
 — milk phospholipids, 844
 — mitochondrial lipids, 882
 — neutral and phospholipids, 935
 — of bacterial lipids, 745
 — of brain sterols, 225
 — of diacyl-*sn*-glycerol enantiomers, 734
 — of sterols on aluminum oxide, 166
 — of sterols on Sephadex LH-20, 85
 — of tocopherols, 245, 297
 — on Forisil, mucus lipids, 859
 — orange lipids, 826
 — phospholipids of porcine lung surfactant, 625
 — phospholipids of slime mold, 466
 — polystyrene gel separation of polar and neutral lipids, 341
 — purification of monoglyceride, 805
 — radioactive fatty acid methyl esters, 889
 — Sephadex, sterol carrier protein, 162
 — sheep liver lipids, 926
 — silica gel, corynebacteria lipids, 401
 — silica gel, isolation of diphosphatidyl glycerol, 260
 — silica gel, phospholipids of beef heart, 260
 — silica gel of boll weevil lipids, 852
 — silicic acid-boric acid, detritylation of synthetic diacyl-*sn*-glycerols, 734
 — trout liver lipids, 426
 — wheat flour lipids, 768
- Chromatography**, column, DEAE-cellulose, corynebacteria lipids, 401
- Chromatography**, column, DEAE-sephadex, corynebacteria lipids, 401
- Chromatography**, column, Sephadex, of alcohol dehydrogenase, 444
- Chromatography**, gas-liquid, acetate of glycerol ethers, 341
 — adrenal fatty acids, 797
 — aldehydes, 935
 — alkyl and alkenyl ethers, 466
 — anal of linoleic acid hydroperoxides, 144
 — bacterial fatty acids, 820
 — branched chain fatty acids of corynebacteria, 401
 — capillary aldehyde esters, 758
 — chlorides of fatty alcohols, 341
 — chloroplast sterols, 215
 — 5 α -cholestan-3 β -ol of pigeon testis, 517
 — cholesterol derivatives, 85
 — cholesteryl ester fatty acids from ovaries, 815
 — cis- and trans-epoxyatearates, 686
 — cyclopropenoid fatty acid methyl esters, 426
 — di-epoxyatearates, 686
 — dolphin diacyl glyceryl ethers, 69
 — dolphin lipid classes, 69
 — dolphin lipids, 69
 — dolphin triglycerides, 69
 — dolphin wax esters, 69
 — equivalent chain length data, branched chain, 901
 — fatty acid from human mucus, 859
 — fatty acid methyl esters, 341, 919
 — fatty acid methyl esters from bacteria, 410
 — fatty acid methyl esters from krill, red crab, 481
 — fatty acid methyl ester from leukocytes, 895
 — fatty acid methyl esters, pig triglycerides, phospho-
 lipids, 965
 — fatty acid methyl esters, rat diets, 415
 — fatty acid methyl esters, sheep liver, 926
 — fatty acid methyl esters from boll weevil phospho-
 lipids, 352
 — fatty acid profiles bovine thyroid phospholipids, 661
 — fatty acids, of mitochondria, 882
 — fatty acids of cystacanths, 763
 — fractionation of triglycerides, 630
 — glycerides of *Glomerella cingulata*, 856
 — hydrocarbons from fish, 620
 — hydroxy fatty acids, 745
 — isopropylidene derivatives of O-alkyl glyceryl ethers, 935
 — long chain alcohols, 763
 — long chain diesters of diols, 641
 — methyl branched fatty acid positional isomers, 901
 — microsomal fatty acids, 297
 — monoenoic fatty acid isomers, 831
 — mosquito fatty acids, 867
 — mushroom lipids, 176
 — of acylated alcohols, 935
 — of aldehydes, 961
 — of beef heart diphosphatidyl glycerol fatty acids, 260
 — of cactus sterols, 166
 — of diglyceride acetates, 307
 — of fatty acids from *Limnanthes douglasii* seed oil, 93
 — of fatty acids methyl esters from pig lipids, 935
 — of glyceryl ethers, 170
 — of cis-6-hexadecenoic acid, 712
 — of hornet fatty acids, 850
 — of 14 C-labelled fatty acids, 895
 — of methyl 12-hydroxystearate, 962
 — of 3 H-sterols, 233
 — of tetraethyl lead, 181
 — of tocopherols, 245
 — oxygenated unsaturated fatty acids, ozonolysis products, 617
 — polyunsaturated fatty acids, 65
 — porcine lung surfactant phospholipid comp, 625
 — products of lipoxigenase, 100
 — quantitation of radio-labelled diglyceride acetates, 307
 — radioactive fatty acid methyl esters, 889
 — radiochromatography, fatty acid methyl esters, 912
 — rat brain fatty acid methyl esters, 378
 — rat brain fatty acids, 458
 — retention index of sterols on OV-1, OV-17, 836
 — scintillation counting of labeled fatty acid fraction, 758
 — sebaceous esters, 523
 — steroids of cystacanth, 763
 — sterols of human serum, 836
 — thermal oxidation products, 758
 — tocopherol in human plasma, 35
 — triglycerides containing isovaleric acid, 674
 — trimethylsilyl derivatives, sterols from orange, 826
 — trimethylsilyl-ether derivatives of hexoses, 433
 — trout liver fatty acids methyl esters, 426
 — wheat fatty acids, 768
 — with liquid scintillation collection, 912
- Chromatography**, gas-liquid-mass spectrometer, mushroom fatty acids, 176

- of aldehydes, 961
- aldehyde esters, 758
- of branched chain fatty acids, 901
- of methyl 12-hydroxystearate, 962
- sterols of human serum, 836
- Chromatography, gas-liquid-mass spectroscopy**, of trimethylsilyl ethers of hydroxylated hydrocarbons, 190
- sterols from oranges, 826
- Chromatography, gel filtration**, proteins from sarcoplasmic reticulum, 357
- Chromatography, gel-permeation**, triglycerides containing isovaleric acid, 674
- Chromatography, glass paper**, of tocopherol metabolites, 318
- Chromatography, paper**, corynebacteria sugars, 401
- glass fiber, silica impregnated, of human plasma lipids, 722
- impregnated with silica gel, of diphosphatidyl glycerol, 260
- of ethanolamine, serine, inositol, glycerol, α -glycerol phosphate, 882
- of tocopherols, 245
- porcine lung surfactant phospholipid mild alkaline hydrolysates, 625
- separation of fatty acids, 208
- silica gel impregnated, phospholipids, 314
- silica gel impregnated, plasma phospholipids, 805
- Chromatography, preparative**, GLC of hydrocarbons, 190
- Chromatography, radio gas-liquid**, radioactive glycerophosphates, 307
- Chromatography, Sephadex**, fungal triglycerides, 856
- proteins from sarcoplasmic reticulum, 357
- Chromatography, thin-layer**, acetylation products from porcine lung surfactant phospholipids, 625
- adrenal lipids, 797
- aldehydes, 470
- alk-1-enyl and alkyl glycerolipids of slime mold, 470
- argemone, maize triglycerides, 525, 537
- argemone, of wheat fatty acids, 768
- bacterial lipids, 745
- brain, free fatty acids, 211
- cholesterol, cholesterol esters, free fatty acids, from ovaries, 815
- cholesterol derivatives, 85
- corynebacterial phospholipids, 401
- DNP derivatives of amino acids from proteins of sarcoplasmic reticulum, 357
- 2,4-dnp derivatives of unsaturated aldehydes, 351
- dolphin diacyl glyceryl ethers, 69
- dolphin lipid classes, 69
- dolphin lipids, 69
- dolphin triglycerides, 69
- dolphin wax esters, 69
- fluorescent lipids from bovine brain, 670
- fungal triglycerides, 856
- glycolipids from oranges, 826
- hornet lipids, 850
- housefly lipids, 508
- human plasma lipids, 722
- in anal of sphingolipids, 254
- krill, red crab lipids, 481
- labeled fatty acids, 912
- leukocyte lipids, 895
- lipids of *Linum mucronatum*, 962
- lipids of *Vernix caseosa*, 901
- liver neutral lipids, 203
- liver phospholipids, 203
- maize triglycerides, 525
- milk phospholipids, 68
- mitochondrial plasmalogens, 882
- mobility of trimethylsilyl derivatives of sterols, 836
- mosquito lipids, 867
- mushroom lipids, 176
- neutral lipids from mammary tissue, 326
- neutral lipids from pig heart, spleen and brain, 935
- of aldehydes, 961
- of brain sterols, 225
- of cystacanths lipids, 763
- of galactosyl diglycerides, 768
- of glyceryl ether, 985
- of mucus lipids, 859
- of phospholipids of milk, 844
- of tocopherols, 245
- of tritium labeled sterols, 233
- of wheat lipids, 768
- ovarian sterols, 791
- phosphatidyl phenols, 525
- phospholipids and nonpolar lipids, of mitochondria, 882
- phospholipids from human mucus, 589
- phospholipids from pig heart, spleen and brain, 935
- phospholipids of bacteria, 410
- phospholipids of cystacanths, 763
- porcine lung surfactant phospholipids, 625
- preparative, cyanolipid, 349
- preparative, mosquito lipids, 867
- preparative, neutral lipids, 341, 763
- preparative of fatty acids, 712
- prostaglandin E₁, 278
- quantitative densitometry, 763, 882
- quantitative densitometry of wheat lipids, 768
- radio-labelled fatty acids, 807
- radio-labelled triglycerides, phospholipids, 326
- radioactive fatty acid methyl esters, 889
- rat brain gangliosides, 959
- rat brain phospholipids, 378, 468
- rat liver phospholipids, 307
- rat liver phospholipids and neutral lipids, 787
- reaction products of saponification, 919
- recovery of phospholipids from absorbent, 787
- reverse phase, fatty acids, 181
- reverse-phase separation of sterols, 154
- salmon liver lipids, 347
- sebacate esters, 523
- separation of citrus lipids, 826
- separation of labeled lipids of rat liver cells, 601
- sheep liver lipids, 926
- silica gel-silver nitrate, unsaturated fatty acids, 889
- silica gel-silver nitrate of sterols, 836
- silica gel of boll weevil phospholipids, 862
- silver nitrate, of *cis* and *trans* monoenoic fatty acids, alcohol, 341
- silver nitrate, of prostaglandin E₁, 278
- solvent systems for tocopherol anal, 245
- sterols of human serum, 836
- sterols on silica gel-silver nitrate, 517
- sulfolipids, 40
- triglycerides containing isovaleric acid, 674
- unsaturated fatty acids, 712
- Chromatography, thin-layer, silver-nitrate**, unsaturated fatty acids, 307
- Chylomicrons**, pig serum triglycerides, structure fatty acid profile, 965
- Cirrhosis**, LCAT activity in, 369
- serum lipoproteins and cholesterol esters in, 369
- Citrus**, glycolipid fatty acid profiles, 554
- lipid chemotaxonomy, 554
- monogalactosyl diglycerides, fatty acid profiles, 554
- sterol ester glucoside, 554
- sterol esters, fatty acid profiles, 554
- triglycerides, fatty acid profiles, 554
- Citrus sinensis**, sterol content, 826
- α -cleavage, diol lipids, 727
- β -cleavage, diol lipids, 727
- Clofibrate**, effect on lipid synthesis, rat liver cells, 609
- effect on lipoprotein synthesis, rat liver cells, 609
- Co A**. See coenzyme A
- Coagulation**, blood, 139
- Coconut oil**, fatty acid profile, 415
- hydrogenated, effect on adrenal cholesterol esters, rat, 797
- hydrogenated, fatty acid profile, 797
- hydrogenated, metabolism of fatty acids in rats, 388
- induction of mammary tumor in rats, 415
- tocopherol content, 291
- Coconut oil, hydrogenated**, arteriosclerosis-inducing diet, dog leukocyte lipids, 895
- Cod liver**, pristanic content of oil, 520
- Cod liver oil**, diet effect in tocopherol deficient rats, 297
- Coenzymes Q**, as biological antioxidants, 147
- pig heart mitochondria, 882
- ratio to fatty acids in membranes, 147
- Cold acclimation**, and adipose tissue cell size, 486
- relation to norepinephrine induced increase in oxygen consumption, 486
- Collagen disease**, cholesterol α -oxide in serum, 836
- Contamination**, of chloroform by sebacate esters, 523
- Cooxidation**, of alkyl and cyclic hydrocarbons by microorganisms, 453
- Coprostanol**, in human serum, identification of, 836
- mass spectra, 836
- mobility, silica gel-silver nitrate TLC, 836
- retention index GLC, on OV-1, OV-17, 836
- Coprostanone**, mobility, silica gel-silver nitrate TLC, 836
- retention index GLC, on OV-1, OV-17, 836
- Corn**. See maize
- tocopherol content of seeds, 291
- Corn oil**, diet of rat effect on adrenal cholesterol esters, 797
- fatty acid profile, 415, 797
- induction of mammary tumor in rats, 415
- positional fatty acid profile, 942
- saponification of, methanolic sodium hydroxide, 919
- tocopherol content, 291
- Corn oil, diet**, effect on mammary cancer in rats, 415
- Corona discharge**, reactions at lipid-gas interfaces, 186
- Corpus luteum**, in rat ovary, cholesterol ester metabolism, effect of PGF₂, 791
- Corticosterone**, rat plasma, effect of cold stress and dietary fat, 797
- Corynebacteria**, lipids, chromatography of, 401
- mannophosphoinositides and phospholipid profile, 401

- Corynebacterium diphtheriae*, fatty acid profile, 401
 — phospholipid content, 401
Corynebacterium equi, fatty acid profile, 401
 — phospholipid content, 401
Corynebacterium ovis, fatty acid profile, 401
 — mannophosphoinositide content, 401
Corynebacterium xerosis, phospholipid content, 401
 Cottonseed oil, fatty acid profile, 415
 — induction of mammary tumor in rats, 415
 — tocopherol content, 291
 Counter-current distribution, separation of phospholipid positional isomers, 355
 Cow, secretion in milk, bioassay of tocopherol, 281
 Crab, red, fatty acid profile of various lipid classes, 481
 — lipid comp, 481
 Crayfish, pristane content of oil, 520
 Cream, phospholipids of, 844
Crotalus adamanteus, venom hydrolysis of phospholipids by, 352
Crotalus adamanteus venom, hydrolysis of liver phospholipids, 203
 Crotonaldehyde, in cucumbers, synthesis from unsaturated fatty acids, 351
 — reaction with bovine serum albumin, 172
 Crystal structure, esters of long chain alcohols with fatty acids, 421
 Cucumber, aldehydes, synthesis of, 351
 — fatty acids, fatty aldehydes comp, 351
 — homogenates, incubated with radio-labelled fatty acids, 351
 — lipoxidase, 351
 — tocopherol content, 291
Culex pipiens fatigans, lipid comp, 867
 Culture media, for growth of *D. pacifica*, 166
 1-Cyano-2-hydroxymethylprop-2-ene-1-ol, in Kusum oil, 349
 Cynolipids, in Kusum seed oil, 349
 Cyclic AMP, effect on hydrolysis of cholesterol esters, 815
 — effect on lipolysis, 274
 Cyclic 5-methylenoxy-2,2,7,8-tetramethyl-6-chromanol phosphate, 240
 Cycloartenol, in chloroplasts, 215
 — role in steroid biosynthesis, 219
 Cyclohexane, microbial oxidation, 453
 — enzymatic hydroxylation, *Pseudomonas aeruginosa*, 437
 Cyclohexanol, as substrate for alcohol dehydrogenase, 444
 Cyclopropanoid ring, formation, 623
 Cymenes, enzymatic hydroxylation, 437
Cystacanths, of *Polymorphus minutus*, lipid comp, 763
 Cytosine triphosphate, effect microsomal desaturation reaction, 873

D

- Deacylation, by Grignard reagent, 942
 — of phospholipids by microsomes, 508
 Dealkylation, of sterols in *T. pyriformis*, 149
 2,4-Decadienal, in cucumbers, synthesis from unsaturated fatty acids, 351
 1-10-Decanediol, as substrate for alcohol dehydrogenase, 444
 — didocosanoate ester, synthesis, 641
 — occurrence in wheat wax, 641
 1-Decanol, as substrate for alcohol dehydrogenase, 444
 2-Decanol, as substrate for alcohol dehydrogenase, 444
 5-Decanol, as substrate for alcohol dehydrogenase, 444
 2-Decanone, thermal oxidation product of methyl oleate, 768
 9-Decene-1-ol, as substrate for alcohol dehydrogenase, 444
 7-Dehydrocholesterol, column chromatography of, 957
 — GLC anal, 166
 — synthesis of ³H-labeled compound, 233
 Dehydrogenation, of sterols in *T. pyriformis*, 149
Delphinapterus leucas, fatty acid and triglyceride profiles of blubber and melon oils of the beluga whale, 674
 Densitometry, after TLC of lipids, 768
 Density gradient centrifugation, isolation of sarcoplasmic reticulum, 357
 Deoxycholeic acid, use in assay of lipases, 805
 Deoxyribonucleic acid, in dog leukocytes, 895
 Depancratized dog, fatty liver and lipid mobilization, 394
 Depot fats, animal, fatty acid profile, 942
 Desaturation, assay by tritium release, 78
 — effect of chain length in human liver, 576
 — hen liver cell-free homogenate, 78
 — inhibition by sterculeic acid in *Chlorella vulgaris*, 266
 — of fatty acids, assay of, 78
 — of fatty acids, kinetics of, 78
 — of fatty acids, mechanism of, 78
 — of monoenoic fatty acids in plants, 266
 — of stearic acid in plants, 266
 — of unsaturated fatty acids, effect of ATP, 873
 — tritium isotope effect on, 78
 Desaturation, acyl, by microsomes from several rat tissues, 567
 — effect of age on rate, 567
 — effect of ATP preincubation on rate, 567
 — in *in vivo* and *in vitro* modifiers of, 567
 — of several saturated and unsaturated fatty acids, 667
 — proposed mechanism, 567
 — relationship of Δ^5 and Δ^6 desaturation reactions, 567
 4-Desmethyl sterols, formation in rat brain, 225
 Desmosterol, mobility, silica gel-silver nitrate TLC, 836
 Deuterium, labeling of lipids for mass spectrometry, 727
 Diabetes, in rat, phospholipid synthesis, 203
 — linoleic and arachidonic acids incorporation, 203
 1,2-Dialkoxy-ethanes, diol ethers, 727
 1,3-Dialkoxy-propanes, diol ethers, 727
 1,3-Dialkoxy-propanes, diol ethers, 727
 Dialkyl ethers, of diols, mass spectra, 727
 Diasobisisobutyronitrile, oxidation of tocopherol, 240
 N⁶, O³-Dibutyryl adenosine-3'-5'-cyclic phosphate, effect on lipolysis, 274
 Diesters, diol in wheat wax, 641
 Diet, fat-enriched and mammary cancer, 415
 — fatty acid supplement, rat, 797
 — low fat, newborn lamb, 26
 — manipulation and phosphatidic acid synthesis by liver microsomes, 88
 — rat, fatty acid supplement, 797
 Diet, corn oil, effect on mammary cancer in rats, 415
 Diet, rat, cholesterol, cholic acid, lard, linoleate, γ -linolenate, supplement, 47
 — corn oil supplements, comp of, 415
 — PUFA and tocopherol, peroxidation, 715
 Di(2-ethyl hexyl) sebacate, chloroform contaminant, 523
 Digalactosyl diglycerides, wheat, stereanalysis of fatty acids, 768
 Diglycerides, in human mucus, 859
 — in stereospecific anal of triglycerides, 942
 — metabolism in milk, serum, 844
 — prep of, from triglycerides, 942
 — selective utilization into triglycerides, 537
 — synthesis in mammary tissue, 326
 — wheat, stereanalysis of fatty acids, 768
 1,2-Diglycerides, in stereospecific anal of triglycerides, 942
 — linoleic acid incorporation, liver, EFA deficient rat, 858
 — liver, linoleic and arachidonic acids incorporation, 203
 2,3-Diglycerides, in stereospecific anal of triglycerides, 942
 Dihydrolanosterol, mobility, silica gel-silver nitrate TLC, 836
 — retention index GLC, on OV-1, OV-17, 836
 3-keto-Dihydroshingosine, synthesis by mouse brain particulate fraction, 682
 Dihydroxyacetone, metabolism in rat liver microsomes, 930
 Dihydroxyacetone phosphate, as precursor for phosphatidic acid synthesis, 88
 — metabolism in rat liver microsomes, 930
 10,12-Dihydroxyoctadecanoic acid, prep from ricinoleic acid, 745
 9,10-Dihydroxystearic acid, methyl ester, mass spectra, 906
 Dilidosterulate, formation, physical characterization, 623
 Disopropylfluorophosphate (DFP), effect on microsomal acyl CoA metabolism, 107
 Dimannophosphoinositides, in corynebacteria, 401
 2,2-Dimethoxypropane, transesterification of fatty acid esters, 919
 Dimethyl sebacate, chloroform contaminant, 523
 4,4-Dimethyl sterols, formation in rat brain, 225
 p-Dimethylbenzene, microbial oxidation, 453
 Dimethyl-3-hydroxy-dodecanedioate, specific rotation, mass spectra, 745
 5,7-Dimethylchol, internal standard, tocopherol determination, 35
 2,6-Dimethylnaphthalene, microbial oxidation, 453
 Diol lipids, mass spectra of homologous series, 492
 Diphasphatidyl glycerol, acetone precipitation, 260
 — activity in syphilis diagnostic test, 260
 — beef heart, ester groups and fatty acids, 260
 — column chromatography of, from beef heart, 260
 — comparison of isolation methods, 260
 — impurities in commercial preparations, 260
 — in *Hemicola grisea* var. *thermoides*, 589
 — phosphorus, glycerol, fatty acid content, 260
 — See cardiolipin
 — solvent fractionation, 260
 Dithiothreitol, role in triglyceride synthesis, 326
 2DL- α -tocopherol. See α -tocopherol
 DNA. See deoxyribonucleic acid
 3-¹⁴C-Docos-7,10,13,16-tetraenoic acid, methyl ester, GLC, 889
 — synthesis of, specific activity, 889
 3-¹⁴C-Docosanoic acid, methyl ester, GLC, 889
 Docosapentaenoic acid, rat testis, synthesis from acetate, 706
 Docosatetraenoic acid, rat testis, synthesis from acetate, 706

- 2-Docosenoic acid, *trans*, in wax diesters, 641
 — *trans*, methyl ester, synthesis, 641
 Docosyl octadecanoate, crystal structure, 421
 1,12-Dodecanediol, occurrence in wheat wax, 641
 Dodecanol, as substrate for alcohol dehydrogenase, 444
 Dog, phospholipid transport in, 394
 Dog, leukocytes, lipid metabolism, arteriosclerosis-inducing diet, 895
 Dog, liver, lipid content, 394
 — phospholipid content, 394
 Dog, plasma, phospholipid exchange, liver, 394
 Dog, serum, cholesterol content, 517
 Dolphin (*Inia geoffrensis*), lipids of, from blubber and jaw fats, 69
 Drosophila pachea, axenic culture, 166
 — culture media for growth, 165
 — lathosterol metabolism in, 166
 — non-utilization of cholesterol by, 166
 — requirement for schottenol, 166
 — sterol biosynthesis, 166
 — sterol extraction, 166

E

- EC 1.13.1.13. See lipoxidase
 EC 2.3.1.15. See acyl transferase
 EC 2.7.1.31. See glycerol kinase
 EC 3.1.1.3. See lipase
 — See pancreatic lipase
 EC 3.1.2.2. See cholesterol esterase
 EC 3.1.3.4. See L- α phosphatidate phosphohydrolase
 EC 6.2.1.3. See acyl coenzyme A synthetase
 Ediol, as substrate for lipases, 805
 EFA. See fatty acids, essential
 Egg, lipids, neutral, fatty acid comp, 912
 — lipids, phosphatidyl choline, fatty acid comp, 912
 — of mosquito, lipid comp, 867
 Eicosanoic acid, esters with long chain alcohol, infrared spectra melting point, 421
 8,11,14-Eicosatrienoic acid, major component of swine adrenal cholesterol ester, 624
 — synthesis from linoleate in rat, 47
 cis-11,14,17-Eicosatrienoic acid, in rat tissues, 831
 Eicosyl eicosanoate, crystal structure, 421
 Eicosyl hexadecanoate, crystal structure, 421
 Eicosyl octadecanoate, crystal structure, 421
 Eicosyl tetradecanoate, crystal structure, 421
 Elaidic acid, metabolism in chickens, 912
 1-¹⁴C-Elaidic acid, synthesis from 1-¹⁴C-oleic acid, 912
 9,10-³H-Elaidic acid, synthesis from 9,10-³H-oleic acid, 912
 Electrical discharge, induced inactivating reactions, 186
 Electrical discharge reactions, apparatus, 186
 Electron microscopy, castor bean oil droplets, 851
 — sarcoplasmic reticulum, 357
 Electrophoresis, of rat serum lipoproteins, 332
 Electrophoresis, cellulose strip, proteins from sarcoplasmic reticulum, 357
 Electrophoresis, polyacrylamide gel, proteins from sarcoplasmic reticulum, 357
 β -Eleostearic acid, ultraviolet spectrum of compound adsorbed on silica, 9
 Emmerie Engel, method for tocopherol anal, 245
 Emulsions, autooxidation of methyl linoleate, 196
 Enantiomeric glycerides, melting points and specific rotations, 692
 Encephalomalacia, bioassay of vitamin E, 281
 Endogenous triglyceride transport, in dog, 394
 Endoplasmic reticulum, inhibitor of cholesterol synthesis in liver homogenates, 751
 — TPNH oxidase in rat liver, 297
 Endosperm tissue, in oil droplets of castor bean, 851
 Enzymes, mechanism in sterol metabolism, 219
 — See specific name
 Epididymal fat pads, rat, lipolysis, 274
 Epiphyseal cartilage, ³²P incorporation into phospholipids, 314
 — resting, ossifying, new bone, 314
 Epoxidation, geometric octadecadienoate isomers, 686
 — geometric octadecenoate isomers, 686
 Epoxides, cleavage with periodic acid, 961
 — formation by perlauric agent, 961
 Epoxy fatty acids. See fatty acids, epoxy
 cis-13,14-Epoxydocosanoic acid, methyl ester, structure dtmn, 961
 cis-9,10-Epoxyoctadecanoic acid, biosynthesis by runt infected wheat, 581
 — mass spectra of ¹⁸O containing, 581
 cis- and trans-9,10-Epoxyoctadecanoic acid, methyl ester, structure dtmn, 961
 cis-9,10-Epoxyoctadecanoic acid, in seed oils, 617
 7-Ergosterol, GLC anal, 166
 Ergosterol, in algae, 120
 Erratum, 692, 863

LIPIDS, VOL. 6, NO. 12

- Erucic acid, cholesterol ester, deposition in rat adrenal, 797
 — cholesterol ester, stress and utilization in rat adrenal, 797
 — effect of mammary tumor in rat, 415
 Erythrocyte, ghosts, effect on cholesterol synthesis in rat liver homogenates, 751
 Erythrocyte count, in rats fed SU-13,437, 783
 Erythrocytes, anal of tocopherol in, 245
 — hemolysis bioassay of vitamin E, 281
 Erythrocytes, human, cholesterol content, 517
 — lipids, genetic variability, 595
 Erythrocytes, rat, hemolysis assay of tocopherol, 297
 — indicators of free radical formation in tocopherol metabolism, 297
 — inhibition of peroxide hemolysis by tocopherol, 297
 Erythropoiesis, suppression by oxygen atmosphere, 740
 ESR. See spectra, electron spin resonance
 Essential fatty acids, cholesterol esters, dietary fat and content in rat adrenal, 797
 — cholesterol esters, stress and utilization in rat adrenal, 797
 Ester. See fatty acid, methyl ester or specific fatty acid
 Estrogens, in plants, 128
 Ethanol, as substrate for alcohol dehydrogenase, 444
 — in cucumber, synthesis from unsaturated fatty acids, 351
 Ethanolamine, role in autooxidation of methyl linoleate emulsions, 196
 Ethanolamine phosphoglycerides, fatty acid metabolism, EFA deficiency, 378
 Ethanolamine-sphingolipid, of mosquito, 867
 Ethinyl estradiol, effect on lipid metabolism, 693
 Ethionine, fatty liver, 394
 — induced fatty liver, 394
 — lipid mobilization during recovery, 394
 — phospholipid synthesis, 394
 Ethoxyquin, chicken, fertility, testicular fatty acid profile, 657
 9-Ethoxy- α -tocopherone, oxidation product of α -tocopherol, 240
 Ethylbenzene, microbial oxidation, 453
 Ethyl erucate, diet of rat effect on adrenal cholesterol esters, 797
 Ethyl linoleate, cholesterol absorption, rat, 964
 Ethyl oleate, cholesterol absorption, rat, 964
 Ethyl radicals, addition to palmitic acid, 181
 24-Ethylidene cholesterol, content of various species of oranges, 826
 Ethynodiol diacetate, effect on lipid metabolism, 693
 Euphausia species, lipid comp, 481
 Extraction of lipids, from *D. pachea*, 166

F

- Fat, digestability in rats fed fat supplemented diets, 415
 — See also adipose tissue
 — See also lipid
 Fat, body, of oriental hornet, comp, 850
 Fat cell lipolysis, reesterification and cold exposure, 274
 Fat free diet, effect on monoenoic fatty acid isomers, 831
 Fats, positional distribution of fatty acids in, 942
 Fatty acid profile, beef heart diphosphatidyl glycerol, 260
 — beluga whale (*Delphinapterus leucas*) blubber and melon oils, 674
 — blubber fat triglycerides, 69
 — boll weevil lipid, 852
 — bovine thyroid phospholipids, 661
 — cholesterol esters, rabbit ovary, 815
 — cholesterol esters, rabbit serum, 815
 — coconut oil, hydrogenated, 797
 — corn oil, 797
 — diacyl glyceryl ethers, dolphin, 69
 — diglycerides, triglycerides in wheat flour, 768
 — fungal triglycerides, phospholipids, 856
 — hepatic, in propionicacidemia, 576
 — human depot fat, 212
 — human triglycerides, heart, liver, adipose tissue, 854
 — in bacteria, effects of growth media and temp, 820
 — in maize triglycerides, 531
 — in mosquito larvae, 867
 — in phospholipids, triglycerides, free fatty acids, of mitochondria, 832
 — *Inia geoffrensis* lipids, 69
 — jaw fat lipids, 69
 — krill, neutral lipids, phospholipids, 481
 — krill lipids, 481
 — Kusum seed oil, 349
 — *Limnanthes douglasii* seed oil triglycerides, 93
 — *Linum mucronatum*, 962
 — liver lecithin, in propionicacidemia, 576
 — liver triglycerides in propionicacidemia, 576
 — *M. concanensis* oilseed, 666
 — of butter, 415
 — of coconut oil, 415

- of corn oil, 415
- of corynebacteria, 401
- of cottonseed oil, 415
- of dolphin lipids, 69
- of human and rabbit ovaries, 815
- of human mucus cholesterol esters, 859
- of human mucus free fatty acids, 859
- of human mucus phosphatidyl choline, 859
- of human mucus triglycerides, 859
- of individual lipids, *Citrus* varieties, 554
- of lard, 415
- of leukocyte phospholipids, neutral lipids, 895
- of liver, 388
- of lyso-bis-phosphatidic acid from porcine lung surfactant, 625
- of mushrooms, 176
- of mycelia, 176
- of olive oil, 415
- of phosphatidyl choline from porcine lung surfactant, 625
- of phosphatidyl ethanolamine from porcine lung surfactant, 625
- of phosphatidyl glycerol from porcine lung surfactant, 625
- of *Polymorphus minutus*, 768
- of rainbow trout, 426
- of rapeseed oil, 415
- of soybean oil, 415
- of sporophores, 176
- of sunflower oil, 415
- of tallow, 415
- olive oil, 797
- oriental hornet larvae, 850
- pig, serum, adipose tissue, triglycerides, phospholipids, 965
- pig kidney, 935
- rat adrenal cholesterol esters, 797
- rat brain myelin lipid classes, 458
- rat liver phospholipids, 649
- red crab, neutral lipids, phospholipids, 481
- red crab lipids, 481
- sarcoplasmic reticulum, 357
- sea anemone, 341
- *Stenachaenium macrocephalum* seed oil, 617
- *Thunbergia alata* seed oil, 712
- tobacco tissue culture and seedlings, 684
- triglycerides, dolphin, 69
- wax esters, dolphin, 69
- wheat flour, 768
- winter wheat flour, 768
- Fatty acid synthetase**, in oil droplets of castor bean, 851
- Fatty acids**, acceptors, albumin and calcium in post-heparin plasma, 806
- aerobic synthesis in plants, 266
- anaerobic synthesis in plants, 266
- anal, cholesterol interference in, 65
- biosynthesis, effect of SU-18,437, 475
- biosynthesis, in rat testes, 706
- biosynthesis in *Chlorella vulgaris*, a review, 266
- bound to albumin, inhibition of lipolysis, 274
- branched chain in *Vernix caseosa*, 901
- castor bean, synthesis of, 851
- changes in brain, EFA deficiency, 378
- chlorobenzyl ester, hydrolysis rate by pancreatic lipase, 942
- cholesterol esters, rat adrenal, dietary fat and comp, 797
- cholesterol esters, rat adrenal, stress and comp, 797
- cis, anal of by epoxidation and GLC, 686
- comp of dietary fats and oils, 415
- competitive inhibition by during glyceride synthesis, 777
- concentration, effect on fatty acid placement in triglycerides, 531
- content, during fungal growth, 856
- conversion of linoleic acid to γ -linolenic acid, 873
- cross-linking of by electrical discharges, 186
- crystal structures, as esters with long chain alcohols, 421
- desaturation by anaerobic bacteria, 745
- desaturation in plants, 266
- desaturation of by liver microsomes, 873
- diene, epoxidation, geometric isomer anal, 686
- dienoic, biosynthesis by two pathways in *Chlorella vulgaris*, 266
- di-methyl branched chain in *Vernix caseosa*, 901
- distribution, in positions 1, 2 and 3 in maize triglycerides, 525
- effect of ATP on desaturase of liver microsomes, 873
- epoxy, from rust infected wheat, 581
- essential, deficiency and sarcotubular membrane function, 357
- esterification, specificity, bovine mammary gland, 777
- esterification in bovine mammary tissue, 326
- esterification to cholesterol by ovarian tissue, 815
- esters, with long chain alcohols, infrared spectra, melting points, 421
- fluorothyl esters, hydrolysis rate by pancreatic lipase, 942
- *trans*- Δ , from *Stenachaenium macrocephalum* seed oil, NMR spectra, 617
- GLC of branched chain, from bacteria, 820
- glycerides, during fungal growth, 856
- *cis*-6-hexadecenoic acid in oil seeds, 712
- hydratase, substrate specificity, 541
- in human depot fat, 212
- in maize triglyceride species, distribution, 537
- in palm-kernel triglycerides, 630
- in plasma of newborn lamb, 26
- in triglycerides, general distribution rules, 942
- in triglycerides, positional distribution in depot fat, 942
- in triglycerides, positional distribution in milk fat, 942
- in triglycerides, positional distribution in plants, 942
- incorporation in phospholipids of slime mold, 470
- incorporation in triglycerides by mammary tissue, 326
- incorporation into 1,2-diacyl glycerol of rat liver, 787
- incorporation into phospholipids of rat liver, 787
- incorporation of acetate, malonyl CoA into castor bean, 851
- inhibition of lipolysis by, 274
- *trans* isomers in sea anemone, 341
- isotope discrimination, ^3H to ^{14}C , in plants, 266
- labeled with deuterium, metabolism in chickens, 912
- mass spectra of branched chain, 901
- mechanism of stereospecific hydration by bacteria, 745
- metabolism in *Vernix caseosa*, 901
- metabolism of cyclopropanoid, in trout, 426
- metabolism of geometric isomers in chickens, 912
- methyl branched positional isomers, 901
- methyl ester prep, 919
- methyl esters, field ionization, mass spectra, 906
- methyl esters, oxidation with perlaucic acid, 961
- mono- and di-hydroxy, prep and physical properties, 745
- monoenes, epoxidation, *cis-trans* anal, 686
- monoenic, isomers in rat tissues, 831
- monoenic desaturation in plants, 266
- mono-methyl branched chain in *Vernix caseosa*, 901
- odd numbered in propionicacidemia, 576
- of brain, phospholipids in EFA deficiency, 378
- of cholesterol esters, effect of anovulatory drugs on, 693
- of hornet triglycerides, 850
- of human serum cholesterol esters, 869
- of mouse liver, effect of SU-18,437, 475
- of phospholipids, effect of anovulatory drugs on, 693
- optical activity of *cis*-9-hydroxy compounds, 745
- ozonolysis of seed oils, 706
- phospholipid during fungal growth, 856
- polymers formed by corona discharge, solubility in organic solvents, 186
- positional distribution, 942
- positional distribution, in maize triglycerides, 531
- positional distribution, of fatty acids in maize triglyceride species, 537
- positional distribution in maize triglycerides, 525
- positional distribution in phosphatidyl choline of boll weevil, 352
- positional distribution of, in mosquito, 867
- positional distribution in phosphatidyl ethanolamine of boll weevil, 352
- positional specificity, in triglycerides, 531
- positional specificity, triglycerides, phosphatidyl ethanolamine and phosphatidyl choline in pig kidney, 935
- positionally restricted random distribution in triglycerides, 942
- prep of methyl esters, 820, 919
- profile of neutral and polar lipids, mesophilic and thermophilic fungi, 684
- profile of phospholipids in sheep liver, 926
- rat, isomers, positional, monoenic, 831
- reaction with free radicals formed by corona discharge, 186
- released by lipase from serum lipoproteins, 276
- role of glycolipids in desaturation of, 266
- role of phospholipids in desaturation of, 266
- saturated, changes in brain, EFA deficiency, 378
- saturated, desaturation of, 78
- serum, incorporation into milk lipids, 844
- specificity of desaturase reaction, double bond position, 266
- stereospecific anal, of maize triglyceride species, 537
- stereospecific anal in metabolic studies, 942
- synthesis, testis, *in vitro*, 706

- synthesis, testis, *in vivo*, 706
- synthesis from 1-¹⁴C-acetate, chain elongation vs. de novo, WBC, 895
- synthesis from acetate-¹⁴C in plants, 266
- synthesis in dog leukocytes from 1-¹⁴C-acetate, EFA deficient diet, 895
- synthesis in oil droplets of castor bean, 851
- terminal chain elongation, 181
- trans, anal of by epoxidation and GLC, 686
- transport of triglycerides in EFA deficiency, 388
- triglyceride synthesis in mammary tissue, 326
- tritiated, non-incorporation into plant lipids, 266
- unsaturated, formation of, 78
- unsaturated in mitochondrial membranes, 147
- wheat glycerolipids, 768
- Fatty acids, branched chain, in bacteria**, 820
 - in *Corynebacteria*, 401
 - shorthand notation, 862
- Fatty acids, cyclopropenoids, accumulation in tissues of trout**, 426
 - hydrogenation of, 426
 - in depot fat of trout, 426
 - microassay method, 426
 - random-nonrandom theory of triglycerides, 525
- Fatty acids, epoxy, biosynthesis by rust infected wheat**, 581
 - *Stenchaenium macrocephalum* seed oil, NMR spectra, 617
- Fatty acids, essential, arteriosclerosis-inducing diet, dogs, leukocyte lipid synthesis**, 895
 - deficiency, effect on brain ethanolamine phosphoglyceride, 378
 - deficiency, effect on brain myelin, 378
 - deficiency, linoleic acid incorporation, 858
 - deficiency, monoenoic isomers, rat, 831
 - deficiency, recovery, triene, tetraene ratio, 378
 - deficiency and triglyceride transport, 388
 - deficient rat, linoleic acid incorporation, 858
- Fatty acids, free, brain, ischemia increased production**, 211
 - brain, squirrel monkey, 211
 - content in human serum, 369
 - effect on lipolysis, 274
 - formation from glucose in rat, 332
 - in *Cystacanths*, 763
 - in human mucus, 859
 - in krill and red crabs, 481
 - in oriental hornet larvae, 850
 - in rat serum, 332
 - levels of in Kwashiorkor and normal children, 208
 - metabolism in milk, serum, 844
 - not desaturated by chloroplasts, 266
 - pig heart mitochondria, 882
 - release from adipose tissue, 394
 - synthesis in rat testis, 706
 - tissue conc in bovine mammary gland, 777
 - white and grey matter, monkey, 211
- Fatty acids, hydroxy, from *Stenchaenium macrocephalum* seed oil, NMR spectra**, 617
 - in lipids of *Linum mucronatum*, 962
 - methyl esters, field ionization mass spectra, 906
- Fatty acids, polyunsaturated, changes in brain, EFA deficiency**, 378
 - cholesterol contamination, 65
 - distribution in triglycerides, 942
 - effect of diet on peroxidation by TPNH-oxidase, 297
 - in cholesterol esters of rat adrenal gland, 797
 - in phospholipids of sheep liver, 926
 - metabolism in brain EFA deficiency, 378
 - peroxidation by TPNH-oxidase, 297
 - peroxidation of, in microsomal membrane phospholipids, 297
 - plasma, peroxidation, 740
 - triene/tetraene ratio in lamb plasma, 26
- Fatty acids, unsaturated, 17-carbon in propionicacidemia**, 576
 - changes in brain, EFA deficiency, 378
 - desaturation, effect of ATP, 873
 - double bond pattern of monoenes, rat tissues, 831
 - geometric isomers, 912
 - in cholesterol esters of rat adrenal gland, 797
 - in swine adrenal cholesteryl esters, 624
 - metabolism in cucumber, 851
 - metabolism in liver microsomes, 873
 - metabolism in rat liver, 307
 - periodate-permanganate oxidation, 831
 - stereospecific hydration by bacteria, 745
 - synthesis in rat testis, 706
 - synthesis of 1-¹⁴C, 3-¹⁴C, 889
 - use in synthesis of diacyl-*sn*-glycerol, 734
- Fatty acids, unsaturated, poly, a review of biosynthesis in plants**, 266
 - peroxidation in rat, 715
- Fatty alcohols, esters, with long chain fatty acids, infrared spectra**, 421
- Fatty alcohols, acetates, chromatographic properties**, 341
- Fatty aldehyde profile, slime mold plasmalogens**, 466
- Fatty aldehydes, chain comp of phosphatidyl ethanolamine in pig kidney**, 935
 - comp in cucumber, 351
 - profile from rat brain, 170
- Fatty liver, in EFA deficiency**, 388
 - lipid mobilization in, 394
- Feces, chicken, recovery of label in, after feed labeled fatty acids**, 912
- Fertility, male chicken, effect of vitamin E and ethoxyquin**, 657
 - relation to testicular fatty acids of chicken, 657
- Fetal resorption, bioassay of vitamin E**, 281
- FFA. See fatty acids, free; i.e., non-esterified**
- Fibroadenoma, induced, rat mammary gland**, 415
- Field ionization, mass spectrometry of methyl esters of fatty acids**, 906
- Fish, oils, hydrocarbons in, marine and freshwater species**, 520
 - sterol biosynthesis in, 219
 - turnover of oleic acid in, 562
- Fish, Gourami (*Trichogaster cosby*), incorporation of U-¹⁴C oleic acid into wax esters and triglycerides**, 562
 - U-¹⁴C oleic acid metabolism, 562
 - triglyceride metabolism, half-life, 562
 - wax ester metabolism, half-life, 562
 - wax esters of roe, 562
 - wax fatty acids, 562
 - wax fatty alcohols, 562
- Flour, wheat, lipid anal of**, 768
- Fluorescence, measurement of lipid peroxidation**, 715
 - of albumin modified by peroxidizing lipids, 172
- Fluorodecane, inhibitor of alcohol dehydrogenase**, 444
- Free fatty acids, in lamb plasma**, 26
- Free radicals, apparatus for reaction of, with fatty acids**, 181
 - chain extension reactions, 181
 - formation from tetraethyl lead, di-*t*-butyl peroxide, 181
 - formed by lipid peroxidation, 715
 - formed in corona discharge reaction with fatty acids, 186
 - lipid-protein oxidation, EPE spectrometry, 62
 - metabolism of α -tocopherol, 297
- Fruit. See oil, seeds; oilseeds, or specific name**
- α -tocopherol content**, 291
- Fucosterol, in algae**, 120
 - synthesis of ³H-labeled compound, 233
- Fungi, mesophilic, fatty acid profile**, 584
 - polar and neutral lipids, 584
 - unsaturation index, polar and neutral lipids, 584
- Fungi, thermophilic, fatty acid profile**, 584
 - lipid comp of *Humicola grisea* var. *thermoidea*, 589
 - polar and neutral lipids, 584
 - unsaturation index, polar and neutral lipids, 584
- Fungus, lipid comp**, 856

G

- Galactocerebroside, in kidney**, 433
- Galactocerebroside β -galactosidase, genetic deficiency in globoid cell leukodystrophy**, 433
- Galactosylceramide galactosyl hydrolase, see galactocerebroside β -galactosidase**, 433
- Gangliosides, anal using trinitrobenzene sulfonic acid**, 254
 - biosynthetic pathways in rat brain, 959
 - incorporation of N-acetyl-¹⁴C-mannosamine into, 959
 - labeling *in vivo* in rat brain, 959
 - metabolism in rat brain, 959
- Genetics, human, effects on plasma and erythrocyte lipids**, 596
- Geotrichum candidum*, lipase from, use stereospecific anal of triglycerides**, 942
- Geraniol, in sterol metabolism**, 219
- Gibberellic acid, effect on acid lipase of castor bean**, 54
- GLC. See chromatography, gas-liquid**
- Glioblastoma, cholesterol synthesis**, 134
- Globoid cell leukodystrophy, content of kidney cerebroside**, 433
- Glomerella cingulata, lipid comp**, 856
- Glucocerebroside, in kidney**, 433
- Glucose, conversion to lipid in rat liver**, 332
 - effect of ethionine on, in dog blood, 394
 - effect on lipid content of rat liver, 332
 - in blood of pancreatctomized dogs, 394
- ¹⁴C-Glucose, incorporation into mouse lipids**, 476
- [U-¹⁴C]Glucose, incorporation into protein, lipid in rat brain**, 431
- L-Glyceraldehyde, metabolism in rat liver microsomes**, 930
- Glycerolaldehyde 3-phosphate, as precursor for phosphatidic acid synthesis**, 88
- L-Glyceraldehyde 3-phosphate, metabolism in rat liver microsomes**, 930
- Glyceride distribution, wheat glycerolipids**, 768
- Glycerides, accumulation, fatty acid comp, *Glomerella cingulata***, 856

- comp and positional distribution in propionicacidaemia, 576
- microsomal synthesis, 107
- synthesis, fatty acid specificity, mammary gland, 777
- transesterification of, 919
- Glycerides**, enantiomeric, melting points and specific rotations, 692
- Glycerol**, content of diphosphatidyl glycerol, 260
- metabolism in rat liver microsomes, 930
- stereospecific nomenclature, 942
- 1,2-diacyl Glycerol**, incorporation of fatty acid into rat liver, 787
- 1,2-isopropylidene-3-oleoyl-sn-Glycerol**, synthesis, 734
- 2-linolenoyl-3-oleoyl-sn-Glycerol**, synthesis, 734
- 3-oleoyl-sn-Glycerol**, synthesis, 734
- 1-stearoyl-2-linoleoyl-3-6-triphenylmethyl-sn-Glycerol**, synthesis, 734
- 1-stearoyl-2-linoleoyl-sn-Glycerol**, synthesis, 734
- 1-stearoyl-3-6-triphenylmethyl-sn-Glycerol**, synthesis, 734
- 1-0-triphenylmethyl-2-linolenoyl-3-deoyl-sn-Glycerol**, synthesis, 734
- 1-0-triphenylmethyl-3-oleoyl-sn-Glycerol**, synthesis, 734
- 1-0-triphenylmethyl-3-stearoyl-sn-Glycerol**, synthesis, 734
- Glycerol alkyl ethers**, dolphin, 69
- fatty acids profile of, from dolphin, 69
- GLC, TLC, 69
- non-Glycerol esters**, as seed oil constituents, 349
- Glycerol kinase**, in rat liver microsomes, triglyceride synthesis, 930
- Glycerolipids**, wheat, structural anal, 768
- diacyl-sn-Glycerols**, carbon, hydrogen anal, 734
- optical activity, 734
- physical properties, melting points, refractive index, 734
- synthesis using unsaturated fatty acids, 734
- 1,2-diacyl-sn-Glycerols**, synthesis from D-mannitol, 734
- Glycerophosphoryl glycerol**, formation in housefly, microsomal fraction, 508
- Glycerophosphoryl inositol**, formation in housefly, microsomal fraction, 508
- Glycerophosphoryl serine**, formation in housefly, microsomal fraction, 508
- Glyceryl alk-1-enyl ethers**, comp in rat brain, 170
- Glyceryl alkyl ethers**, comp in rat brain, 170
- Glyceryl ether**, chlorides, chromatographic properties, 341
- Glyceryl ether phospholipids**, fatty aldehyde profile, slime mold, 466
- Glyceryl ethers**, analytical methods, 170
- conc in pig kidney phosphatidyl ethanolamine and phosphatidyl choline, 935
- in slime mold, 466
- quantitative anal procedure, 935
- reduction by LiAlH₄, 935
- Glyceryl ethers, diacyl**, fatty acid profile of sea anemone, 341
- Glycogen**, content of rat liver, effect of fasting, 332
- Glycolipid, Citrus**, fatty acid profiles, 554
- content in human serum, 369
- desulfation of, in mycobacteria, 40
- hydroxy fatty acids of rat brain, 458
- in rat brain, 458
- molecular species, changes during desaturation in *Chlorella vulgaris*, 266
- role in desaturation of plant fatty acids, 266
- synthesis from glucose in rat brain, 431
- Glycophospholipids**, in corynebacteria, 401
- Glycophospholipid**, metabolism in rat brain, 959
- Goat, mammary gland**, phospholipids, 844
- Goat, milk**, phospholipids, 844
- Gonadotrophic hormone**, effect on cholesterol ester, rat ovary, 791
- Gourami, Trichogaster cosby**. See fish, gourami, *Trichogaster cosby*
- Grignard reagent**, mechanism of acyl migration during decylation, 942
- use in stereospecific anal of triglycerides, 942
- Guanosine triphosphate**, effect microsomal desaturation reaction, 873
- Guide to Authors**, 67
- Guinea pig, adrenals**, cholestanol content, 517
- Gum acacia**, use in lipase assay, 805
- H**
- Halogenation**, of α -tocopherol, 240
- Halphen test**, for cyclopropanoid fatty acids, 426
- Heart**, lipid extraction, 935
- sarcosomes, peroxidation of lipids of, 715
- Heart, beef**, cardiolipin, isolation, comp and properties, 260
- diphosphatidyl glycerol, isolation and properties, 260
- Heart, pig**, fatty aldehydes profile of polar lipids, 935
- GLC of fatty acids from mitochondria, 882
- mitochondria, endogenous respiration, 882
- mitochondria, lipid comp, 882
- TLC of phospholipids from mitochondria, 882
- Heart, rat**, monoenoic fatty acid isomers, normal, EFA deficient diet, 831
- peroxidation of lipids of, 715
- tocopherol content, 318
- Heart muscle, human**, triglyceride structure, 854
- Hemocrit**, of rat, normal and fasting, 332
- Hemolymph, hornet**, fatty acids of larvae, 850
- Hemolysis**, erythrocytes bioassay of vitamin E, 281
- Hen liver**, desaturation in cell free homogenates, 78
- Heparin**, induced lipoprotein lipase activity, 369
- lipase activity in plasma in vivo, 805
- Hepatic**. See liver
- Hepatic lipogenesis**, salmon, liver, triglycerides, 347
- starvation, spawning salmon, triglyceride synthesis, 347
- starvation, triglycerides, liver, salmon, 347
- Hepatomegaly**, in rats produced by SU-13,437, 783
- Heptadecanoic acid**, hepatic esterification patterns, 576
- n-Heptadecanoic acid**, addition of methyl radicals to, 181
- formation by free radicals, 181
- Heptadecenoic acid**, hepatic esterification patterns, 576
- Heptane**, thermal oxidation product of methyl oleate, 758
- Heptanoic acid**, methyl ester, thermal oxidation product of methyl oleate, 758
- Heptanol**, as substrate for alcohol dehydrogenase, 444
- n-Heptylamine**, electrical discharge induced reactions, 181
- Herring**, pristane content of oil, 520
- n-Hexadecane**, microbial oxidation, 453
- cis-6-Hexadecenoic acid**, in rat tissues, 831
- in *Thunbergia alata* seed oil, 712
- cis-7-Hexadecenoic acid**, in rat tissues, 831
- cis-11-Hexadecenoic acid**, in rat tissues, 831
- trans-6-Hexadecenoic acid**, chromatographic properties, 341
- in sea anemone, 341
- trans-6-Hexadecenoic acid**, in sea anemone, 341
- 8,9-H-Hexadecyl alcohol**, incorporation by slime mold into alkyl and alk-1-enyl glyceryl ethers, 470
- Hexadecyl dodecanoate**, crystal structure, 421
- Hexadecyl eicosanoate**, crystal structure, 421
- Hexadecyl hexadecanoate**, crystal structure, 421
- Hexadecyl octadecanoate**, crystal structure, 421
- Hexadecyl tetradecanoate**, crystal structure, 421
- 2,4-Hexadienol**, reaction with bovine serum albumin, 172
- 2,4-Hexadienol**, ultraviolet spectrum while adsorbed on silica, 9
- Hexanal**, in cucumbers, synthesis from unsaturated fatty acids, 351
- 1,6-Hexanediol**, dehydrogenation of, 437
- Hexanoic acid**, methyl ester, thermal oxidation product of methyl oleate, 758
- Hexanol**, as substrate for alcohol dehydrogenase, 444
- 1-Hexanol**, dehydrogenation of, 437
- 2-Hexanol**, in cucumbers, synthesis from unsaturated fatty acids, 351
- High blood pressure**, cholesterol α -oxide in serum, 836
- High density lipoprotein**, cholesterol esterification, 722
- metabolism, 369
- Hog**. See pig
- Hormones**, circulating, effect of anovulatory drugs on, 693
- effect on lipogenesis in rat liver cells, 601
- steroid, in plants, 128
- Hormones, sex**, effect on lipid metabolism, 693
- Hornet**, fat content of queen and worker larvae, 850
- fatty acids profile in larvae, 850
- midgut, lipid comp of larvae, 850
- Hornet, oriental**, lipid comp of larvae, 850
- Housefly**, decylation of phospholipid by microsomes of, 508
- metabolism of phospholipids, 508
- microsomal phospholipid metabolism, 508
- Human**, body weights, subjects in pure oxygen atmosphere, 740
- brain, cholesterol biosynthesis in, 134
- depot fat, children, fatty acid profile, 212
- depot fat, fatty acid profile, 212
- depot fat, GLC anal, 212
- depot fat, superficial and deep, differences in fatty acid comp, 212
- high density lipoproteins and cholesterol esterification, 722
- low density lipoproteins and cholesterol esterification, 722
- Human, adipose tissue**, stereospecific fatty acid profile, 854
- Human, aorta**, cholestanol content, 517
- Human, aorta plaques**, stereospecific fatty acid profile, 854
- Human, brain**, distribution of TPNH-oxidase activity in microsomes, 297
- Human, diet**, in pure oxygen atmosphere, 740
- Human, erythrocytes**, cholestanol content, 517
- lipids, genetic variability, 695

- Human, genetics**, effects on plasma and erythrocyte lipids, 595
- Human, heart muscle**, stereospecific fatty acid profile, 854
- Human, kidney**, cerebroside in globoid cell leukodystrophy, 433
- lipid content, 433
- water content, 433
- Human, liver**, distribution of TPNH-oxidase activity in microsomes, 297
- fatty acid profile in propionicacidemia, 576
- stereospecific fatty acid profile, 854
- Human, muscle**, lipid comp, 859
- Human, muscle**, distribution of TPNH-oxidase activity in microsomes, 297
- Human, ovary**, cholesterol esterification, 815
- homogenates, incubation with $4\text{-}^{14}\text{C}$ -cholesterol, 815
- Human, plasma**, cholestanol content, 517
- collection procedure, 805
- esterification of cholesterol *in vitro*, hyperlipidemia, 722
- heparin released lipolytic activities, 805
- lecithin:cholesterol acyltransferase reaction, 740
- lipoproteins, cholesterol, phospholipids, genetic variation, 595
- multiple births, genetic variability effects on lipids, 595
- phosphatidyl choline, in hyperlipidemia, 722
- tocopherol, GLC, 35
- tocopherol levels, 35
- triglycerides in hyperlipidemia, 722
- Human, serum**, cholesterol esters, fatty acid profile, 815
- lipid extraction, 836
- sterols of, 836
- Human breast cancer**, correlation with fat intake, 415
- Human serum albumin**, fatty acid profile, 172
- peroxidation, fatty acids, 172
- reaction with methyl linoleate, 172
- Hyamine**, in anal of sphingolipids, 254
- Hydratase, fatty acid**, forward and reverse reactions, 541
- stereospecificity, 541
- substrate specificity, 541
- Hydrocarbons**, branched chain, unsaturated, identification in microorganisms, 190
- enzymatic hydroxylation, *Pseudomonas aeruginosa*, 437
- hydroxylated trimethylsilyl ether derivatives, formation, 190
- in fish oils, 520
- in microorganisms, *S. lutea* and *S. flava*, 190
- microbial cooxidation of, alkyl and cyclic, 453
- microbial oxidation, ketones from, 448
- microbial oxidation to acetate esters, 448
- olefinic in microorganisms, 190
- oxidation by permanganate-periodate, 190
- subterminal oxidation by microorganisms, 448
- Hydrogen**, electrical discharges, fatty acid polymerization, 186
- Hydrogenation**, of cactus sterols, 166
- Hydrolysis**, acid, of corynebacteria lipids, 401
- Hydroperoxides**, anal of as TMS-derivatives of methyl hydroxyacids, 144
- Hydroperoxyoctadecadienoic acid**, product of lipoxygenase, 100
- quantitation of 9- and 13- isomers, 100
- reduction with NaBH_4 , 100
- separation by gas liquid chromatography-mass spectroscopy, 100
- trimethylsilyl derivatives, 100
- Hydrophobic binding**, of alcohol to yeast alcohol dehydrogenase, 444
- Hydrophobic enzymes**, in hydrocarbon oxidation, 437
- 10-Hydrostearic acid**, methyl ester, mass spectra, 906
- 12-Hydrostearic acid**, methyl ester, mass spectra, 906
- Hydroxy fatty acids**. See fatty acids, hydroxy
- 1-Hydroxy-3-chloro-2-propanone phosphate**, effect on isomerization of L-glycerinaldehyde, 950
- methyl-3 β -Hydroxy-24-norcholesterol-5-en-23-oate**, synthesis of ^3H -labeled compound, 233
- 3 β -Hydroxy-24-norcholesterol-5-en-23-oic acid**, synthesis of ^3H -labeled compound, 233
- 9-Hydroxy-trans-10, cis-12-octadecadienoic acid**, in seed oils, 617
- 10-Hydroxy-cis-12, cis-15-octadecadienoic acid**, prep from linolenic acid, 745
- 13-Hydroxy-cis-9-trans-11-octadecadienoic acid**, in seed oils, 617
- 9-Hydroxy-trans-3, trans-10, cis-12-octadecatrienoic acid**, in seed oils, 617
- 10-Hydroxy-cis-12-octadecenoic acid**, prep from linoleic acid, 745
- 13-Hydroxy-trans-3, cis-9, trans-11-octadecatrienoic acid**, in seed oils, 617
- 9-Hydroxy- α -tocopherone**, oxidation product of α -tocopherol, 240
- 24-Hydroxycholesterol**, characterization by TLC, GLC and IR, 85
- 25-Hydroxycholesterol**, characterization by TLC, GLC and IR, 85
- mobility, silica gel-silver nitrate TLC, 836
- retention index GLC, on OV-1, OV-17, 836
- 26-Hydroxycholesterol**, characterization by TLC, GLC and IR, 85
- in commercial cholesterol from bovine brain and spinal cord, 85
- Hydroxycholesterols**, melting points of several, 85
- Hydroxylamine**, inhibitor of alcohol dehydrogenase, 444
- Hydroxylase**, bacterial, action on various hydrocarbons, 437
- 5-Hydroxymethyl- γ -tocopherol**, synthesis, 240
- 10-Hydroxyoctadecanoic acid**, prep from oleic acid, 745
- 16-Hydroxypalmitic acid**, methyl ester, mass spectra, 906
- 12-Hydroxystearic acid**, gas chromatography-mass spectrometry of trimethylsilyl ether, 962
- in oilseeds of *Linum mucronatum*, 962
- 18-Hydroxystearic acid**, methyl ester, mass spectra, 906
- DL-H-DL-Hydroxystearic acids**, keto acids in formation of, 541
- prep, 541
- substrates for fatty acid hydratase, 541
- Hypercholesterolemia**, cholesterol α -oxide detected in serum, 836
- Hyperlipemia**, in dogs, effect on leukocytes, 895
- in nephrotic rats, 751
- Hyperlipidemia**, effect on esterification of cholesterol *in vitro*, 722
- effect on LCAT, 722
- Hypertriglyceridemia**, evidence of monoglyceridase in post-heparin plasma, 805
- in post-heparin plasma, 805
- produced by SU-13,437 in rats, 783
- produced by anovulatory drugs, 693
- Hypolipidemia**, in Kwashiorkor, 208
- Hypophysectomy**, effect on rat ovary, 791
- Hypoproteinemia**, in Kwashiorkor, 208
- I**
- Immunochemical studies**, rat serum lipoproteins, 609
- Immunoprecipitation**, of labeled serum lipoproteins released by rat liver cells, 609
- Inhibitors**, lipid synthesis, rat liver cells, 601
- Inia geoffrensis**, lipids of freshwater dolphin, 69
- Inositides**, in corynebacteria, 401
- Insects**, inhibition of sterol metabolism in, by azasterols, 113
- metabolism of phospholipids, 508
- See specific name
- Insulin**, influence on fatty acids incorporation, in liver of rats, 203
- International Standard**, for vitamin E, α -tocopherol acetate, 281
- International Unit**, for vitamin E activity, new definition, 281
- Intestine, rabbit**, cholestanol content, 517
- Intracerebral**, injection of cholesterol precursors in rat, 225
- Intralipid**, as substrate for lipases, 805
- Intraperitoneal**, injection of cholesterol precursors in rat, 225
- Iodination**, methyl sterculate, 623
- Iodoacetate**, inhibitor of alcohol dehydrogenase, 444
- Iododecane**, inhibitor of alcohol dehydrogenase, 444
- Ischemia**, brain, free fatty acids, increased production, 211
- grey and white matter, free fatty acids, 211
- Iso-, branched hydrocarbon**, in microorganisms, 190
- Isomerization**, of diglycerides and lysophosphatidyl choline from wheat, 768
- Isotopic ratios**, in egg after feeding dual labeled fatty acids, 912
- Isovaleric acid**, beluga whale melon and blubber oils, 674
- K**
- Ketones**, intermediate in microbial oxidation of hydrocarbons, 448
- Ketostearic acids**, in formation of ^3H -hydroxystearic acids, 541
- 10-Ketostearic acid**, methyl ester, mass spectra, 906
- Kidney, chicken**, distribution of TPNH-oxidase activity in microsomes, 297
- Kidney, human**, cerebroside in globoid cell leukodystrophy, 433
- lipid content, 433
- water content, 433
- Kidney, pig**, fatty acid profile, 935

- Kidney, rabbit, cholesterol content, 517
- Kidney, rat, monoenoic fatty acid isomers, normal, EFA deficient diet, 831
- subcellular fractionation, 751
 - tocopherol content, 318
- Kinetic, of acyl desaturation, 78
- Krabbe's disease. See globoid cell leucodystrophy
- Krill, fatty acid profile of various lipid classes, 481
- lipid comp, 481
- Kusum oil, cyanolipids of, 349
- Kwashiorkor, hypolipidemia, hypoproteinemia, 208
- in young children, 208
 - lipid transport in, 208
 - mobilization of fat in, 208
 - mono- and polyenoic fatty acids distribution in plasma NEFA, 208
 - oleic, linoleic, linolenic acid in plasma, 208
 - plasma NEFA levels in, 208
- L**
- 2L- α -tocopherol. See α -tocopherol
- ³H-Labeled 24-azacholesterol, prep, 233
- Lactuca sativa, chloroplast sterols, 215
- Lamb, plasma, lipids, fatty acid content, 26
- lipids, low fat diet, 26
 - lipids, newborn, 26
- Lanosterol, cholesterol synthesis from intermediates, 134
- mobility, silica gel-silver nitrate TLC, 836
 - retention index GLC, on OV-1, OV-17, 836
 - role in steroid biosynthesis, 219
- Lard, diet effect on tocopherol deficient rats, 297
- fatty acid profile, 415
 - induction of mammary tumor in rats, 415
- Larva, insect, inhibition of, by azasterols, 113
- Larvae, hornet, fatty acid profile, 850
- Larvae, mosquito, lipid comp, 867
- Lathosterol, conversion to 7-dehydrocholesterol in *D. pachea*, 166
- GLC anal, 166
 - metabolism in *D. pachea*, 166
- LDL. See low density lipoproteins
- Leaf wax, wheat, 641
- Lecithin. See phosphatidyl choline
- Lecithin-cholesterol acyl transferase, in human plasma, effect of hyperlipidemia, 722
- reaction, inhibition by oxygen atmosphere, 740
 - review, site of action, specificity, 369
- Lecithin-cholesterol acyl transferase reaction, assay method, 740
- Leptospira biflexa, extracellular lipase, 276
- Leucine, incorporation into lipoproteins, rat liver cells, 609
- incorporation into proteins, rat liver cells, 609
- [1-¹⁴C]-Leucine, incorporation into protein of rat brain, 451
- Leucocyte count, in rats fed SU-13,487, 783
- Leukocyte, dog, ¹⁴C-acetate incorporation into lipids, arteriosclerosis, 895
- mechanism of fatty acid synthesis, chain elongation, dog, 895
 - metabolism of ¹⁴C-acetate, dog, arteriosclerosis-inducing diet, 895
- Leukocytes, accumulation of lipid in, dogs fed atherogenic diet, 895
- DNA content, 895
 - effect of atherogenic diet on lipid metabolism, 895
 - incubation with ¹⁴C-acetate, 895
 - isolation from dog, 895
- Lindlars catalyst, in synthesis of unsaturated fatty acids, 889
- Linoleic acid, adduct with oxidized α -tocopherol, 16
- adducts of oxidized tocopherol, 1
 - and α -tocopherol, autoxidation of mixed monolayers on silica, 16
 - as dietary supplement, rat, 47
 - autoxidation of monolayer on silica, 16
 - autoxidation products, ultraviolet spectra, adsorbed on silica, 16
 - biosynthesis in plants, 266
 - conversion to 10-hydroxy-cis-12-octadecenoic acid by bacteria, 745
 - desaturation by microsomes of rat liver, 873
 - emulsions, autoxidation and phospholipid bases, 196
 - esterification, liver glycerides, 307
 - esterification of, in basic solution, 919
 - in beef heart diphosphatidyl glycerol, 260
 - in mushrooms, 176
 - in oilseeds of *Linum mucronatum*, 962
 - in phospholipids of sheep liver, 926
 - in rat brain, metabolism, 378
 - incorporation, phosphatidyl choline, EFA deficient rat, 858
 - incorporation, triacylglycerol, EFA deficient rat, 858
 - incorporation into rat liver lipids, 208, 787
 - inhibition of fatty acid esterification in mammary gland, 777
 - methyl ester, autoxidation, 196
 - methyl ester, emulsification by sonification, 196
 - methyl ester, mass spectra, 906
 - methyl ester, peroxidizing reaction with albumin, 172
 - peroxide in tocopherol deficient rats, 297
 - pH effect, autoxidation, 196
 - plasma levels in Kwashiorkor, 208
 - precursor of the cucumber flavor, 351
 - role of phosphatidyl choline in plant biosynthesis of, 266
- ³H-Linoleic acid, metabolism in rat liver, 388
- 1-¹⁴C-Linoleic acid, incorporation, EFA deficient rat, 858
- incorporation into milk glycerides, 777
 - incorporation into phospholipid in EFA deficiency, rat liver, 858
 - metabolism in rat, effect of diet, 47
- Linoleic acid, hydroperoxides, anal of as TMS-hydroxy-acids, 144
- Linolenic acid, conversion to 10-hydroxy-cis-12-cis-15 octadecadienoic acid by bacteria, 745
- in beef heart diphosphatidyl glycerol, 260
 - in rat brain, metabolism, 378
 - incorporation into rat liver lipids, 787
 - methyl ester, mass spectra, 906
 - plasma levels in Kwashiorkor, 208
 - precursor of the cucumber flavor, 351
- α -Linolenic acid, synthesis from oleic acid by microsomes, 873
- γ -Linolenic acid, as dietary supplement, rat, 47
- synthesis from linoleic acid by microsomes, 873
- 1-¹⁴C-Linolenic acid, incorporation into milk glycerides, 777
- 1-¹⁴C- γ -Linolenic acid, metabolism in rat, effect of diet, 47
- dihomo- γ -Linolenic acid. See 8,11,14 eicosatrienoic acid
- Linoleyl-Coenzyme A, biosynthesis in microsomes, 873
- prep and extraction from liver microsomal preps, 873
- Linoleyl-Coenzyme A hydrolase, role in desaturation of linoleic acid, 873
- Lipase, acid effect of actinomycin D, 54
- acid effect of gibberellic acid, 54
 - acid in castor beans, 54
 - acid substrates for, 54
 - activity in human plasma, post-heparin, 805
 - activity toward lipoprotein classes of pig serum, 276
 - assay procedure, 805
 - chain length specific and stereospecific anal, of tri-glycerides, 942
 - extracellular, from *Leptospira biflexa*, 276
 - extracellular, from *Rhizopus arrhizus*, 276
 - from *Geotrichum candidum*, 942
 - hydrolysis of pig serum lipoproteins, 276
 - inhibition by protamine, 805
 - kinetics of post-heparin plasma, 805
 - neutral absence in castor beans, 54
 - See also pancreatic lipase
- Lipase, pancreatic, hydrolysis of pig serum lipoproteins, 276
- stereospecific anal of triglycerides from maize, 525
- Lipid, monolayers on silica gel, 1
- Lipid classes, GLC and TLC in dolphin jaw fat, 69
- Lipid extraction, from anaerobic bacteria, 745
- from beef heart, 260
 - from bioluminescent bacteria, 410
 - from boll weevil, 352
 - from bone and cartilage, 314
 - from bovine thyroid tissue, 661
 - from chloroplasts, 215
 - from cream, skim-milk, 844
 - from cucumbers, 351
 - from eggs, 912
 - from fungi, 856
 - from human, rat ovaries, 815
 - from human mucus, 859
 - from krill, reb crabs, 481
 - from leukocytes, 895
 - from mosquito, eggs, larvae, 867
 - from mushrooms, 176
 - from mycelia, 176
 - from oranges, 826
 - from pig heart, spleen and brain, 935
 - from pig heart mitochondria, 882
 - from rat adrenal gland, 797
 - from rat liver, 208
 - from rat liver and serum, 332
 - from salmon liver, 347
 - from sea anemone, 341
 - from seminal vesicle gland, rat, 278
 - from sheep liver, 926
 - from slime mold, 466
 - from sporophores, 176
 - from *Vernix caseosa*, 901
 - from wheat flour, 768

- human serum, 836
- of corynebacteria lipids, 401
- Lipid metabolism**, and hormonal interrelationships, effects of anovulatory drugs, 693
- Lipid monolayers**, influence of urea on protein penetration, 546
- lecithin, cholesterol, gangliosides, 546
- penetration by proteins, 546
- prep of, 546
- Lipid transport**, from roe to body in fish, 562
- mechanisms in liver and plasma, 394
- of liver triglycerides in EFA deficiency, 388
- Symposium, beginning on page 357
- Lipid-gas interfaces**, reactions at, 181
- Lipid-protein oxidation**, by free radicals, Schiff base formation, 62
- effect of antioxidants, 62
- Lipids**, and anovulatory drugs, a review, 693
- content of salmon liver, 347
- diol ether mass fragmentation patterns, mechanism, 727
- distribution in human serum, 369
- effect of anovulatory drugs on distribution of in humans, rats, 693
- fluorescent, bovine brain, 670
- fungal, during growth, 856
- gas interfaces, reactions, 186
- in adult brain of rat, 225
- in developing brain of rats, 225
- in rat brain on EFA deficient diets, 378
- liver, incorporation of linoleic acid into, rat, 858
- nitrogen-containing in Kusum seed oil, 349
- of bone and cartilage, 314
- of egg, fatty acid metabolism, 912
- of human mucus, 859
- of krill, 481
- of mosquito and mosquito larvae, 867
- of mushrooms, sporophore and mycelia, 176
- of pig heart mitochondria, 882
- of rat liver cells, 601
- of red crab, 481
- of sarcolemmal membrane, 357
- of winter wheat flour, 768
- peroxidation, fluorescence measurements, 715
- secretion from liver, 388
- synthesis in *Chlorella vulgaris*, 266
- synthesis in oil droplets of castor bean, 851
- synthesis in rat brain from glucose, 431
- synthesis in rat liver cells, cofactor requirements, inhibition, 601
- Lipofuscin**, pigments and peroxidation of lipids, 715
- Lipogenesis**, mouse, effects of drugs on, 475
- Lipogenesis**, hepatic, effect of inhibition on serum lipoprotein synthesis by rat liver cells, 609
- effect of rate on serum lipoprotein synthesis by rat liver cells, 609
- Lipohydroperoxidase**, absence of, in purified lipoxygenase, 100
- Lipolysis**, in castor bean, 54
- inhibition by albumin bound FFA, 274
- reesterification of FFA, 274
- Lipolytic activity**, comparison of albumin and calcium as fatty acid acceptors, 805
- comparison of methodology, 805
- effect of inhibitors in assay, 805
- effect of preincubation of inhibitors with plasma, 805
- effect of preincubation of plasma, 805
- in post-heparin plasma, 805
- measured with triglyceride, monoglyceride or phospholipid substrate, 805
- Lipoprotein lipase**, post-heparin, 693
- serum lipoprotein metabolism, 369
- Lipoproteins**, biosynthesis of serum lower density, rat liver cells, 609
- distribution in subjects taking anovulatory drugs, 693
- high density, hydrolysis by lipase, 276
- LCAT activity in cirrhosis, 369
- low density, hydrolysis by lipase, 276
- metabolism, enzymes of, 369
- methodology, a review, 369
- phospholipids of in blood transport, 394
- pig serum, triglycerides, structure fatty acid profile, 965
- rat, effect of diet on, 332
- regulation of biosynthesis, rat liver cells, 609
- Lipoproteins, very low density**, hydrolysis by lipase, 276
- α -Lipoproteins**, in rat serum, fasting, 332
- β -Lipoproteins**, in rat serum, fasting, 332
- pre- β -Lipoproteins**, in rat serum, fasting, 332
- post- β -Lipoproteins**, in rat serum, fasting, 332
- Lipoxygenase**, in oxidation of fatty acids of cucumber, 351
- Lipoxygenase**, alfalfa seed, 100
- alfalfa seed and soybean compared, 100
- distribution of positional isomers in product, 100
- isolation and purification, 100
- Liquid scintillation counting**, ^{14}C -labeled fatty acids, triglycerides, 777
- of ^3H -labeled gangliosides, 959
- Lithium aluminum hydride**, reduction of polar lipids, 170
- Liver**, cirrhosis and lipids, a review, 369
- EFA deficient rat, linoleic acid incorporation, 858
- incorporation of fatty acids into phospholipids, 307
- lipid content, effect of anovulatory drugs on, 693
- lipid re-mobilization, 394
- metabolism of vitamin E, 318
- microsomes, acyl CoA metabolism, pig, rabbit, rat, 107
- microsomes, peroxidation of lipids of, 715
- microsomes, rat, incubation with labeled fatty acids, 873
- microsomes, rat, phosphatidic acid synthesis, 88
- mitochondria, peroxidation of lipids of, 715
- phospholipids, 394
- rat, cholesterol biosynthesis in, 134
- rat, triglycerides, effect of CCl_4 , 141
- Liver, catfish**, distribution of TPNH-oxidase activity in microsomes, 297
- Liver, chicken**, distribution of TPNH-oxidase activity in microsomes, 297
- Liver, dog**, lipid content, 394
- Liver, human**, distribution of TPNH-oxidase activity in microsomes, 297
- lipid comp in propionicacidemia, 576
- triglyceride structure, 854
- Liver, mouse**, effect of SU-13,437 on lipids of, 475
- Liver, ovine**, phospholipid classes and fatty acid profile, 926
- Liver, pigeon**, cholestanol content, 517
- Liver, rabbit**, cholestanol content, 517
- Liver, rat**, acetone powder, role in cholesterol synthesis, 162
- arachidonic acid incorporation, 787
- biosynthesis of serum lipoproteins, 609
- cholesterol and triglycerides content, 47
- cholesterol biosynthesis, 957
- conversion of linoleate to arachidonate, 388
- conversion of squalene to cholesterol, 162
- diet, effect on α -tocopherol and phospholipid alterations, 297
- dietary influence on lipoprotein synthesis, 332
- distribution of TPNH-oxidase activity in microsomes, 297
- effect of dietary lipids on lipids of, 47
- effect of fasting on lipid content, 332
- effect of SU-13,437 on cholesterol, 783
- effect of SU-13,437 on free fatty acids, 783
- effect of SU-13,437 on glycogen, 783
- effect of SU-13,437 on phospholipids, 783
- effect of SU-13,437 on triglycerides, 783
- enzymatic synthesis of cholesterol, 162
- fatty acid incorporation into phospholipids, 787
- glucose, conversion to lipid, 332
- glucose feeding, effect on, 332
- glycogen content, effect of fasting, 332
- hydrolysis of phospholipids by phospholipase A₂, 652
- incorporation of $1\text{-}^{14}\text{C}$ -acetate, 601
- incorporation of arachidonic acid in 1,2-diglycerides, 203
- incorporation of arachidonic acid into phospholipids, 203
- incorporation of $\text{U-}^{14}\text{C}$ -L-leucine radioactivity, 609
- incorporation of linoleic acid in 1,2-diglycerides, 203
- incorporation of linoleic acid into phospholipids, 203
- insulin, effect on fatty acid incorporation, 203
- insulin, effect on phospholipid synthesis, 203
- isolation of sterol carrier protein from, 162
- linoleic acid incorporation, 787
- linoleic acid metabolism, EFA deficiency, 858
- linoleic acid incorporation, 787
- lipid content, 332
- lipid synthesis, 601
- lipogenesis in slices from, 332
- lipoprotein synthesis, 332
- method for isolation, 601
- microsomal membrane phospholipids, unsaturated fatty acids, 297
- microsome, prep from, 297
- microsomes, desaturation of linoleic acid by, 873
- microsomes, L-glyceraledehyde isomerization by, 930
- peroxidation of lipids of, 715
- phosphatidic acid synthesis by microsomes, 930
- phospholipid metabolism in EFA deficiency, 388
- phospholipids, phosphorus, fatty acids, 649
- positional incorporation of unsaturated fatty acids in phospholipids of, 787
- specific activity ratios $^3\text{H}/^{14}\text{C}$ fatty acids, 203
- sterol metabolism, 225
- subcellular fractionation, 751
- α -tocopherol and alterations in phospholipids of microsomes, 297

- transport of triglycerides in EFA deficiency, 388
 - triglyceride synthesis, 203
 - Liver, salmon**, lipid, protein water content, 347
 - triglycerides, starvation, hepatic lipogenesis, 347
 - Liver, toad**, distribution of TPNH-oxidase activity in microsomes, 297
 - Liver, trout**, cyclopropanoid fatty acids in, 426
 - Liver function**, effect of anovulatory drugs, 693
 - Liver perfusion**, in EFA and lipid transport, 388
 - Lophenol**, GLC anal, 166
 - Lophocereus schottii**, unusual sterols, lophenol, schottenol, in, 166
 - Low density lipoprotein**, cholesterol esterification, 722
 - metabolism, 369
 - Lung, porcine**, surfactant lipids, lipid comp, 625
 - Lung, rat**, monoenoic fatty acid isomers, normal, EFA deficient diet, 831
 - Luteal function**, regulation of, 791
 - Luteinizing hormone**, rat ovary, effect on cholesterol esters of, 791
 - Lycopodium esculentum**, chloroplast sterols, 215
 - Lysobisphosphatidic acid**, porcine surfactant, isolation, characterization, 625
 - Lysocleithin**. See lysophosphatidyl choline
 - Lysophosphatidyl choline**, fatty acid incorporation, rat liver, 307
 - fatty acid profile in boll weevil, 352
 - in boll weevil, 352
 - in bovine thyroid, microsomes and mitochondria, 661
 - in cystacanths, 763
 - in human mucus, 859
 - in krill and red crabs, 481
 - in mosquito eggs, larvae, pupae, adults, 867
 - in pig heart mitochondria, 882
 - in sheep liver, 926
 - role in fatty acid synthesis in *Chlorella vulgaris*, 266
 - synthesis in leukocytes, 895
 - wheat, anal of isomers, 768
 - Lysophosphatidyl ethanolamine**, fatty acid profile in boll weevil, 352
 - fatty acid profile in wheat flour, 768
 - formation in post-heparin plasma, 805
 - in bioluminescent bacteria, 410
 - in boll weevil, 352
 - in krill and red crabs, 481
 - in mosquito eggs, larvae, pupae, adults, 867
 - in pig heart mitochondria, 882
 - Lysosomes**, contents, stimulators of cholesterol synthesis, 751
 - isolation from rat liver, kidney, 751
 - Lysozyme**, from egg, effect on cholesterol synthesis in rat liver homogenates, 751
- M**
- Maize**, triglycerides, stereospecific anal, 525, 531, 537
 - Malnutrition**, effect on myelin development and chemical comp in rat brain, 458
 - Malonaldehyde**, lipid-protein oxidation, Schiff base fluorescence, 62
 - Malondialdehyde**, formation in microsome of tocopherol deficient rats, 297
 - Mammary gland, bovine**, fatty acid specificity, triglyceride synthesis, 777
 - glyceride synthesis, 777
 - incubation medium for triglyceride synthesis, 777
 - prep of homogenates, 777
 - Mammary gland, rat**, adenocarcinoma, induced by 7,12-dimethylbenz(a)anthracene, 415
 - Mammary tissue**, fatty acid esterification, bovine, 326
 - Mammary tissue, bovine**, prep of homogenates, 326
 - Mammary tissue, rat**, turnover of dietary cholesterol, 645
 - Mango**, tocopherol content, 291
 - Mannitol**, use in synthesis of optical activity diacyl glycerols, 734
 - Mannosidites**, in corynebacteria, 401
 - Mannophosphosidites**, in corynebacteria, 401
 - N-acetyl-¹⁴C-mannosamine**, *in vivo* labeling of gangliosides, rat brain, 959
 - Mannose**, in corynebacterium lipids, 401
 - Maria**, pristane content of oil, 520
 - Marine bacteria**, lipids of, 410
 - Marine plants**, sterols in, 687
 - Mass spectra**. See spectra, mass
 - Mechanism**, acyl desaturase, proposed, 567
 - of acyl desaturation, 78
 - Media**, growth, bacteria, effect on fatty acid comp, 820
 - Medium**, growth for anaerobic bacteria, 745
 - Medroxyprogesterone acetate**, effect on lipid metabolism, 693
 - Megestrol**, effect on lipid metabolism, 693
 - Melting point**. See specific compound
 - Melting points**, enantiomeric glycerides, 692
 - Membranes**, lipids of sarcoplasmic reticulum, 357
 - microsomal, stabilization by α -tocopherol, 297
 - of milk fat globule phospholipid content, 58
 - of oil droplets of castor bean, 851
 - Membranes, mitochondrial**, comp, antioxidants of, 147
 - Mercuric chloride**, inhibitor of alcohol dehydrogenase, 444
 - Mestranol**, effect on lipid metabolism, 693
 - Metabolic pathways**, conversion of squalene to tetrahymanol in *T. pyriformis*, 149
 - Metabolism**, of alkanes by yeast, 444
 - of cholesterol and squalene in rat brain, 154
 - Methane**, electrical discharges, fatty acid polymerization, 186
 - Methanolysis**, in basic solution, using KOH or NaOH, reaction rates, 919
 - prep of stable reagent for, 919
 - role of water in reaction, 919
 - Methionine**, correction of phospholipid abnormalities, 649
 - Methyl azelaaldehyde**, synthesis, 758
 - thermal oxidation product of methyl oleate, 758
 - Methyl azelaaldehyde**, infrared spectrum, 758
 - mass spectrum, 758
 - Methyl-11,12-dihydroxystearate**, specific rotation, mass spectra, 745
 - Methyl esters**. See fatty acid, methyl esters
 - Methyl hydroxystearates**, anal of TMS-derivatives, 144
 - Methyl pimelaldehyde**, thermal oxidation product of methyl oleate, 758
 - Methyl radicals**, addition to n-heptadecanoic acid, 181
 - addition to palmitic acid, 181
 - Methyl ricinoleate**, specific rotation, 745
 - Methyl suberaldehyde**, mass spectrum, 758
 - thermal oxidation product of methyl oleate, 758
 - 24 α -Methylcholesterol**, metabolism in *T. pyriformis*, 149
 - 24 β -Methylcholesterol**, metabolism in *T. pyriformis*, 149
 - 24-Methylene cholesterol**, content of various species of oranges, 826
 - metabolism of, 219
 - 16-Methylheptadecanoic acid**, in bacteria, 410
 - Methyl-10-hydroxy-cis-12-cis-15-octadecadienoate**, specific rotation, mass spectra, 745
 - Methyl-10-hydroxy-cis-12-octadecenoate**, specific rotation, mass spectra, 745
 - Methyl-10-hydroxystearate**, specific rotation, 745
 - 14-Methylpentadecanoic acid**, in bacteria, 410
 - Metridium dianthus**, fatty acid profile, 341
 - *trans*-6-hexadecenoic acid in, 341
 - *trans*-6-hexadecanol in, 341
 - lipid content, 341
 - Mevalonate**, incorporation into cholesterol, 751
 - Mevalonic acid**, incorporation in brain of rat, 154
 - incorporation into brain, 225
 - metabolism in *T. pyriformis*, 149
 - precursor in sterol biosynthesis, 219
 - Michealis constants**, NAD⁺-linked dehydrogenase from yeast, 444
 - Microorganisms**, alkyl and cyclic hydrocarbon cooxidation by, 453
 - *Corynebacterium*, fatty acid profile, 820
 - *Erysipelothrix rhusiopathiae*, fatty acid profile, 820
 - family *Micrococcaceae* hydrocarbon content, 190
 - *Humicola grisea* var. *thermoidea*, lipid comp, 589
 - *Humicola grisea* var. *thermoidea*, polar and neutral lipids, 589
 - *Listeria monocytogenes*, fatty acid profile, 820
 - *Sarcina flava* hydrocarbon profile, 190
 - *Sarcina lutea* hydrocarbon profile, 190
 - sterols in, 128
 - subterminal oxidation of hydrocarbons, 448
 - Microsomal membrane**, inhibitor of cholesterol synthesis, 751
 - Microsomes**, acyl CoA metabolism, effect of DFP and substrate, 107
 - assay of acyl CoA metabolism, spectrophotometric, radiochemical, 107
 - desaturation by, from several rat tissues, 567
 - effect of peroxidation on enzyme activities, 715
 - glyceride synthesis from endogenous precursors, 107
 - isolation from rat brain, 154
 - mosquito, lipid comp, 867
 - oxygen uptake and lipid peroxidation, 715
 - phospholipids, high content of nervonic acid, 661
 - pig liver, acyl CoA metabolism, 107
 - rabbit liver, acyl CoA metabolism, 107
 - rat liver, acyl CoA metabolism, 107
 - rat liver, desaturation of linoleic acid by, 873
 - rat liver, incubation with labeled fatty acids, 873
 - rat liver, prep, 297
 - rat liver and phosphatidic acid synthesis, 88
 - stabilization by α -tocopherol, 297
 - sterol metabolism in rat brain, 225
 - Microsomes, glycerol kinase**, activity in rat liver, 930
 - Microsomes, housefly**, phospholipid metabolism, 508
 - Microsomes, liver**, peroxidation of lipids of, 715
 - Milk**, evidence of cell membranes in, 58
 - phospholipids, synthesis of, 844

- phospholipids in, skin and milk fat globule membrane, 58
- sources of cholesterol in rat, 645
- turnover of dietary cholesterol in rat, 645
- Milk, goat**, phospholipid, origin of, 844
- Milk, rat**, phospholipids, origin of, 844
- turnover of dietary cholesterol, 645
- Milk fat**, fatty acid profile, 942
- glyceride synthesis, 777
- Millet**, tocopherol content of seeds, 291
- Mitochondria**, alcohol dehydrogenase in, 444
- antioxidants and fatty acids of, membranes, 147
- bovine thyroid, phospholipid fatty acids, 661
- effect of peroxidation on enzyme activities, 715
- isolation from rat brain, 154
- isolation from rat liver, kidney, 751
- mosquito, lipid comp, 867
- oxygen uptake and lipid peroxidation, 715
- pig heart, added ADP, effect on respiration of, 882
- pig heart, added ATP, effect on respiration of, 882
- pig heart, added glucose, effect on respiration of, 882
- pig heart, added hexokinase, effect on respiration of, 882
- pig heart, added NAD⁺, effect on respiration of, 882
- pig heart, endogenous respiration, 882
- pig heart, lipid comp, 882
- pig heart, oxygen uptake, 882
- Mitochondria, liver**, peroxidation of lipids of, 715
- Molecular species**, in wheat flour lipids, 768
- phospholipid in rat liver, bile, 307
- Molecular weight determination**, by field ionization mass spectrometry, 906
- Monkey**, anemia, dystrophy, bioassay of tocopherol, 281
- Monoalkyl ethers**, of diols, mass spectra, 727
- Monocarbonyl-2,4-dinitrophenylhydrazones**, chromatography on alumina columns, 351
- Monogalactosyl diglyceride**, fatty acid transformation during *de novo* synthesis from acetate, 266
- from *Citrus*, fatty acid profiles, 554
- in plants, role in fatty acid synthesis, 266
- wheat, stereoanalysis of fatty acids, 768
- 6-D-acyl Monogalactosyl diglyceride**, wheat, anal of fatty acids, 768
- Monoglyceridase**, in post-heparin plasma, 805
- Monoglyceride**, enzymatic hydrolysis by post-heparin plasma, 805
- evidence of monoglyceridase in post-heparin plasma, 805
- in assay of plasma lipase, 805
- in human mucus, 859
- in mosquito larvae, 867
- in mushrooms, 176
- purification by column chromatography, 805
- synthesis in mammary tissue, 326
- wheat, anal of isomers, 768
- Monolayers**, adsorbed autooxidized lipid, ultraviolet spectra, 16
- adsorbed lipid, ultraviolet spectrophotometry, 9
- See lipid monolayers
- 2-Monoolein**, effect on cholesterol absorption, rat, 964
- Mosquito**, phospholipid comp, 867
- subcellular fractions, lipid comp, 867
- Mouse**, brain, sphingolipid synthesis, 682
- effect of hypolipidemic drug on lipids of, 475
- incorporation of labelled precursors into lipids of, 475
- Mouse, liver**, effect of SU-13,437 on lipids of, 475
- Mouse, plasma**, effect of SU-13,437 on lipids of, 475
- Mouse, quaking**, sphingolipid synthesis by brain particulates, 682
- Mucus, human**, lipid comp, 859
- Muscle, catfish**, distribution of TPNH-oxidase activity in microsomes, 297
- Muscle, chicken**, distribution of TPNH-oxidase activity in microsomes, 297
- Muscle, human**, distribution of TPNH-oxidase activity in microsomes, 297
- Muscle, rat**, distribution of TPNH-oxidase activity in microsomes, 297
- Muscle, toad**, distribution of TPNH-oxidase activity in microsomes, 297
- Mushrooms**, fatty acid profile, 176
- growth media, 176
- linoleic acid content, 176
- lipid comp, 176
- lipid extraction of, 176
- lipids, separation by GLC, 176
- lipids, separation by TLC, 176
- monoglycerides, 176
- neutral lipids, 176
- phosphatidyl choline, phosphatidyl ethanolamine, 176
- sporophore and mycelial lipids, 176
- sterols, 176
- triglycerides, 176
- Muskmelon**, tocopherol content, 291
- Mustard seed oil**, tocopherol content, 291

LIPIDS, VOL. 6, NO. 12

- Mycelial**, lipid content, 176
- Mycobacterium tuberculosis**, sulfolipids, 40
- Myelin**, prep from rat brain, 378
- rat brain, chemical comp, effect of malnutrition on, 458
- Myristic acid**, biosynthesis in plants, 266

N

- N-acyl neuraminic acid**. See sialic acid
- NAD⁺-linked**, alcohol dehydrogenase in yeast, 444
- Nafenoic acid**. See SU-13,437
- Naphthalene**, microbial oxidation, 453
- Neem oil**, tocopherol content, 291
- Nephrosis**, effects on hepatic cholesterol synthesis, 751
- induction in rat by aminonucleoside, 751
- Nervonic acid**, bovine thyroid microsomal phospholipids, 661
- Neutral lipids**, dog leukocytes, fatty acid profile, 895
- fatty acid incorporation in leukocytes, 896
- fatty acid metabolism in chickens, 912
- in human mucus, 859
- in krill and red crabs, 481
- monoenoic fatty-acid isomers, EFA deficiency, 831
- of mosquito, 867
- of mushrooms, 176
- pig heart mitochondria, 882
- Nicotiana tabacum**, chloroplast sterols, 215
- Nitrile lipids**, in Kusum seed oil, 349
- NMR**. See spectra, nuclear magnetic resonance
- Nomenclature**, shorthand notation for multi-branched chain fatty acids, 862
- 4-sphinganine, 862
- sphingosine, 862
- triglycerides, 942
- 2,6-Nonadienal**, in cucumbers, synthesis from unsaturated fatty acids, 351
- Nonadiene**, synthesis of 1,3 and 2,4, 635
- thermal rearrangement, 635
- Nonanal**, in cucumbers, synthesis from unsaturated fatty acids, 351
- NMR and mass spectra, 961
- Nonanol**, as substrate for alcohol dehydrogenase, 444
- 2-Nonenal**, in cucumbers, synthesis from unsaturated fatty acids, 351
- Non-saponifiable lipids**, in rat brain, metabolism, 225
- Norepinephrine**, calorogenic effect on rats, 486
- effect on lipolysis, 274
- induced increase in oxygen consumption, 486
- influence of age on calorogenic effect, 486
- influence on cold acclimation on effect of, 486
- Norethindrone**, effect on lipid metabolism, 693
- Norethindrone acetate**, effect on lipid metabolism, 693
- Norethynodrel**, effect on lipid metabolism, 693
- Nuclei**, mosquito, lipid comp, 867
- Nucleotides**, effect on linoleyl-CoA desaturation, 873

O

- Oats**, tocopherol content of seeds, 291
- cis-9,10-epoxy-trans-3-cis-12-Octadecadienoic acid**, in seed oils, 617
- Octadecane-1,18-dicarboxylic acid, methyl ester**, mass spectra, 906
- trans-3, cis-9, cis-12-Octadecatrienoic acid**, in seed oils, 617
- cis-7-Octadecenoic acid**, in rat tissues, 831
- cis-8-Octadecenoic acid**, in rat tissues, 831
- in *Thunbergia alata* seed oil, 712
- cis-9-Octadecenoic acid**, metabolism in chickens, 912
- trans-9-Octadecenoic acid**, metabolism in chickens, 912
- cis-11-Octadecenoic acid**, in rat tissues, 831
- cis-9,10-epoxy-cis-12-Octadecenoic acid**, in seed oils, 617
- Octadecyl eicosanoate**, crystal structure, 421
- Octadecyl hexadecanoate**, crystal structure, 421
- Octadecyl octadecanoate**, crystal structure, 421
- Octadecyl tetradecanoate**, crystal structure, 421
- 2-Octadecyloxy-1,1,2,2-tetrahydroethane**, prep of, 727
- 2-Octadecyloxy-1,1,2,2-tetrahydroethane**, prep of, 727
- Octane**, thermal oxidation product of methyl oleate, 758
- Octanoic acid, methyl ester**, thermal oxidation product of methyl oleate, 758
- Octanol**, as substrate for alcohol dehydrogenase, 444
- 2-Octenal**, in cucumbers, synthesis from unsaturated fatty acids, 351
- Odor**, heated fats, 758
- Oil droplets**, site of fatty acid synthesis in castor bean, 851
- Oil seed, Thunbergia alata**, fatty acid profile, 712
- Oils**, dietary, effect on rat mammary cancer, 415
- Oilseeds, Linum mucronatum**, fatty acid profile, 962
- *Moringa concanensis*, changes in triglyceride comp, by randomization, 666
- *Moringa concanensis*, fatty acid comp, 666
- *Moringa concanensis*, solvent interesterification, 666

- *Moringa concanensis*, triglyceride comp, 666
- palm-kernel, triglycerides, fatty acid profile, 630
- palm-kernel, triglycerides, GLC fractionation, 630
- palm-kernel, triglycerides, groups and types, 630
- *Ricinus communis* oil droplets, 851
- *Schleicheria trijuga*, cyanolipids, 349
- Olefinic linkages**, dtm of their position, 961
- Olefin**, in microorganisms, 190
- Oleic acid**, alternative pathways for biosynthesis, 266
 - biosynthesis in plants, 266
 - cholesterol absorption, rat, 964
 - desaturation by rat liver microsomes, 873
 - in beef heart diphosphatidyl glycerol, 260
 - in oilseeds of *Linum mucronatum*, 962
 - in rat adrenal gland cholesterol esters, 797
 - in roe wax esters, 562
 - incorporation into *Chlorella vulgaris* lipids, 266
 - methyl ester, conversion to epoxide, 961
 - methyl ester, mass spectra, 906
 - methyl ester, thermal oxidation, 758
 - plasma levels in Kwashiorkor, 208
 - positional isomer, in rat tissues, 831
 - turnover in gouramis, 562
- ¹⁴C-Oleic acid**, esterification to cholesterol by ovarian tissue, 815
 - incorporation into milk glycerides, 777
 - metabolism in chickens, 912
 - prep of ¹⁴C-stearolic acid from, 541
- ¹⁴C-Oleic acid**, biological reduction to oleyl alcohol by fish, 562
 - in triglycerides of fish, 562
 - in wax esters of fish roe, 562
 - metabolism of by fish, half-life, 562
- Oleic acid, ethyl ester**, synthesis of deuterium labeled compound, 912
- Oleic acid, methyl ester**, use in synthesis of methyl azela-aldehyde, 758
- 9,10-H-Oleic acid, methyl ester**, synthesis from stearolic acid, 912
- Oleil alcohol**, from oleic acid in the fish, 562
 - in roe wax esters, 562
- ¹⁴C-Oleyl coenzyme A**, fatty acid synthesis in castor bean, 851
- Olive oil**, diet of rat effect on adrenal cholesterol esters, 797
 - fatty acid profile, 415, 797
 - induction of mammary tumor in rats, 415
 - positional fatty acid profile, 942
 - tocopherol content, 291
- Onchorhynchus gorbushka**, liver, triglyceride synthesis, 347
- Orange**, tangor, juice sac sterols, 826
- ³²P-Orthophosphate**, phospholipid metabolism in dogs, fatty liver, 394
- Ovarian**, lipid content, effect of anovulatory drugs on, 693
- Ovaries**, rat, tocopherol content, 318
- Ovary**, effect of PGF_{2α} on, rat, 791
- Ovary, human**, cholesterol esterification, 815
- Ovary, pigeon**, cholesterol content, 517
- Ovary, rabbit**, cholesterol esterification, 815
- Ovary, rat**, cholesterol ester metabolism, 791
 - cholesterol ester synthetase activity, 791
 - cholesterol esterase activity, 791
 - effect of PGF_{2α} on lipids, progesterone, 791
 - incubation for metabolic study, 791
- Oxidase, TPNH**, metabolism of α-tocopherol, 297
- Oxidation**, free radical formation in lipid-protein systems, 62
 - microbial, hydrocarbons to alcohols, ketones, acetate esters, 448
 - microbial, of alkyl and cyclic hydrocarbons, 463
 - microbial, subterminal of hydrocarbons, 448
 - of lipid-protein systems, 62
 - of α-tocopherol, 240
 - peroxidate, of intact phospholipids from porcine lung surfactant, 625
 - Schiff base formation in lipid-protein systems, 62
 - thermal, methyl oleate, 758
- Oxidation, EPR**, fluorescence spectra in lipid-protein systems, 62
- Oxidative phosphorylation**, pig heart mitochondria, 882
- 9-Oxononanoic acid, methyl ester**, NMR and mass spectra, 961
- 13-Oxotridecanoic acid, methyl ester**, NMR and mass spectra, 961
- Oxygen**, absorption by methyl linoleate emulsions, 196
 - atmosphere, *in vivo* effects on cholesterol ester metabolism, 740
 - atmosphere, *in vivo* inhibition of plasma lecithin-cholesterol acyltransferase, 740
- ¹⁸Oxygen**, incorporation into oxirane ring of epoxystearate, 581
- Oxygen uptake**, by linoleate emulsions, 196
 - by rat liver mitochondria microsomes, 715
- Ozonolysis**, GLC of oxygenated unsaturated acids, 617
 - of 12-hydroxystearic acid, 962
 - of unsaturated fatty acids, 712
- P**
- Palm oil**, tocopherol content, 291
- Palm-kernel oil**, triglycerides, groups and types, 630
- Palmitic acid**, addition of ethyl radicals to, 181
 - addition of methyl radicals to, 181
 - biosynthesis in plants, 266
 - desaturation by rat liver microsomes, 873
 - electrical discharge induced insolubilization, 186
- Palmitic acid, Na-¹⁴C**, incorporation into milk lipids, 58
- ³H-Palmitic acid**, metabolism in rat liver, 388
- ¹⁴C-Palmitic acid**, in triglyceride synthesis by rat liver, 930
 - incorporation by slime mold into alkyl and alk-1-enyl glyceryl ethers, 470
 - incorporation into milk glycerides, 777
 - incorporation into triglycerides, phospholipids, 326
 - precursor for phosphatidic acid synthesis, 88
- Palmitoleic acid**, in rat adrenal gland cholesterol esters, 797
 - in rat tissues, 831
- Palmitoyl phosphatidyl choline**, separation from stearoyl phosphatidyl choline, 365
- Pancreas**, dog, effect of removal on lipid metabolism, 394
- Pancreatotomy**, dogs, fatty liver, 394
- Pancreatic juice**, rat, phospholipase A₂ in, 652
- Pancreatic lipase**, anal of pig triglycerides, structure, 965
 - hydrolysis of pig serum lipoproteins, 276
 - in stereospecific anal of galactolipids, 768
 - in stereospecific anal of triglycerides, 942
 - See also lipase
 - use in determining positional specificity of fatty acids of phospholipids, 935
- Paraffin hydroxylase**, in *Pseudomonas aeruginosa*, 437
- Peanut oil**, tocopherol content, 291
- Peanuts**, tocopherol content of seeds, 291
- Peas**, tocopherol content of seeds, 291
- Pecans**, tocopherol content of seeds, 291
- Pentanal**, in cucumbers, synthesis from unsaturated fatty acids, 351
- n-Pentane**, effect on growth rate of *Pseudomonas aeruginosa*, 437
- 2-Pentenol**, in cucumbers, synthesis from unsaturated fatty acids, 351
- Peptic ulcer**, cholesterol α-oxide in serum, 836
- Peptides**, in human serum lipoproteins, 369
- Periodate**, oxidation of olefinic hydrocarbons, 190
- Perlaureic acid**, as epoxidizing agent, 961
- Permanganate**, oxidation of olefinic hydrocarbons, 190
- Peroxidation**, and dietary antioxidants in rats, 715
 - and dietary polyunsaturated fatty acids, 715
 - free radical reactions *in vivo*, rats, 715
 - measurement by fluorescence methods, 715
 - microsomal lipids effect on enzyme activities, 715
 - microsomal phospholipids, 297
 - mitochondrial lipids, effect on enzyme activities, 715
 - of lipid, fluorescent products, 172
 - of polyunsaturated fatty acids, plasma, 740
- Petroleum ether**, extraction of cholesterol from chloroplasts by, 215
- Petroselinic acid, methyl ester**, mass spectra, 906
- pH**, effect of in assays of post-heparin lipase, 805
- Phaseolus vulgaris**, chloroplast sterols, 215
- Phenyldichlorophosphate**, in anal of glycerides of *Limnanthes douglasii* seed oil, 93
- Phosphate, inorganic**, in milk, 844
- ³²P-Phosphate**, incorporation into milk phospholipid, 844
 - injection, intravenously, recovery in milk, 844
 - inorganic incorporation in phospholipids of housefly, 508
- L-α-Phosphatidate phosphohydrolase**, in glyceride synthesis in mammary tissue, 326
- Phosphatidic acid**, in cartilage, 314
 - in *Humicola grisea* var. *thermoidea*, 589
 - in mosquito eggs, larvae, pupae, adults, 867
 - synthesis by rat liver microsomes, 930
 - synthesis in leukocytes, 895
 - synthesis of, by rat liver microsomes, 88
- Phosphatidyl choline**, carbon number, rat, liver and bile, 307
 - dietary, metabolism by lactating rat, 844
 - fatty acid profile, rat liver, 649
 - fatty acid profile, sheep liver, 926
 - fatty acid profile in boll weevil, 352
 - fatty acid profile in propionicaemia, 576
 - human plasma, in hyperlipidemia, 722
 - in boll weevil, 352
 - in bovine thyroid, microsomes and mitochondria, 661
 - in cartilage, 314
 - in cystacanths, 763
 - in human mucus, 859
 - in *Humicola grisea* var. *thermoidea*, 589
 - in krill and red crabs, 451
 - in mosquito eggs, larvae, pupae, adults, 867
 - in mushrooms, 176
 - in plants, role in fatty acid synthesis, 266

- in rat brain, 458
- in rat heart mitochondria, 882
- in sheep liver, 926
- in synthesis of linoleic acid in plants, 266
- incorporation of fatty acids in rat liver, 787
- inhibitor of cholesterol synthesis, 751
- linoleic acid incorporation, EFA deficiency, 858
- linoleic and arachidonic acids positional distribution, 203
- liver synthesis, 394
- metabolism of molecular species in liver, 307
- monolayers, 646
- of mosquito, 867
- pig adipose tissue, 965
- pig serum, 965
- porcine lung surfactant, isolation, characterization, 625
- positional distribution of 17-carbon acids, 576
- positional isomers in pig kidney, 935
- separation by counter-current distribution, 355
- synthesis in leukocytes, 895
- synthesis in rat liver, 203
- transport to plasma, 394
- wheat, stereoanalysis of fatty acids, 768
- Phosphatidyl ethanolamine**, carbon number, rat, liver and bile, 307
 - fatty acid incorporation in liver diabetic rats, 203
 - fatty acid profile, rat liver, 649
 - fatty acid profile, sheep liver, 926
 - fatty acid profile in boll weevil, 352
 - fatty acid profile in propionicacidemia, 576
 - identification of, in bacteria, 410
 - in boll weevil, 352
 - in bovine thyroid, microsomes and mitochondria, 661
 - in cartilage, 314
 - in cystacanths, 763
 - in human mucus, 859
 - in *Humicola grisea* var. *thermoidea*, 589
 - in krill and red crabs, 481
 - in mosquito eggs, larvae, pupae, adults, 867
 - in mushrooms, 176
 - in rat brain, 458
 - in rat heart mitochondria, 882
 - in sheep liver, 926
 - incorporation of fatty acids in rat liver, 787
 - inhibitor of cholesterol synthesis, 751
 - linoleic acid incorporation, EFA deficiency, 858
 - linoleic and arachidonic acid positional distribution, 203
 - metabolism of molecular species in liver, 307
 - of mosquito, 867
 - pig adipose tissue, 965
 - porcine lung surfactant, isolation, characterization, 625
 - positional isomers in pig kidney, 935
 - separation by counter-current distribution, 355
 - synthesis in leukocytes, 895
 - wheat, stereoanalysis of fatty acids, 768
- Phosphatidyl glycerol**, in bioluminescent bacteria, 410
 - in corynebacteria, 401
 - in plants, role in fatty acid synthesis, 266
 - in rat heart mitochondria, 882
 - metabolism in insects, 508
 - porcine lung surfactant, isolation, characterization, 625
- Phosphatidyl inositol**, in boll weevil, 352
 - in bovine thyroid, microsomes and mitochondria, 661
 - in corynebacteria, 401
 - in *Humicola grisea* var. *thermoidea*, 589
 - in mosquito eggs, larvae, pupae, adults, 867
 - in rat brain, 458
 - in rat heart mitochondria, 882
 - in sheep liver, 926
 - incorporation of fatty acids into, rat liver, 307
 - inhibitor of cholesterol synthesis, 751
 - metabolism in insects, 508
 - synthesis in leukocytes, 895
- Phosphatidyl phenols**, hydrolysis by phospholipase A from king cobra venom, 525
 - in anal of glycerides of *Limnanthes douglasii* seed oil, 93
 - in stereospecific anal of triglycerides, 525
 - TLC, 525
- Phosphatidyl serine**, fatty acid profile, sheep liver, 926
 - in boll weevil, 352
 - in bovine thyroid, microsomes and mitochondria, 661
 - in cartilage, 314
 - in cystacanths, 763
 - in *Humicola grisea* var. *thermoidea*, 589
 - in krill and red crabs, 481
 - in mosquito eggs, larvae, pupae, adults, 867
 - in rat brain, 458
 - in sheep liver, 926
 - incorporation of fatty acids into, rat liver, 307
 - metabolism in insects, 508
 - synthesis in leukocytes, 895
- O-Phosphocholine**, role in autooxidation of methyl linoleate emulsions, 196
- O-Phosphoethanolamine**, role in autooxidation of methyl linoleate emulsions, 196
- Phosphoinositides**, in corynebacteria, 401
- Phospholipase**, assay procedure, 805
 - in post-heparin plasma, 805
 - similarity to lipase in post-heparin plasma, 805
- Phospholipase A**, anal of pig phospholipid fatty acids, structure, 965
 - effects of on sarcotubular membrane function, 357
 - in stereospecific anal of triglycerides, 942
 - use in determining positional specificity of fatty acids of phospholipids, 935
- Phospholipase A, king cobra venom**, hydrolysis of phosphatidyl phenols, 525
 - in anal of triglycerides, 525
- Phospholipase A₂**, hydrolysis inhibition by bile, 652
 - hydrolysis of phospholipids, 652
 - rat pancreatic juice, 652
- Phospholipase C**, effects of on sarcotubular membrane function, 357
 - use in stereospecific anal of fatty acids, 768
- Phospholipase D**, effects of on sarcotubular membrane function, 357
- Phospholipid bases**, role in autooxidation of linoleate emulsions, 196
- Phospholipids**, arachidonic acid incorporation, 307
 - as inhibitors of cholesterol synthesis, 751
 - autoradiograms of ³²P labelled, 314
 - bile salt mixture resistance to phospholipase A₂, 652
 - bovine, thyroid, mitochondria, microsomes, 661
 - brain, effect of EFA deficiency, 378
 - carbon number, liver and bile of rat, 307
 - classes, fatty acid profile of ovine liver, 926
 - comp of boll weevil, 352
 - comp of bone, 314
 - comp of cartilage, 314
 - content of bone and cartilage, 314
 - content rat serum, liver, 332
 - deacylation by microsomes, 508
 - differential turnover of molecular species, 307
 - distribution in human serum, 369
 - dog leukocytes, fatty acid profile, 895
 - during growth in *Glomerella cingulata*, 856
 - effects in thromboplastic activity, 139
 - effects on hepatic cholesterol synthesis, 751
 - enzymatic hydrolysis by post-heparin plasma, 805
 - epiphyseal cartilage, chicken, incorporation of P³², 314
 - fatty acid incorporation in leukocytes, 895
 - fatty acid metabolism in chickens, 912
 - fatty acid profile, fungi, 856
 - fatty acid profile, rat brain, 458
 - fatty acid profile of sea anemone, 341
 - fatty acids, in brain, EFA deficiency, 378
 - hydrolysis by phospholipase A, 787
 - hydrolysis by snake venom, 203
 - in bioluminescent bacteria, 410
 - in cystacanths, 763
 - in diabetic rats, synthesis, 203
 - in human mucus, 859
 - in *Humicola grisea* var. *thermoidea*, 589
 - in lamb plasma, 26
 - in rat brain, 458
 - in skim milk and milk fat globule membrane, 58
 - incorporation of fatty acid into rat liver, 787
 - incorporation of palmitate into, in milk, 58
 - incorporation of ³²P-phosphate in milk, 844
 - linoleic acid incorporation, 307
 - liquid scintillation counting of ³²P labelled, 314
 - mannanphosphoinositides, phosphatidyglycerol, in corynebacteria, 401
 - metabolism, in calcifying cartilage, 314
 - metabolism, liver, rats, corn oil diet, 388
 - metabolism, liver, rats, fat free diet, 388
 - metabolism, liver, rats, hydrogenated coconut oil diet, 388
 - metabolism, serum, rats, corn oil diet, 388
 - metabolism, serum, rats, fat free diet, 388
 - metabolism, serum, rats, hydrogenated coconut oil diet, 388
 - metabolism in fungi, 856
 - metabolism in houseflies, 508
 - metabolism in insects, 508
 - metabolism in liver of salmon, 347
 - metabolism in rat liver, bile, 397
 - metabolism in slime mold, 479
 - milk, origin and distribution, 58
 - molecular species, changes during desaturation in *Chlorella vulgaris*, 266
 - monoenic fatty acid isomers, EFA deficiency, 831
 - of milk, 844
 - of slime mold, 466
 - peroxide formation by TPNH-oxidase, 297
 - pH optimum, time course for deacylation of by housefly microsomes, 508

- pig adipose tissue, structure fatty acid profile, 965
- pig heart mitochondria, 882
- pig serum, structure fatty acid profile, 965
- positional isomers, separation by counter-current distribution, 355
- positional specificity of fatty acids, 935
- profile from slime mold, 466
- protection from oxidation by α -tocopherol, 297
- quantitative anal. of, in marine bacteria, 410
- radioactive, metabolism and biosynthesis, 844
- rat bile, resistance to phospholipase A₂, 652
- rat liver, hydrolysis by phospholipase A₂, 652
- rat testis, fatty acid synthesis, 706
- sarcoplasmic reticulum function, 357
- serum, metabolism by mammary gland, 844
- several classes, human plasma, genetic variability, 595
- stereospecific incorporation of fatty acids in rat liver, 787
- synthesis, liver, 394
- synthesis by mammary gland, 844
- synthesis from acetate in salmon liver, 347
- synthesis from glucose in rat brain, 431
- synthesis in mammary tissue, 326
- synthesis in rat liver, 203
- TLC, from milk, 58
- transesterification of, 919
- transport from liver in EFA deficiency, 388
- unsaturated fatty acids content, lamb plasma, 26
- Phosphonolipids**, in mosquito, 867
- Phosphorus**, content of diphosphatidyl glycerol, 260
- Phosphoryl bases**, role in autoxidation of linoleate emulsions, 196
- Phosphorylation**, of α -tocopherol, 240
- Phosphorylation, oxidative**, pig heart mitochondria, 882
- O-Phosphoserine**, role in autoxidation of methyl linoleate emulsions, 196
- Photobacterium**, lipids of, 410
- Physarum polycephalum**, biosynthesis of ether containing lipids, 470
 - See slime mold
- Phytane**, in fish oils, 520
- Phytosterols**, 128
 - metabolism of, 219
- Pig**, liver microsomal metabolism of acyl CoA, 107
- Pig, adipose tissue**, phospholipid structures, 965
 - triacylglycerol structure, 965
- Pig, brain**, aldehydogenic chain profile of polar lipids, 935
- Pig, heart**, aldehydogenic chain profile of polar lipids, 935
 - GLC of fatty acids from mitochondria, 882
 - mitochondria, endogenous respiration, 882
 - mitochondria, nonpolar lipids, fatty acids and phospholipids contents, 882
 - TLC of phospholipids from mitochondria, 882
- Pig, kidney**, glyceryl ether content, 935
 - triglyceride, phosphatidyl ethanolamine and phosphatidyl choline fatty acid profile, 935
- Pig, pancreatic lipase**, hydrolysis of lipoproteins, 276
- Pig serum**, triacylglycerol structures, 965
- Pig, spleen**, aldehydogenic chain profile of polar lipids, 935
- Pigeon**, adrenals, cholesterol content, 517
- Pigeon, liver**, cholesterol content, 517
- Pigeon, ovary**, cholesterol content, 517
- Pigeon, plasma**, cholesterol content, 517
- Pigeon, testis**, cholesterol content, 517
- Plants**, biosynthesis of cycloartenol, lanosterol and sitosterol in, 219
 - marine, sterols in, 687
 - sterols in, 128
 - sterol biosynthesis in, 219
- Plasma**, chicken, effect of lipid on clotting time, 139
 - lipid content, effect of anovulatory drugs on, 693
- Plasma, dog**, lipoproteins and fat transport, 394
- Plasma, human**, cholesterol content, 517
 - collection procedure, 805
 - esterification of cholesterol *in vitro*, hyperlipidemia, 722
 - heparin released lipolytic activities, 805
 - lecithin:cholesterol acyltransferase reaction, 740
 - lipoproteins, cholesterol, phospholipids, genetic variation, 595
 - multiple births, genetic variability effects on lipids, 595
 - phosphatidyl choline, in hyperlipidemia, 722
 - tocopherol, GLC, 35
 - tocopherol levels, 35
 - triglycerides in hyperlipidemia, 722
- Plasma, lamb**, fatty acid content, 26
 - lipid, effect of diet, 26
- Plasma, mouse**, effect of SU-13,437 on lipids of, 475
- Plasma, pigeon**, cholesterol content, 517
- Plasma, rat**, cholesterol content, 47
 - effect of cold stress, dietary fat on corticosterone levels in, 797
 - effect of dietary lipids on lipids of, 47
- Plasmalogens**, cone in pig kidney phosphatidyl ethanolamine and phosphatidyl choline, 935
 - fatty aldehyde profile, slime mold, 466
 - in germ-free and conventional rat brain, 170
 - in mosquito, 867
 - in pig heart mitochondria, 882
 - pig serum, adipose tissue, 965
- Plasticizers**, chloroform contaminants, 523
- Platelets**, and contraceptive therapy, effects of anovulatory drugs, 693
- Pleuroncodes planipes**, lipid comp, 481
- Polar lipids**, mesophilic and thermophilic fungi, 584
- Poly- β -hydroxybutyrate**, in bioluminescent bacteria, 410
- Polymerization**, of fatty acids by corona discharge, 186
- Polymorphus minutus**, diglyceride content, 763
 - fatty acid profile, 763
 - free fatty acid content, 763
 - (Acanthocephala), lipid comp, 763
 - long chain alcohol profile, 763
 - lysophosphatidyl choline content, 763
 - phosphatidyl choline content, 763
 - phosphatidyl ethanolamine content, 763
 - phosphatidyl serine content, 763
 - sphingomyelin content, 763
 - steroid content, 763
 - triglyceride content, 763
 - wax ester comp, 763
- Polyunsaturated fatty acids**. See fatty acids, unsaturated, poly
- Poppyseds**, tocopherol content of seeds, 291
- Porcine**, lung, surfactant, isolation by perfusion technique, 625
- Porcine, lung, surfactant**, lipid comp, 625
- Poriferaster**, metabolism in *T. pyiformis*, 149
- Positional distribution**, of 17-carbon fatty acids in phosphatidyl choline in propionicacidemia, 576
 - of 17-carbon fatty acids in triglycerides in propionicacidemia, 576
 - of fatty acids in maize triglycerides, 625
- Potassium cyanide**, inhibitor of alcohol dehydrogenase, 444
- Pregnancy**, effect on ovarian cholesterol esterification and cholesterol ester hydrolysis, 815
- Pristane**, in fish oils, 520
- Progesterone**, depression by PGF₂ in ovary, 791
 - in plants, 128
- Progesterone-1,2-³H**, metabolism in rat ovary, 791
- Progesterone-26 α -ol-1,2-³H**, metabolism in rat ovary, 791
- Prolactin**, effect on hypophysectomized-rat ovary, 791
 - luteinizing hormone, corpus luteum, 791
- Propanol**, as substrate for alcohol dehydrogenase, 444
 - in cucumbers, synthesis from unsaturated fatty acids, 351
- 2-amino-2-methyl-1-Propanol**, effect on hydrolysis of cholesterol esters, 815
- Propionitonal depot fat**, human, fatty acid profile, 212
- 2-methyl-2-[p-(1,2,3,4-tetrahydro-1-naphthyl) phenoxy] Propionic acid**. See SU-13,437
- Propionicacidemia**, hepatic 17-carbon fatty acids, 576
- n-Propylbenzene**, microbial oxidation, 453
- Prostaglandin**, induced luteolysis, mechanism of, 791
- Prostaglandin E₁**, biological assay, 278
 - derived from homo- γ -linolenic acid, 278
 - identification, 278
 - in rat seminal vesicle gland, 278
 - spectrophotometric determination, 278
 - TLC separation, 278
- Prostaglandins**, effect of oxygen atmosphere on precursor fatty acids, 740
 - luteolysis and steroidogenesis, 791
 - regulation of ovarian enzyme activity, 791
- Protamine**, as inhibitor of post-heparin lipase, 805
- Protein** content, in rat brain, 458
- Protein synthesis**, rat liver cells, 609
- Protein-lipid oxidation**, by free radicals, Schiff base formation, 62
- Proteins**, amino acids, destruction by free radicals from unsaturated fatty acids, 62
 - content of salmon liver, 347
 - molecular weight of from sarcoplasmic reticulum, 357
 - of sarcoplasmic reticulum membrane, 357
 - penetration of lipid monolayers, 546
 - peptide mapping of, from sarcoplasmic reticulum, 357
 - synthesis in rat brain from glucose, leucine, 431
 - C-terminal amino acids of, from sarcoplasmic reticulum, 357
 - N-terminal amino acids of, from sarcoplasmic reticulum, 357
- Proteins, serum**, inhibitors of cholesterol synthesis, 751
- Protocollipid**, in rat brain, 458
- Protozoa**, sterol metabolism in, 219
- Pseudomonas**, microbial oxidation, 453
- Pseudomonas aeruginosa**, alcohol dehydrogenase, inducible, 437
 - cyclohexanes, hydroxylation, 437

- enzymatic hydroxylation of hydrocarbons, 437
- oxidation of hydrocarbons by, 448
- PUFA.** See fatty acids, unsaturated, poly
- Pupae,** of mosquito, lipid comp, 867
- Pyridine nucleotides,** role in cholesterol synthesis in liver, 162
- Pyrolysis,** 3-acetoxy-1-nonene, 635
- 4-acetoxy-2-nonene, 635
- Pyrophosphate,** as inhibitor of post-heparin lipase, 805

Q

- Quinone,** from α -tocopherol oxidation, 16

R

- Rabbit,** liver microsomal metabolism of acyl CoA, 107
- muscle dystrophy, bioassay of tocopherol, 281
- Rabbit, adrenals,** cholesterol content, 517
- Rabbit, intestine,** cholesterol content, 517
- Rabbit kidney,** cholesterol content, 517
- Rabbit, liver,** cholesterol content, 517
- Rabbit, ovary,** cholesterol esterification, 815
- homogenates, incubation with 4-¹⁴C-cholesterol, 815
- Rabbit, serum,** cholesterol content, 517
- cholesterol esters, fatty acid profile, 815
- Radiochemical purity,** ³H-sterols, 233
- Rapeseed oil,** fatty acid profile, 415
- induction of mammary tumor in rats, 415
- positional fatty acid profile, 942
- tocopherol content, 291
- Rat,** adipose tissue, effect of age and cold acclimation on cell size, 486
- biliary and hepatic phospholipid hydrolysis by phospholipase A₂, 652
- blood glucose effect of SU-13,437, 783
- body weight, effect of SU-13,437, 783
- body weight on EFA deficient diets, 378
- calorigenic effect of norepinephrine, 486
- cholesterol absorption, effect of 2-monoglyceride, 964
- choline deficiency, 649
- cold-exposed, lipolysis in epididymal fat pads, 274
- comp of diet, fatty acid supplement, 797
- creatinuria, bioassay of tocopherol, 281
- diabetic, incorporation of linoleic and arachidonic acids, 203
- diet, effect on serum and liver lipids, 332
- diet, effect on serum lipoproteins, 332
- effect of dietary fat on mammary cancer, 415
- effect of renal factors on hepatic cholesterol synthesis, 751
- epididymal fat pads, lipolysis, 274
- erythrocyte hemolysis, bioassay of tocopherol, 281
- essential fatty acid, deficient, linoleic acid incorporation, 858
- fatty acid metabolism, corn oil diet, 388
- fatty acid metabolism, fat free diet, 388
- fatty acid metabolism, hydrogenated coconut oil diet, 388
- fetal resorption, bioassay of tocopherol, 281
- germ-free glyceryl ether comp in brain, 170
- hemocrit, normal and fasting, 332
- hemocrit effect of SU-13,437, 783
- hepatomegaly produced by SU-13,437, 783
- hypolipidemic effect of SU-13,437, 783
- influence of age and cold acclimation on norepinephrine stimulation of oxygen consumption, 486
- injection of labeled fatty acid into portal vein, 787
- injection of labelled fatty acids, 203
- linoleic acid metabolism in liver, EFA deficient, 858
- lipoproteins, effect of diet on, 332
- liver, cholesterol biosynthesis in, 134
- liver, lipid extraction from, 203
- liver, microsomes and phosphatidic acid synthesis, 88
- liver, triglycerides, effect of CCl₄, 141
- liver microsomal metabolism of acyl CoA, 107
- liver storage, bioassay of tocopherol, 281
- monoenoic fatty acid isomers, EFA deficiency, 831
- nephrotic, cholesterol synthesis, 751
- tissue distribution of tocopherol derivatives, 318
- undernourished, body weight, 431
- undernourished, lipid protein synthesis in brain, 431
- Rat, adipose tissue,** monoenoic fatty acid isomers, normal, EFA deficient diet, 831
- tocopherol metabolism in, 318
- Rat, adrenals,** cholesterol content, 517
- cholesterol esters, fatty acid profile, 797
- cholesterol esters, response to diet, cold stress, 797
- stress and utilization of cholesterol esters, 797
- Rat, adrenal gland,** tocopherol metabolism in, 318
- Rat, bile,** incorporation of fatty acids into phospholipids, 307
- Rat, blood,** tocopherol content, 318
- Rat, brain,** acetic acid incorporation in cholesterol, 154
- cell free extracts, sterol metabolism in, 225
- cholesterol, synthesis from glucose, 431
- cholesterol metabolism in, 225
- comp of non-saponifiable lipids, 154
- digitonin precipitable of sterols from, 154
- distribution of TPNH-oxidase activity in microsomes, 297
- effect of malnutrition on myelin development and chemical comp, 458
- essential fatty acid deficiency, 378
- ether lipids comp, 170
- fraction into subcellular particles, 154
- ganglioside metabolism in, 969
- glycolipid, synthesis from glucose, 431
- homogenates, sterol metabolism in, 225
- in lipids hydrocarbon chain profile, 170
- incubation of tissue fractions with labelled metabolites, 154
- isolation of lipids from, 154
- isolation of myelin, 458
- lipid metabolism, 225
- lipids, synthesis from glucose, 431
- metabolism, *in vivo* and *in vitro* differences in sterols synthesis, 225
- metabolism of glucose, leucine, 431
- metabolism of [¹⁻¹⁴C] L-leucine, 431
- mevalonic acid incorporation in cholesterol, 154
- mevalonic acid metabolism in, 225
- microsome isolation, 154
- microsomes, sterol metabolism in, 225
- monoenoic fatty acid isomers, normal, EFA deficient diet, 831
- myelination of, 225
- non-saponifiable compounds in, 225
- phospholipid, synthesis from glucose, 431
- phospholipid content in EFA deficiency, 378
- prep of myelin, 378
- profile of fatty acids from various myelin lipid classes, 458
- proteins, synthesis from glucose, leucine, 431
- quantitation of lipid classes in myelin from, 458
- saponification of lipids, 154
- sodium acetate metabolism in, 225
- squalene metabolism in, 225
- sterol ester metabolism in, 225
- sterol metabolism, young and adult, 154
- sterol metabolism in, 225
- sterol metabolism in young and adults, 225
- undernourished, weight of, 431
- weight changes in EFA deficiency, 378
- Rat, diet,** cholesterol, cholic acid, lard, linoleate, γ -linolenate, supplement, 47
- effect of lipid supplements on plasma, liver lipids, 47
- PUFA and tocopherol, peroxidation, 715
- Rat, erythrocytes,** hemolysis assay of tocopherol, 281
- indicators of free radical formation in tocopherol metabolism, 297
- inhibition of peroxide hemolysis by tocopherol, 297
- Rat, heart,** monoenoic fatty acid isomers, normal, EFA deficient diet, 831
- peroxidation of lipids of, 715
- tocopherol metabolism in, 318
- Rat, hyposectomized,** effect of luteinizing hormone on ovary, 791
- effect of PGF₂ on ovary, 791
- effect of progesterone on ovary, 791
- Rat, kidney,** cholesterol synthesis in subcellular particles of, 751
- monoenoic fatty acid isomers, normal, EFA deficient diet, 831
- tocopherol content, 318
- Rat, liver,** acetone powder, role in cholesterol synthesis, 162
- arachidonic acid incorporation, 787
- cholesterol, effect of SU-13,437 on, 783
- cholesterol and triglyceride content, 47
- cholesterol biosynthesis, 957
- cholesterol synthesis in subcellular particles of, 751
- choline and methionine effects on phospholipid comp, 649
- conversion of linoleate to arachidonate, 888
- conversion of squalene to cholesterol, 162
- diet, effect on α -tocopherol and phospholipid alterations, 297
- dietary influence on lipoprotein synthesis, 332
- distribution of TPNH-oxidase activity in microsomes, 297
- effect of dietary lipids on lipids of, 47
- effect of fasting on lipid content, 332
- enzymatic synthesis of cholesterol, 162
- fatty acid incorporation into phospholipids, 787
- free fatty acids, effect of SU-13,437 on, 783
- glucose, conversion to lipid, 332
- glucose feeding, effect on lipids of, 332
- glycogen, effect of SU-13,437 on, 783
- glycogen content, effect of fasting, 332

- incorporation of arachidonic acid into 1,2-diglycerides, 203
 - incorporation of arachidonic acid into phospholipids, 203
 - incorporation of fatty acids into phospholipids, 307
 - incorporation of linoleic acid into 1,2-diglycerides, 203
 - incorporation of linoleic acid into phospholipids, 203
 - insulin, effect on fatty acid incorporation, 203
 - insulin, effect on phospholipid synthesis, 203
 - isolation of free cells, 601
 - isolation sterol carrier protein from, 162
 - linoleic acid incorporation, 787
 - linoleic acid metabolism, EFA deficiency, 858
 - linolenic acid incorporation, 787
 - lipid content, 332
 - lipogenesis in slices from, 332
 - lipoprotein synthesis, 332
 - microsomal membrane phospholipids, unsaturated fatty acids, 297
 - microsomes, prep from, 297
 - microsomes, desaturation of linoleic acid by, 873
 - microsomes, L-glycerolaldehyde isomerization by, 930
 - microsomes, incubation with labeled fatty acids, 873
 - perfusion with labeled fatty acids, 388
 - peroxidation of lipids of, 715
 - phosphatidic acid synthesis by microsomes, 930
 - phospholipid metabolism in EFA deficiency, 388
 - phospholipids, effect of SU-13,437 on, 783
 - positional incorporation of unsaturated fatty acids in phospholipids of, 787
 - removal of Kupffer cells from, 601
 - specific activity ratios $^3\text{H}/^{14}\text{C}$ fatty acids, 203
 - sterol metabolism, 225
 - tocopherol metabolism in, 318
 - α -tocopherol and alterations in phospholipids of microsomes, 297
 - total lipids, effect of SU-13,437 on, 783
 - transport of triglycerides in EFA deficiency, 388
 - triglyceride synthesis, 203
 - triglycerides, effect of SU-13,437 on, 783
 - Rat, lung, monoenoic fatty acid isomers, normal, EFA deficient diet, 831**
 - Rat, mammary gland, adenocarcinoma, induced by 7,12-dimethylbenz(a)anthracene, 415**
 - phospholipids, 844
 - Rat, mammary tissue, turnover of dietary cholesterol, 645**
 - Rat, microsomes, desaturation by from several tissues, 567**
 - Rat, milk, phospholipids, 844**
 - turnover of dietary cholesterol, 645
 - Rat, muscle, distribution of TPNH-oxidase activity in microsomes, 297**
 - Rat, ovaries, tocopherol metabolism in, 318**
 - Rat, ovary, cholesterol ester metabolism, 791**
 - cholesterol esterase activity, 791
 - cholesterol ester synthetase activity, 791
 - effect of PGF $_{2\alpha}$ on lipids, progesterone, 791
 - Rat, plasma, cholesterol content, 47**
 - effect of cold stress, dietary fat on corticosterone levels in, 797
 - effect of dietary lipids on lipids of, 47
 - Rat, seminal vesicle gland, prostaglandin E $_1$, 278**
 - Rat, serum, cholesterol, effect of SU-13,437 on, 783**
 - cholesterol content, fasting, 332
 - cholesterol ester content, fasting, 332
 - effect of fasting on lipids of, 332
 - free fatty acid content, fasting, 332
 - free fatty acids, effect of SU-13,437 on, 783
 - glucose feeding, effect on lipids of, 332
 - lipid content, 332
 - lipoproteins, 332
 - phospholipid content, fasting, 332
 - phospholipids, effect of SU-13,437 on, 783
 - triglyceride content, fasting, 332
 - triglycerides, effect of SU-13,437 on, 783
 - turnover of dietary cholesterol, 645
 - Rat, skeletal muscle, sarcoplasmic reticulum, 357**
 - tocopherol content, 318
 - Rat, spleen, tocopherol content, 318**
 - Rat, testis, fatty acid content, 706**
 - fatty acid synthesis in, 706
 - incorporation of ^{14}C -acetate into fatty acids of, 706
 - incubation medium for fatty acid synthesis, 706
 - weight, 706
 - Recrystallization, of sterols in methanol, acetone, 957**
 - Red blood cells. See erythrocytes**
 - Reesterification, of FFA in rat epididymal fat pads, 274**
 - Renal. See kidney**
 - Respiration, and mitochondrial lipids as substrates, 882**
 - Review, functions of sterols in plants, 128**
 - sterols in various algae, 120
 - Rhizopus arrhizus, extracellular lipase, 276**
 - Rice, tocopherol content of seeds, 291**
 - Ricinoleic acid, conversion to 10-12-dihydroxyoctadecanoic acid by bacteria, 745**
 - in *Linum mucronatum*, 962
 - in oilseeds of *Linum mucronatum*, 962
 - Rust, *Puccinia graminis tritici*, infection of wheat, formation of epoxystearate, 581**
 - Rye, tocopherol content of seeds, 291**
- ## S
- Safflower oil, tocopherol content, 291**
 - Salmo gairdneri, cyclopropanoid fatty acids in tissue lipids, 426**
 - fatty acid metabolism, 426
 - Salmon, starvation, hepatic lipogenesis, 347**
 - starvation, triglyceride synthesis, cholesterol esters, 347
 - Salmon, liver, homogenates, incubation with ^{14}C -acetate, 341**
 - lipid, protein water content, 347
 - lipid content, 347
 - TLC of lipids, 347
 - triglycerides, starvation, hepatic lipogenesis, 347
 - Salmon, spawning, hepatic lipogenesis, triglyceride synthesis, 347**
 - Sand lance, pristane content of oil, 520**
 - Sapindaceae seed oils, cyanolipids of, 349**
 - Saponification, of diacylglycerol ethers and wax esters, 341**
 - of fatty acid methyl esters, 919
 - reaction mechanism, kinetics, 919
 - Saponification number, low values for in alcoholic solution, 919**
 - Sarcina flava, hydrocarbon profile, 190**
 - Sarcina lutea, hydrocarbon profile, 190**
 - Sarcoplasmic reticulum, lipid structure and Ca^{++} transport, 357**
 - lipoproteins and Ca^{++} transport, 357
 - protein structure and Ca^{++} transport, 357
 - Sarcosomes, heart, peroxidation of lipids of, 715**
 - Sarcotubular membranes, lipid structure and Ca^{++} transport, 357**
 - lipoproteins and Ca^{++} transport, 357
 - protein structure and Ca^{++} transport, 357
 - Schiff base, fluorescence-lipid-protein oxidation, 62**
 - Schleicheria trijuga, seed oil, cyanolipids, 349**
 - Schottenol, GLC anal, 166**
 - requirement by *D. pachei* for growth, 166
 - Scintillation counting, liquid, ^{18}F -phospholipids from milk, 844**
 - Sebacate esters, mass spectra, gas-liquid and thin-layer chromatography, 523**
 - Seed oil, *Limnanthes douglasii*, fatty acid profile of, 98**
 - *Limnanthes douglasii*, phenylchlorophosphate in anal of glycerides from, 93
 - *Limnanthes douglasii*, phosphatidyl phenols from diglycerides of, 93
 - *Limnanthes douglasii*, stereospecific anal of triglycerides from, 93
 - Seed oils. See oilseeds**
 - Selenium, interaction with tocopherol in nutrition, 238**
 - Semialdehydes, methyl esters, from methyl oleate, 758**
 - Seminal vesicle gland, rat, prostaglandin E $_1$ content, 278**
 - Serine, role in autooxidation of methyl linoleate emulsions, 196**
 - Serum, dog, cholestanol content, 517**
 - Serum, goat, phospholipids, contribution to milk, 844**
 - Serum, human, cholesterol esters, fatty acid profile, 815**
 - lipid extraction, 856
 - sterols of, 836
 - Serum, lipoproteins, human, triglyceride transport, 369**
 - Serum, rabbit, cholestanol content, 517**
 - cholesterol esters, fatty acid profile, 815
 - Serum, rat, cholesterol content, fasting, 332**
 - cholesterol ester content, fasting, 332
 - effect of fasting on lipids of, 332
 - effect of SU-13,437 on cholesterol, 783
 - effect of SU-13,437 on free fatty acids, 783
 - effect of SU-13,437 on phospholipids, 783
 - effect of SU-13,437 on triglycerides, 783
 - free fatty acid content, fasting, 332
 - glucose feeding, effect on, 332
 - lipid content, 332
 - lipoproteins, 332
 - phospholipid content, fasting, 332
 - phospholipids, contribution to milk, 844
 - triglyceride content, fasting, 332
 - turnover of dietary cholesterol, 645
 - Serum lipids, in transport systems, a review, 369**
 - Serum lipoproteins, C-terminal amino acid comp, 369**
 - flotation rates, density, class, 369
 - in transport systems, a review, 369
 - N-terminal amino acid comp, 369
 - pig, hydrolysis by lipase, 276
 - Serum proteins, effects on hepatic cholesterol synthesis, 751**
 - Sesame oil, tocopherol content, 291**

- Sex hormones**, effect on rat's and human lipid metabolism, 693
- Sheep**, effect of age on comp of liver phospholipids, 926
- Sheep, liver**, phospholipid, fatty acid profile, 926
- Sheep, newborn**, liver phospholipid comp, 926
- Sheephead**, pristane content of oil, 520
- Sialic acid**, anal of rat brain gangliosides, 959
- Sinapis alba**, chloroplast sterols, 215
- Sitosterol**, biosynthesis of in plants, 219
- β -Sitosterol**, content of various species of orange, 826
- in chloroplasts, 215
 - in human serum, identification of, 836
 - in marine plants, 687
 - mass spectra, 836
 - metabolism in *T. pyriformis*, 149
 - mobility, silica gel-silver nitrate TLC, 836
 - retention index GLC, on OV-1, OV-17, 836
 - synthesis of ^3H -labeled compound, 233
- Skeletal muscle, rat**, sarcoplasmic reticulum, 357
- tocopherol content, 318
- Skim-milk**, phospholipids of, 844
- Skin lipids**, of newborn, branched chain fatty acids, 901
- Slime mold**, alkyl ether profile, 466
- biosynthesis of alk-1-enyl and alkyl glycerolipids, 470
 - fatty aldehyde profile, plasmalogens, 466
 - phospholipid profile, 466
- Snake venom**, hydrolysis of phospholipids from boll weevil, 352
- Sodium**, metallic, use saponification of fatty acid esters, 919
- Sodium acetate**, incorporation into brain, 225
- Sodium alkyl aryl sulfonate**, electrical discharge induced, 189
- Sodium cyanide- ^{14}C** , in synthesis of labeled unsaturated fatty acids, 889
- Sodium dodecyl sulfate**, solubilization of sarcotubular membranes, 357
- Sodium fluoride**, role in triglyceride synthesis, 326
- Sodium hydroxide**, use saponification of fatty acid esters, 919
- Sodium nitride**, inhibitor of alcohol dehydrogenase, 444
- Solanum tuberosum**, chloroplast sterols, 215
- Soy lecithin**, effect on hydrolysis of cholesterol esters, 815
- Soybean oil**, fatty acid profile, 415
- induction of mammary tumor in rats, 415
- Specific rotation**, enantiomeric glycerides, 692
- Spectra, visible**, TNBS derivatives of cerebroside, 254
- Spectra, electron paramagnetic resonance**, free radicals from lipid-protein oxidation, 62
- Spectra, excitation and fluorescence**, lipids from bovine brain, 670
- Spectra, fluorescence**, lipid-protein oxidation, Schiff base formation, 62
- of fatty acid peroxidation products, 715
 - products of lipid peroxidation, 172
- Spectra, infrared**, cyanolipid, 349
- cystacanths lipids, 763
 - methyl arachidonate, 889
 - methyl-docos-7,10,13,16-tetraenoate, 889
 - methyl 12-hydroxystearate, 962
 - methyl suberaledehyde, 758
 - 1,3-nonadiene, 635
 - 2,4-nonadiene, 635
 - of esters of long chain alcohols and fatty acids, 421
 - of *cis*-6-hexadecenoic acid, 712
 - of tetradec-1-ene, 6:448
 - of tetradecan-2-one, 448
 - of *trans* fatty acid methyl esters, 912
 - polymerized stearic acid, 186
 - stearic acid, 186
 - sulfolipids, 40
 - tocopherol derivatives, 1
 - tocopherol-linoleic acid adduct, 1
 - unsaturated hydroxy acids, 745
- Spectra, mass**, aldehyde esters, 758
- alk-1-enyl ether esters of ethanediol, 492
 - alkyl ether esters of ethanediol and 1,3-propanediol, 492
 - campesterol, β -sitosterol, stigmasterol from marine plants, 687
 - 5 α -cholestan-3 β -ol of pigeon testis, 517
 - combined with GLC, anal of lipoxigenase products, 100
 - deuterium labeled fatty acids, 912
 - diol ethers, 727
 - *cis*-9,10-epoxyoctadecanoic acid containing ^{18}O , 581
 - field ionization of methyl esters of fatty acids, 906
 - 1,3-nonadiene, 635
 - 2,4-nonadiene, 635
 - of branched chain fatty acids, 901
 - of methyl esters of fatty acids, 906
 - of trimethylsilyl ether of methyl 12-hydroxystearate, 962
 - saturated and unsaturated hydroxy fatty esters, 745
 - sebacate esters, 523
 - sterol identification, 134
 - sterols from oranges, 826
 - sterols of human serum, 836
 - wax ester, 502
- Spectra, mass-gas-liquid-chromatography**, fatty acids, 712
- fragmentation mechanism of hydrocarbons, 190
 - of chloroplast sterols, 215
 - of mushroom fatty acids, 176
 - of trimethylsilyl ethers of hydroxylated hydrocarbons, 190
- Spectra, nuclear magnetic resonance**, cyanolipid, 349
- epoxy fatty acids, 617
 - linoleic acid, 1
 - methyl 12-hydroxystearate, 962
 - 1,3-nonadiene, 635
 - 2,4-nonadiene, 635
 - of aldehydes, 961
 - tocopherol, 1
 - tocopherol linoleic acid adducts, 1
 - tocopherol derivatives, 1
- Spectra, optical rotatory**, of methyl 12-hydroxystearate, 962
- Spectra, ultraviolet**, absorbed lipid on silica, 9
- cholesta-4,6-dien-3-one, 836
 - cholesta-4-en-one, 836
 - β -eleostearic acid absorbed on silica, 9
 - fluorescent lipids from bovine brain, 670
 - Halphen pigment, 426
 - 2,4-hexadienol absorbed on silica, 9
 - lipid monolayers adsorbed on silica, 9
 - 1,3- and 2,4-nonadienes, 635
 - saturated and unsaturated hydroxy fatty esters, 745
 - α -tocopherol and derivatives absorbed on silica, 9
 - tocopherol derivatives, 1
 - unsaturated carbonyl compounds absorbed on silica, 9
- Spectrometry, mass**, high resolution of diol lipids, 492
- Spectrophotometric analysis**, of tocopherols, 245
- Spermatophytes**, marine, content of sterols, 687
- Sphinganine**. See sphingosine
- 4-Sphinganine**, nomenclature, 862
- Sphingolipids**, anal after TLC using TNBS, 254
- anal of long chain base, 254
 - in mosquito eggs, larvae, pupae, adults, 867
 - metabolism in housefly, microsomal fraction, 508
 - methanolysis with boron trifluoride, 254
 - phosphatidyl ethanolamine and phosphatidyl serine, interference in anal of, 254
- Sphingomyelin**, anal using trinitrobenzene sulfonic acid, 254
- fatty acid profile, sheep liver, 926
 - in boll weevil, 352
 - in bovine thyroid, microsomes and mitochondria, 661
 - in cartilage, 314
 - in cystacanths, 763
 - in human mucus, 859
 - in krill and red crabs, 481
 - in rat brain, 458
 - in rat heart mitochondria, 882
 - in sheep liver, 926
 - synthesis by mouse brain particulate fraction, 682
 - synthesis in leukocytes, 895
- Sphingosine**, anal using trinitrobenzene sulfonic acid, 254
- nomenclature, 862
- Spinacia oleracea**, chloroplast sterols, 215
- α -Spinasterol**, in chloroplasts, 215
- Spleen**, lipid extraction, 935
- Spleen, pig**, fatty aldehydes profile of polar lipids, 935
- Spleen, rat**, tocopherol content, 318
- Sporophore**, lipid content, 176
- Squalene**, content in human serum, 369
- conversion to tetrahymanol in *T. pyriformis*, 149
 - in cholesterol biosynthesis, 162
 - metabolism, in rat brain, 225
 - metabolism in rat brain, 154
 - nonoxidative cyclization of in *T. pyriformis*, 149
 - origin and role of in sterol metabolism, 219
- Stearic acid**, biosynthesis in plants, 266
- desaturation by rat liver microsomes, 873
 - ^{14}C , desaturation of, 78
 - electrical discharge induced insolubilization, 186
 - formation by free radicals, 181
 - in beef heart diposphatidyl glycerol, 260
 - methyl ester, mass spectra, 906
 - stereoisomeric forms of, purification, 78
 - stereoisomeric forms of, synthesis, 78
 - tritiated, desaturation of, 78
- ^{14}C -Stearic acid**, incorporation into milk glycerides, 777
- Stearolic acid**, methyl ester, mass spectra, 906
- synthesis from oleic acid, 912
- Stearolic acid- ^{14}C** , prep of from ^{14}C oleic acid, 541
- Stearoyl phosphatidyl ethanolamine**, separation from palmitoyl phosphatidyl ethanolamine, 355
- Stearoyl-CoA**, tritium labeled, desaturation of, 78
- Sterculate**, methyl, iodination, 623
- Sterculic acid**, inhibition of dehydrogenase activity in plants, 266
- methyl ester, accumulation in tissues of trout, 426

- Stereospecific analysis**, human triglycerides, 854
 — *Limnanthes douglasii* seed oil triglycerides, 93
 — of maize triglycerides, 525, 531
 — of triglycerides, a review, 942
Stereospecificity, fatty acid hydratase, 541
Steroid hormones, in plants, 128
Sterol, identification, mass spectrometry, 134
 — Symposium, beginning on page 113, 149, 215
Sterol carrier protein, in cholesterol biosynthesis, 162
Sterol esters, content of various species of oranges, 826
 — from *Citrus*, fatty acid profile, 554
 — glucoside, from *Citrus*, 554
 — in rat brain, 225
 — methyl esters prep, 919
Sterol glucosides, in oranges, 826
Sterol glucosides, esterified, in oranges, 826
Sterols, acetylated, GLC, 215
 — *aza*, see azasterols, 113
 — biogenesis in plants, 128
 — biosynthesis, a review, 219
 — biosynthesis, evolution of, 219
 — biosynthesis, rat brain cofactor requirements, 154
 — biosynthesis, regulating mechanism, 219
 — biosynthesis, sequence of reactions, 219
 — biosynthesis in *D. pachea*, 166
 — chloroplasts, 215
 — column chromatography of, 957
 — content in marine spermatophytes, 687
 — control of biosynthesis of, 219
 — dehydrogenation and dealkylation by *T. pyriformis*, 149
 — distribution in citrus vesicles, 826
 — distribution of various, in red, green and brown algae, 120
 — formation in rat brain, 225
 — functions in plants, 128
 — GLC of, 233
 — in human serum, function of, 836
 — in krill and red crabs, 481
 — in microorganisms, 128
 — in mushrooms, 176
 — in rat brain, biosynthesis of, 154
 — in rat brain, metabolism, 154
 — in rat brain, precipitable by digitonin, 154
 — inhibition of tetrahymanol biosynthesis by in *T. pyriformis*, 149
 — inhibitory effect of azasterols on the metabolism of, 113
 — metabolism, geraniol in, 219
 — metabolism, isopentenyl pyrophosphate in, 219
 — metabolism, mevalonic acid in, 219
 — metabolism, rat brain, after injection of mevalonic acid, 225
 — metabolism, squalene in, 219
 — metabolism in blue-green algae, 219
 — metabolism in fish, 219
 — metabolism in plants, 128, 219
 — metabolism in protozoa, 219
 — metabolism in *Tetrahymena pyriformis*, 219
 — purification by recrystallization, 957
 — synthesis of trimethylsilyl ethers, 836
 — TLC of, 233
 — tritium labeled, purification of, 233
 — tritium labeled, radiopurity, 233
Sterols, conjugated, in oranges, 826
Sterols, free, in oranges, 826
Stigmasta-5,7,22-trien-3 β -ol, metabolism in *T. pyriformis*, 149
7-Stigmasten-3 β -ol. See schottenol
3-Stigmastenol, in chloroplasts, 215
Stigmastanol, content of various species of orange, 826
 — in chloroplasts, 215
 — in marine plants, 687
 — metabolism in *T. pyriformis*, 149
 — synthesis of ^3H -labeled compound, 233
Stress, cold, rat adrenal cholesterol esters, diet and fatty acid profile, 797
 — cold, rat adrenal cholesterol esters, fatty acid profile, 797
SU-13,437, compared to clofibrate, 475
 — effect on ^{14}C -acetate incorporation into lipids, 475
 — effect on ^{14}C -glucose incorporation into lipids, 475
 — effect on liver lipids, mouse, 475
 — effect on liver lipids of rats, 783
 — effect on plasma lipids, mouse, 475
 — effect on serum lipids of rats, 783
 — hypolipidemic drug, 475
Subcellular fractions, of mosquito, phospholipids, 867
Sucrose, in density gradient centrifugation of sarcoplasmic reticulum, 357
Sulfatide, hydroxy fatty acids of rat brain, 458
Sulphydryl groups, effect of oxygen atmosphere, *in vivo*, 740
Sulfolipid, desulfation in mycobacteria, 40
 — IR spectra, 40
 — *Mycobacterium tuberculosis*, 40
 — TLC, 40
Sunflower oil, fatty acid profile, 415
 — induction of mammary tumor in rats, 415
 — tocopherol content, 291
Surface pressure, measurement of, 546
Surfactant, porcine lung, lipid comp, 625
Swine. See pig
Swine, adrenal, cholesteryl esters, fatty acid comp, 624
- ## T
- Tallow**, fatty acid profile, 415
 — induction of mammary tumor in rats, 415
Tauracholic acid, sodium salt, effect on hydrolysis of cholesterol esters, 815
Taurodeoxycholic acid, use in lipase assay, 805
Terminal chain elongation, of fatty acids, apparatus, 181
Testes, chicken, influence of vitamin E and ethoxyquin on fatty acid profile, 657
Testes, rat, fatty acid synthesis, 706
Testicular fatty acids, incorporation of ^{14}C -acetate into, 706
 — rats, *in vitro* and *in vivo* synthesis, 706
Testicular lipids, rats, 706
Testis, chicken, cholesterol content, 517
Testis, pigeon, content of cholesterol, 517
Testis, rat, fatty acid content, 706
 — incorporation of ^{14}C -acetate into fatty acids of, 706
 — incubation medium for fatty acid synthesis, 706
 — weight, 706
Tetrachloro-o-quinone, oxidation of tocopherol, 240
2-Tetracosenoic acid, trans, in wax diesters, 641
 — *trans*, methyl ester, synthesis, 641
 — *trans*, synthesis, 641
Tetradec-1-ene, IR spectra, 448
Tetradecan-2-one, IR spectra, 448
Tetradecane, oxidation by microorganisms, 448
Tetradecanol, as substrate for alcohol dehydrogenase, 444
cis-4-Tetradecenoic acid, in *Thunbergia alata* seed oil, 712
cis-5-Tetradecenoic acid, in *Thunbergia alata* seed oil, 712
cis-6-Tetradecenoic acid, in *Thunbergia alata* seed oil, 712
Tetradecyl dodecanoate, crystal structure, 421
Tetradecyl eicosanoate, crystal structure, 421
Tetradecyl hexadecanoate, crystal structure, 421
Tetradecyl octadecanoate, crystal structure, 421
Tetradecyl tetradecanoate, crystal structure, 421
Tetraethyl lead, free radical formation from, 181
Tetrahymanol, biosynthesis of in *T. pyriformis*, 149
 — inhibition of biosynthesis by sterols, 149
 — synthesis from squalene in *T. pyriformis*, 149
Tetrahymena pyriformis, cholesterol metabolism, 149
 — culture media, growth conditions, 149
 — dealkylation of sterols, 149
 — dehydrogenation of sterols, 149
 — review of sterol metabolism, 149
 — squalene metabolism, 149
 — sterol metabolism, 149
 — sterol metabolism in, 219
Tetralin, microbial oxidation, 453
Thiobarbituric acid, peroxide measurements, 715
Thromboplastic activity, of phospholipids plus cholesterol, 139
Thunbergia alata, fatty acid profile of seed oil, 712
Thyroid, bovine, lipid comp, 661
Tissue culture, tobacco, fatty acid profile, 684
TLC. See chromatography, thin-layer
Toad, liver, distribution of TPNH-oxidase activity in microsomes, 297
Toad, muscle, distribution of TPNH-oxidase activity in microsomes, 297
Tobacco, seedling, fatty acid profile, 684
 — tissue culture, fatty acid profile, 684
Tobacco hornworm, inhibition of sterol metabolism in, by azasterols, 113
Tocopherol, GLC, human plasma, 85
 — human plasma levels, 35
 — linoleic acid adduct, IR spectra, 1
 — linoleic acid adduct, NMR spectra, 1
 — linoleic acid adduct, UV spectra, 1
 — oxidation products, 1
 — Symposium, beginning on page 238, 281
Tocopherol dimer, metabolism in rat, 318
Tocopherol esters, after oral administration, 318
 — effect of diet on metabolism of, 318
 — metabolism and distribution in rat tissues, 318
 α -Tocopherol, alkylation reactions, 240
 — and linoleic acid, autooxidation of mixed monolayer on silica, 16
 — as dietary antioxidant in rats, 715
 — benzoyl peroxide oxidation of, 240
 — biopotency of isomers, 281
 — content in human serum, 369
 — cyclization by oxidation, 240
 — determination using labeled substrate, 297
 — diabolisisobutyronitrile oxidation of, 240

- enzyme system for metabolism of, 297
- ethers, ultraviolet spectra, adsorbed on silica, 9
- formation of metabolites from by TPNH-oxidase, 297
- free radical from, by TPNH-oxidase, 297
- function in biological systems, 297
- halogenation reactions, 240
- International Standard, 281
- International Unit, 281
- metabolic action, review, 281
- metabolism in liver microsome, 297
- microsomal membranes, 297
- nomenclature, 281
- occurrence in foods, 291
- oxidation by FeCl_3 , AgNO_3 , HNO_3 , 240
- oxidation product characterization of, 240
- oxidation products, ultraviolet spectra, adsorbed on silica, 16
- oxidation products, ultraviolet spectra while adsorbed on silica, 9
- oxidized, adduct with linoleic acid, 16
- 2,2,5,7,8-pentamethyl-6-chromanol as model compound for, 240
- peroxidation of microsomal phospholipids, 297
- phosphorylation reactions, 240
- quinone from oxidation, 16
- ratio to fatty acids in membranes, 147
- reaction products of, 240
- synergistic action of isomers, 281
- synergistic effects with other vitamins, 318
- tissue distribution in rats, 318
- ultraviolet spectrum, adsorbed on silica, 9
- uptake and metabolism, 318
- d- α -Tocopherol**, chicken, fertility, testicular fatty acid profile, 657
- d,l- α -Tocopherol**, oxidation on silica gel, 1
- α -Tocopherol acetate**, biological activity, review, 291
 - biopotency of isomers, 281
 - conversion to quinone in rat, 318
 - diastereoisomers, excretion and reabsorption, biological activity, 281
 - encephalomalacia, 281
 - erythrocyte hemolysis, 281
 - fetal resorption, 281
 - metabolism, 318
 - new standard for vitamin E bioassay, 281
 - review of biological activity, 281
- α -Tocopherol nicotinate**, metabolism, 318
- d,l-3,4- α -Tocopherol nicotinate**, oral administration, 318
- β -Tocopherol**, occurrence in foods, 291
- γ -Tocopherol**, occurrence in foods, 291
- 3-Tocopherol**, occurrence in foods, 291
- α -Tocopherolquinone**, reduction by Zn-HOAc , 240
 - appearance in tissues, 318
 - formation from α -tocopherol, 297
- Tocopherols**, anal, 245
 - anal, a review, 245
 - chemical reactions of, 240
 - chromatography on glass fiber paper, 318
 - colorimetric measurement, 245
 - column chromatographic anal, 245
 - content in food, fat, a review, 291
 - content of vegetable oils, 291
 - extraction from rat tissue, 318
 - gas-liquid chromatographic anal, 245
 - in blood anal, 245
 - introduction to symposium on, 238
 - liquid scintillation counting of ^3H -labelled esters, 318
 - α , β , γ method for anal, 245
 - natural isomers, occurrence in plants, 291
 - oxidation by inorganic reagents, 240
 - paper chromatographic anal, 245
 - quantitative anal, 245
 - recommended dietary allowance, 238
 - review of recent developments, 238
 - role in nutrition, 238
 - spectrophotometric anal, 245
 - substituted esters, retention time on GLC, 245
 - synthesis of derivatives from, 240
 - thin-layer chromatographic anal, 245
 - trimethylsilyl ethers, retention time on GLC, 245
- d,l- α -Tocopheryl-1',2'- $^3\text{H}_2$ acetate**, oral administration, 318
- α -Tocotrienol**, oxidation product of α -tocopherol, 240
- α -Tocotrienol**, occurrence in foods, 291
- β -Tocotrienol**, occurrence in foods, 291
- γ -Tocotrienol**, occurrence in foods, 291
- δ -Tocotrienol**, occurrence in foods, 291
- Tocotrienols**, anal, 245
- 3-m-Tolylparaffins**, microbial oxidation, 453
- Tomato**, tocopherol content, 291
- TPNH-oxidase**, assay system, 297
 - metabolism of α -tocopherol, 297
- Transesterification**, in basic or acidic solution, 919
 - of fatty acid esters, 919
- Triacylglycerol**, linoleic acid incorporation, EFA deficiency, 858
 - pig adipose tissue and serum structures, 965
- Tridecanol**, as substrate for alcohol dehydrogenase, 444
- Triglyceride cycle**, role of phospholipids, 394
- Triglyceride synthesis**, in leukocytes from acetate, 895
- Triglycerides**, accumulation, liver, 394
 - arachidonic acid incorporation, 307
 - castor bean, synthesis in oil droplets, 851
 - chromatography of, from dolphin, 69
 - comp of *M. concanensis* by enzymatic hydrolysis and GLC, 666
 - content in human serum, 369
 - content rat serum, liver, 332
 - double bond position, effect on synthesis by mammary gland, 777
 - during growth in *Glomerella cingulata*, 856
 - effect of double bond position on synthesis, 777
 - effect of *cis-trans* isomer on synthesis, 777
 - effect of CCl_4 on rat liver, 141
 - enzymatic hydrolysis by post-heparin plasma, 805
 - fatty acid inhibition of synthesis in mammary gland, 777
 - fatty acid metabolism in rat liver, 307
 - fatty acid profile, fungi, during aging in fungus, 856
 - fatty acid profile of, from dolphin, 69
 - fatty acid profile of sea anemone, 341
 - fatty acid synthesis in rat testis, 706
 - feeding of rats, effect on serum lipoprotein synthesis by rat liver cells, 609
 - fish, incorporation of $\text{U-}^{14}\text{C}$ oleate, 562
 - fish, metabolism, half-life, 562
 - from *Citrus*, fatty acid profile, 554
 - gel-permeation chromatography of triglycerides containing isovaleric acid, 674
 - GLC of triglycerides containing isovaleric acid, 674
 - human, adipose tissue, fatty acid profile, 854
 - human, atherosclerotic plaques, 854
 - human, heart muscle, fatty acid profile, 854
 - human, liver, fatty acid profile, 854
 - human plasma, in hyperlipidemia, 722
 - in human depot fat, fatty acid profile, 212
 - in human mucus, 859
 - in lamb plasma, 26
 - in mosquito larvae, 867
 - in mushrooms, 176
 - in pig serum lipoprotein, hydrolysis by lipase, 276
 - incorporation of fatty acids in rat liver, 787
 - incorporation of $1\text{-}^{14}\text{C}$ -oleyl CoA in castor bean, 851
 - *cis-trans* isomers, effect on synthesis by mammary gland, 777
 - isovaleric acid, 674
 - linoleic acid incorporation, 307
 - liquid scintillation counting of ^{14}C -palmitic labelled, 326
 - liver, incorporation of linoleic acid into, rat, 858
 - liver, linoleic and arachidonic acid incorporation, 203
 - metabolism, liver, rats, corn oil diet, 388
 - metabolism, liver, rats, fat free diet, 388
 - metabolism, liver, rats, hydrogenated coconut oil diet, 388
 - metabolism, serum, rats, corn oil diet, 388
 - metabolism, serum, rats, fat free diet, 388
 - metabolism, serum, rats, hydrogenated coconut oil diet, 388
 - metabolism in fungi, 856
 - metabolism in liver of salmon, 347
 - metabolism in milk, serum, 844
 - metabolism in mouse, effect of SU-13,437, 475
 - molecular species of rat liver, 141
 - of beluga whale (*Delphinapterus leucas*) blubber and melon oils, 674
 - of hornet larvae, fatty acid profile, 850
 - of *Thunbergia alata*, 712
 - palm-kernel, fatty acid profile, 630
 - palm-kernel, GLC fractionation, 630
 - pig adipose tissue, structure fatty acid profile, 965
 - pig heart mitochondria, 882
 - pig serum, structure fatty acid profile, 965
 - positional isomers in pig kidney, 935
 - rat liver content, 47
 - salmon, liver, starvation, hepatic lipogenesis, 347
 - stereospecific anal, 942
 - stereospecific anal of maize, 531, 537
 - stereospecific nomenclature, 942
 - structure, rat liver, 141
 - subcellular localization of synthetase activity, mammary gland, 326
 - synthesis, assay system, 326
 - synthesis, cholesterol ester, starvation, salmon, 347
 - synthesis, cofactors in mammary tissue, 326
 - synthesis, starvation, spawning salmon, fat mobilization, 347
 - synthesis from acetate in salmon liver, 347
 - synthesis in bovine mammary synthesis, 777

- synthesis in mammary tissue, 326
- synthesis in oil droplets of castor bean, 851
- synthesis in rat, goat milk, 844
- synthesis in rat liver microsomes, 930
- TLC of triglycerides containing isovaleric acid, 674
- transesterification of, 919
- trout, cyclopropenoid fatty acids in, 426
- wheat, stereoanalysis of fatty acids, 768
- Triglycerides, maize**, stereospecific anal, 525
- use of pancreatic lipase in anal, 525
- use of phospholipase A (king cobra venom), 525
- Trilinolein**, transesterification of, 919
- 1,2,3-Trimethylbenzene**, microbial oxidation, 453
- Trimethylsilyl ethers, methyl hydroxyacids**, gas chromatographic anal, 144
- Trinitrobenzene sulfonic acid**, for anal of sphingolipid, 254
- Triolein**, cholesterol absorption, rat, 964
- radiolabeled use in lipase assay, 805
- Triparanol**, inhibition of sterol synthesis, 219
- Triphenylmethyl chloride**, protective reagent synthesis of diacyl-sn-glycerols, 784
- Tris (6-acetoxy-5-methylenoxy-7,8-dimethyltocol) phosphate**, 240
- Tris (2,2,5,7,8-pentamethyl-6-chroman) phosphate**, synthesis, 240
- Tritium**, exchange-labeling, steroids, 233
- in water, desaturation assay, 78
- labeled Δ^5 -sterols, prep, 233
- Triton-X**, use in lipase assay, 805
- Trout, liver**, cyclopropenoid fatty acids in, 426
- Trout, muscle**, fatty acid profile, 426
- Trout, rainbow**, cyclopropenoid fatty acids, feeding, 426
- fatty acid profile, 426
- Tullibee**, pristane content of oil, 520
- Tumor, brain**, cholesterol biosynthesis in, 134
- rat mammary gland, effect of dietary fat, 416

U

- Ultracentrifugation**, of proteins from sarcoplasmic reticulum, 357
- 1,11-Undecanediol**, occurrence in wheat wax, 641
- Undecanol**, as substrate for alcohol dehydrogenase, 444
- Unsaturated carbonyls**, lipids, reaction with albumin, 172
- Unsaturated fatty acids**. See fatty acids, unsaturated
- Urea**, effect on protein-monolayer interaction, 546

V

- n-Valeric acid**, corona discharge induced reactions, 186
- Vegetable oils**, fatty acid profile, 942
- tocopherol content, 291

- Vernix caseosa**, structure of branched chain fatty acids, 901
- Very low density lipoproteins**, metabolism, 369
- Vespa orientalis**, fatty acid profile of larvae, 850
- Vitamin A**, content in human serum, 369
- Vitamin E**, and chicken fertility, 657
- as biological antioxidant, 147
- nomenclature, 281
- See α -tocopherol

W

- Walnut**, tocopherol content of seeds, 291
- Walnut oil**, tocopherol content, 291
- Water**, content of salmon liver, 347
- Wax**, spring wheat leaf, 641
- Wax esters**, anal by mass spectroscopy, 502
- chromatography of, from dolphin, 69
- deuterated, mass spectra, 502
- fatty acid profile of, from dolphin, 69
- fatty acid profile of sea anemone, 341
- fatty alcohol profile of, from dolphin, 69
- fatty alcohol profile of sea anemone, 341
- fish, fatty acids, from $U\text{-}^{14}C$ oleate, 562
- fish, fatty alcohols, from $U\text{-}^{14}C$ oleate, 562
- fish, in roe, 562
- fish, metabolism, half-life, 562
- fragmentation pattern in mass spectroscopy, 502
- in *Acanthocephala*, 763
- in *Vernix caseosa*, 901
- infrared spectra, melting point, x-ray diffraction, 421
- mass spectra, 502
- saponification, 763
- transesterification of, 919
- Whale, beluga (*Delphinapterus leucas*)**, fatty acid and triglyceride profiles of blubber and melon oils, 674
- Wheat**, analytical scheme for lipids of flour, 768
- glycerides, fatty acid comp, 768
- leaf wax, 641
- rust infected, formation of epoxystearate, 581
- stereoanalysis of glycerolipids, 768
- tocopherol content of seeds, 291
- Wheat flour**, molecule species in lipids of, 768
- Wheat germ oil**, tocopherol content, 291

XYZ

- X-ray diffraction**, long chain alcohols, esters with fatty acids, 421
- o-Xylene**, thermal oxidation product of methyl oleate, 768
- p-Xylene**, microbial oxidation, 453
- Yeast**, alkane and alcohol metabolism by, 444



